

HEAVY DUTY LIGHTING CATALOGUE 2020-22

*we light things that **MOVE**™*



MINING • CONSTRUCTION • HEAVY DUTY TRUCKING • OEM • FORESTRY • OIL & GAS



About Jetco Heavy Duty Lighting...

Jetco Heavy Duty Lighting is a leader in manufacturing and distributing heavy duty, mining, agricultural, and vehicle lighting, accessory and safety systems. As per our motto, "We light things that MOVE™".

With our national facility headquartered in Edmonton, Alberta, we are truly a Canadian company. Over the past 35 years, we have grown from our humble roots, marketing miniature bulbs, to encompassing a comprehensive line of cutting-edge LED lights, together with warning systems and lighting accessories.

We have been trusted to supply the most demanding industries with proven energy efficient, durable, and reliable solutions. Our focus and commitment to exacting standards and customer satisfaction is unsurpassed. Our true strength lies in our ability to:

- *Service customers with a 99% fill rate*
- *Customize and design products to meet any customer need*
- *Supply end to end lighting solutions – we have the breadth & depth to cover any vehicle*

We value our customers as they are our partners. Call us we'll earn your business.

01

99% FILL RATE

We carry products for all your lighting needs. It's rare that we have backorders and will always work for a solution.

02

QUALITY ASSURANCE

We build our products right; we believe the design and quality will shine through and back this with a hassle-free warranty

03

INVENTORY AGREEMENT

Guaranteed secured stock based on your forecasting. Our warehouse will prepare for your forecasts.

04

CUSTOMIZED DISTRIBUTION

We will ship your order the way you want it shipped and have it packed properly so it will get there safely.

05

PRODUCTION RANGE

We are the only Canadian Lighting Manufacturer with a product line that covers the user from end to end.

06

CUSTOMER SATISFACTION

We work with you to ensure you get the product you need. Helping us keep a less than 1% return rate.



TABLE OF CONTENTS

FORWARD LIGHTING - DOT APPROVED

PAGES 2-7



LED	2 - 3
HID	3
HALOGEN	4 - 6
LIGHT BARS	7

WORK LIGHTING

PAGES 8-22



LED	8 - 14
HID	14 - 15
HALOGEN	15 - 21
HOUSINGS	21 - 22
PORTABLE WORK LIGHT	22

EMERGENCY LIGHTING & WARNING SYSTEMS

PAGES 23-29



AUDIBLE WARNING	23
LED STROBES	23 - 26
SOLAR POWERED LED STROBES	27
LED LOG / LOAD / BUGGY WHIP LIGHTS	27 - 29
HALOGEN WARNING SYSTEMS	29

STOP/TURN/TAIL/BACKUP & MARKER LIGHTS

PAGES 30-41



LED MARKER LIGHTS	30 - 34
LED S/T/T & BACKUP LIGHTS - 12V / 24V	34 - 39
LED AIR CLEANER LIGHT BARS	40 - 41
LICENCE LIGHTS	41

SEALED & SEMI SEALED BEAMS

PAGES 42-47



3 1/2" x 6" SEALED BEAMS	42
4" x 6" SEALED BEAMS	43
6" x 8" SEALED BEAMS	43
SEMI-SEALED BEAMS	44
PAR 36 LIGHTS	45
PAR 46 LIGHTS	46
PAR 56 LIGHTS	47

INTERIOR LIGHTING

PAGES 48-50



CABINET / INTERIOR / DOME LIGHTS	48 - 49
LED STRIP LIGHTING	49 - 50

ELECTRICAL & MOUNTING ACCESSORIES

PAGES 51-54



GROMMETS / BEZELS	51
FLASHERS / RESISTORS / RELAYS	52
MOUNTING BASES / JUNCTION BOXES	52
MOUNTING BRACKETS	52
POWER SUPPLIES	53
ILLUMINATED SWITCHES	53
WIRING / PLUGS	54

LED SIGN BOARDS

PAGES 55-56



3 DIGIT SIGN BOARDS	55
4 DIGIT SIGN BOARDS	55-56
TRIANGULAR SIGN BOARDS	56

SCENE LIGHTS

PAGES 57



20W, 30W, & 50W	57
100W, 150W, 200W	57
50W PORTABLE	57

HEAVY DUTY MIRRORS


PAGES 58-59



HEAVY DUTY MIRRORS	58 - 59
--------------------	---------

FUSES

PAGES 60-61



FUSE DISPLAYS	60
BLADE / GLASS STYLE FUSES	61

MINIATURE BULBS & BALLASTS

PAGES 62-77



LED	62 - 64
HID BULBS & BALLASTS	64 - 65
HALOGEN	65 - 77

MERCHANDISE DISPLAYS

PAGES 78-79



MERCHANDISE DISPLAYS	78 - 79
----------------------	---------

INTERCHANGE & INDEX

PAGES 80-88



INTERCHANGE	80 - 84
INDEX	85 - 88




DOT APPROVED LIGHTS

LED

4" x 6" DOT LED AUXILIARY DRIVING LIGHT



123-33066 
DRIVING BEAM PATTERN



SPECS

VOLTAGE 9-32V
AMPERAGE 2.50A@12V / 1.25A@24V
WATTAGE 40W
IP RATING IP68
CONNECTOR DIRECT WIRE
MOUNTING STAINLESS STEEL U-BRACKET

ACCESSORIES - COVERS



123-C33066A



123-C 33066BK

AVAILABLE OPTION - WIRING KIT



119-KTD007

3 3/4" x 6 1/2" DOT LED AUXILIARY DRIVING LIGHT

SPECS

VOLTAGE 9-32V
AMPERAGE 1.58A@12V / 0.96A@24V
WATTAGE 24W
IP RATING IP68
CONNECTOR DIRECT WIRE
MOUNTING STAINLESS STEEL U-BRACKET



123-88044
DRIVING BEAM PATTERN



ACCESSORIES - COVERS



123-C88044A



123-C88044BK

AVAILABLE OPTION - WIRING KIT



119-KTD007

4" x 6" DOT LED HEADLIGHTS

SPECS

VOLTAGE	10-32V
AMPERAGE	2.0A @ 12V / 1.0A @ 24V
WATTAGE	24W
IP RATING	IP68
CONNECTOR	3 PRONG (LB) / 2 PRONG (HB) PLUG
MOUNTING	SOCKET



130-LED4651


HIGH BEAM

130-LED4656

LOW BEAM



PLUG AND PLAY



4"x6" DOT LED HEADLIGHT IN 5"x7" S/STEEL HOUSING

128-57LED4651SS

HIGH BEAM



SPECS

VOLTAGE	10-32V
AMPERAGE	2.0A @ 12V / 1.0A @ 24V
WATTAGE	24 W
IP RATING	IP68
CONNECTOR	DIRECT WIRE
MOUNTING	SWIVEL SINGLE BOLT



ACCESSORIES - COVERS



123-CS7000C



123-CS507
(SOFT VINYL)

HALOGEN



4"x 6" DUAL HALOGEN AUXILIARY DRIVING LIGHT

BLACK PROTECTIVE COVER INCLUDED

123-33044




DRIVING BEAM PATTERN

123-33044MC

MULTI COATED - AMBER

123-33044XW

EXTRA WHITE



SPECS

VOLTAGE	12V
AMPERAGE	8.3A @12V
WATTAGE	2x 55W
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

ACCESSORIES - COVERS



123-C33044



123-C33044C

REPLACEMENT PARTS

BULBS:
121- H3 (55W)
MOUNTING:
123-MH33044

LENS:
123-LR33044
123-LR33044MC
123-LR33044XW

5" x 7" HALOGEN HIGH BEAM DRIVING LIGHT

MAY BE RETROFITTED WITH OTHER 4"x 6" SEALED BEAMS

SPECS

VOLTAGE	12V
AMPERAGE	3.79A @12V
WATTAGE	50W
CONNECTOR	DIRECT WIRE
MOUNTING	HEAVY DUTY U-BRACKET



128-70H4651

ACCESSORIES - COVERS



123-CS07BK



123-CS7000C




123-CS507



123-CM507

REPLACEMENT PARTS

SEALED BEAM: 120-H4651
HOUSING: 128-H507X



3½" x 6½" HALOGEN DRIVING LIGHT SET


SPECS

VOLTAGE	12V
AMPERAGE	8.4A @12V (PER SET)
WATTAGE	110W (PER SET)
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

SET INCLUDES TWO LIGHTS



123-S6612



5" x 7" HALOGEN HIGH BEAM DRIVING LIGHT

MAY BE RETROFITTED WITH OTHER 4"x 6" SEALED BEAMS

128-57H4651SS



SPECS

VOLTAGE	12V
AMPERAGE	3.79A @12V
WATTAGE	50 W
CONNECTOR	DIRECT WIRE
MOUNTING	SWIVEL SINGLE BOLT

ACCESSORIES - COVERS



123-C5700C



123-C507BK
(SOFT VINYL)

REPLACEMENT PARTS

SEALED BEAM: 120-H4651
HOUSING: 128-H507XSS

3" x 6" HALOGEN MULTI-COATED AMBER DRIVING LIGHT SET

SET INCLUDES TWO LIGHTS - COMPLETE WITH WIRING HARNESS & SWITCH

SPECS	VOLTAGE	12V
	AMPERAGE	8.4A @12V (PER SET)
	WATTAGE	100W (PER SET)
	CONNECTOR	DIRECT WIRE
	MOUNTING	U-BRACKET




123-S91302MC



REPLACEMENT PARTS

BULBS: 121-H3 (55W)



3" x 4" HALOGEN AUXILIARY DRIVING LIGHT SET

SET INCLUDES TWO LIGHTS - COMPLETE WITH WIRING , SWITCH & MOUNTING HARDWARE

123-S97356


AMBER



SPECS	VOLTAGE	12V
	AMPERAGE	8.4A@ 12V (SET)
	WATTAGE	110 W (PER SET)
	CONNECTOR	DIRECT WIRE
	MOUNTING	U-BRACKET

REPLACEMENT PARTS

BULBS: 120-H3 (55W)



LIGHT BARS

STRAIGHT FLOOD/SPOT LED LIGHT BARS

SPECS	VOLTAGE	10-30V
	IP RATING	IP67
	CONNECTOR	DIRECT WIRE
	MOUNTING	S/ STEEL BRACKET

@12V	9"	15"	32"
AMPERAGE	3 A	3.6A	8A
WATTAGE	54W	72W	180W
LUMEN	2,500	4,000	10,800

ACCESSORIES - COVERS & WIRING KIT



AVAILABLE OPTION - DEUTSCH PLUG CONNECTOR



302-954FS


9"

302-1572FS

15"

302-32180FS

32"



CURVED FLOOD/SPOT LED LIGHT BARS

SPECS	VOLTAGE	10-30V
	IP RATING	IP67
	CONNECTOR	DIRECT WIRE
	MOUNTING	STAINLESS STEEL BRACKET

@12V	42"	50"
AMPERAGE	12 A	12.5A
WATTAGE	240W	288W
LUMEN	12,302	14,854

ACCESSORIES - COVERS & WIRING KIT



305-42240FS

42"

305-50288FS

50"



2" x 6" LED FLOOD LIGHT BAR

SPECS

VOLTAGE

10-30V

AMPERAGE

1.25A @12V / 0.49A @24V

WATTAGE

18W

LUMEN

1440

IP RATING

IP67

CONNECTOR

DIRECT WIRE

MOUNTING


STAINLESS STEEL U-BRACKET

AVAILABLE OPTION - DEUTSCH PLUG CONNECTOR



300-618F

6"



WORK LIGHTING



LED

5" HEAVY DUTY LED WORK LIGHT



123-LED95000F


FLOOD

123-LED95000T

TRAPEZOID

123-LED95000A

AMBER - TRAPEZOID



SPECS

VOLTAGE	9-32V
AMPERAGE	5.00A@12V / 2.50A@24V
WATTAGE	60W
LUMEN	6000(R) / 4000(E)
IP RATING	IP68
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	HEAVY DUTY TRUNNION

ACCESSORIES - COVERS



123-C95000A



123-C95000C

4" x 6" HEAVY DUTY LED WORK LIGHT

SPECS

VOLTAGE	9-32V
AMPERAGE	6.5A@12V / 3.34A@24V
WATTAGE	50W
LUMEN	6000(R) / 4700(E)
IP RATING	IP69K
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	HEAVY DUTY TRUNNION

123-81106F

FLOOD




ACCESSORIES - COVERS

CLEAR

123-C81106C

REPLACEMENT PARTS

BRACKET: 123-BR81106



PAR 46 LED HEADLIGHT SEALED BEAM

SPECS

VOLTAGE 9-32V
 AMPERAGE 4.10 A@12V / 1.90A@24V
 WATTAGE 50W
 LUMEN 3000(R) / 2200(E)
 IP RATING IP67
 CONNECTOR WEATHERPROOF DEUTSCH
 MOUNTING DIRECT RETROFIT

RETROFIT FOR PAR 46 (5¾") LIGHTS

123-460038A 123-460038F


AMBER

FLOOD

123-460038R 123-460038T

RED

TRAPEZOID




2" LED FLOOD WORK LIGHT

SPECS

VOLTAGE 10-30V
 AMPERAGE 0.52A @12V / 0.29A@24V
 WATTAGE 10W
 LUMEN 700(R) / 360(E)
 IP RATING IP68
 CONNECTOR WEATHERPROOF DEUTSCH
 MOUNTING STAINLESS STEEL U-BRACKET

123-81000F



5" HEAVY DUTY LED WORK LIGHT



123-81004F

FLOOD

123-81004S

SPOT



ULTRA LIGHT WEIGHT
HOUSING

SPECS

VOLTAGE	10-30V
AMPERAGE	1.12A@12V / 0.51A@24V
WATTAGE	30W
LUMEN	2700(R) / 1500(E)
IP RATING	IP68
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	STAINLESS STEEL U-BRACKET

4" HEAVY DUTY LED WORK LIGHT

SPECS

VOLTAGE	10-30V
AMPERAGE	1.12A@12V / 0.51A@24V
WATTAGE	30W
LUMEN	2700(R) / 1500(E)
IP RATING	IP68
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	STAINLESS STEEL U-BRACKET

123-81008F

FLOOD

123-81008S

SPOT




ULTRA LIGHT WEIGHT
HOUSING

5" LED FLOOD UTILITY WORK LIGHT



123-LED63511



SPECS

VOLTAGE	9-32V
AMPERAGE	2.11A@12V / 1.42A@24V
WATTAGE	36W
LUMEN	2800(R) / 1800(E)
IP RATING	IP68
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	STAINLESS STEEL U-BRACKET

5" LED WORK LIGHTS IN RUBBER HOUSING

SPECS	VOLTAGE	10-30V
	AMPERAGE	0.80A @12V / 0.41A@24V
	WATTAGE	18W
	LUMEN	1800
	IP RATING	IP68
	CONNECTOR	DIRECT WIRE

REPLACEMENT PARTS

SEALED BEAM: 130-LED4411

HOUSING: 128-H505

MAG BASE: 128-M307003

128-50LED4411

STAINLESS STEEL U-BRACKET

128-MB50LED4411

MAGNETIC U-BRACKET



5" LED TRAPEZOIDAL WORK LIGHTS IN S/ STEEL HOUSING

128-55LED4411

STAINLESS STEEL U-BRACKET

SPECS	VOLTAGE	10-30V
	AMPERAGE	1A @12V / 0.5A@24V
	WATTAGE	18W
	LUMEN	1800
	IP RATING	IP68
	CONNECTOR	DIRECT WIRE

REPLACEMENT PARTS

SEALED BEAM: 130-LED4411

HOUSING: 128-H555S





5" LED COB WORK LIGHT

SPECS	VOLTAGE	10-30V
	AMPERAGE	4.17A@12V / 2.80A@24V
	WATTAGE	50W
	LUMEN	5000(R) / 4000(E)
	IP RATING	IP67
	CONNECTOR	DIRECT WIRE
	MOUNTING	STAINLESS STEEL U-BRACKET

AVAILABLE OPTION - DEUTSCH PLUG CONNECTOR

300-1500FP (FLOOD)

300-1500SP (SPOT)



EMITS HEAT TO THE FRONT

300-1500F

FLOOD

300-1500S

SPOT



EMITS HEAT TO FRONT



EMITS HEAT TO FRONT



4" LED COB WORK LIGHT


EMITS HEAT TO THE FRONT

300-1501F

FLOOD

300-1501S

SPOT



SPECS

VOLTAGE	10-30V
AMPERAGE	4.17A@12V / 2.80A@24V
WATTAGE	50W
LUMEN	5000(R) / 4000(E)
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

AVAILABLE OPTION - DEUTSCH PLUG CONNECTOR

300-1501FP (FLOOD)

300-1501SP (SPOT)



4" LED SPOT WORK LIGHT




300-3140S

SPECS

VOLTAGE	10-30V
AMPERAGE	2.5A@12V
WATTAGE	42W
LUMEN	3360(R)/2310(E)
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET


AVAILABLE OPTION - BULK

300-3140SB



4" LED FLOOD WORK LIGHT

300-3161F




SPECS

VOLTAGE	10-30V
AMPERAGE	2.5A@12V
WATTAGE	48W
LUMEN	4800(R)/3360(E)
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

AVAILABLE OPTION - DEUTSCH PLUG CONNECTOR

300-3161FP (FLOOD)




3 1/2" x 5" LED FLOOD WORK LIGHT

SPECS

VOLTAGE	10-30V
AMPERAGE	0.82A @12V / 0.41A@24V
WATTAGE	18W
LUMEN	1800(R) / 1080(E)
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

300-363F



4" LED FLOOD WORK LIGHT

300-390F

ROUND

300-391F

SQUARE

SPECS

VOLTAGE	10-30V
AMPERAGE	1.66A @12V / 0.72A@24V
WATTAGE	27W
LUMEN	2700(R)/1890(E)
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

AVAILABLE OPTION - BULK

300-390FB - Round

300-391FB - Square




4" x 6" LED FLOOD WORK LIGHT

SPECS

VOLTAGE	10-80V
AMPERAGE	1.13A@12V / 0.57A@24V
WATTAGE	24W
LUMEN	2500(R) / 1440(E)
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

300-382F



ACCESSORIES - COVERS

AMBER

300-C382A


2" x 4" BLUE LED SPOT WORK LIGHT



SPECS

VOLTAGE	10-80V
AMPERAGE	0.26A@12V / 0.13A@24V
WATTAGE	6W
LUMEN	500
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

300-322BS



3" LED FLOOD WORK LIGHT

300-340F



SPECS

VOLTAGE	10-30V
AMPERAGE	0.6A@12V / 0.28A@24V
WATTAGE	12W
LUMEN	600
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

HID

5" FULLY REPLACEABLE HID LIGHTS

MILITARY GRADE MOUNTING SYSTEM

12V

24V

123-950012F

FLOOD (12V)

123-95000F


FLOOD (24V)

123-950012MCT

AMBER TRAPEZOID (12V)

123-95000MCT

AMBER TRAPEZOID (24V)



SPECS

VOLTAGE	12V / 24V
AMPERAGE	3.08A@12V / 1.47A@24V
WATTAGE	35W
IP RATING	IP67
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	S/ STEEL U-BRACKET

REPLACEMENT PARTS

BULB:	120-D1SXW
BALLAST:	123-D1S-B12 (12V)
BALLAST:	123-D1S-B24 (24V)
LENS HOLDER:	123-LH95000
MOUNTING:	123-MH95000
LENS:	
	123-LR95000F (FLOOD)
	123-LR95000S (SPOT)
	123-LR95000SA (AMBER SPOT)
	123-LR95000MCT (AMBER TRAP)

3" FULLY REPLACEABLE HID LIGHT

SPECS

AMPERAGE	3.08A @12V / 1.47A@24V
WATTAGE	35W
IP RATING	IP67
CONNECTOR	DEUTSCH PLUG
MOUNTING	U-BRACKET W/ OMEGA BRACKET

HANDLES EXTREME VIBRATION

12V

123-33188F

FLOOD (12V)

123-33188T

TRAPEZOID (12V)

123-33188MCT

AMBER TRAPEZOID (12V)

24V

123-33188F-4

FLOOD (24V)

123-33188T-4

TRAPEZOID (24V)

123-33188MCT-4

AMBER TRAPEZOID (24V)


ACCESSORIES - COVERS



123-C33188C

REPLACEMENT PARTS

BULB:	120-D15XW	LENS:	
BALLAST:	123-D15-B12 (12V)	123-LR33188F (FLOOD)	
BALLAST:	123-D15-B24 (24V)	123-LR33188T (TRAP)	
HOUSING:	123-H33188	123-LR33188MCT (AMBER TRAP)	



HALOGEN

3" x 5" HALOGEN AUXILIARY WORK LIGHTS



12V

123-30305

FLOOD (12V)

123-30306

TRAPEZOID (12V)

24V

123-30305-4

FLOOD (24V)

123-30306-4


TRAPEZOID (24V)

SPECS

VOLTAGE	12V / 24V
AMPERAGE	4.20A @12V / 2.65A@24V
WATTAGE	55W / 70W
CONNECTOR	DIRECT WIRE
MOUNTING	U-BRACKET

REPLACEMENT PARTS

BULB:	121-H3 (12V)
BULB:	121-H3-2 (24V)





4" x 6" HALOGEN LIGHTS IN RUBBER HOUSING

128-504 SERIES



SPECS

CONNECTOR DIRECT WIRE
MOUNTING U-BRACKET

ACCESSORIES - COVERS



128-CM504

PART NUMBER	BEAM TYPE	VOLTAGE	WATTAGE	AMPS	REPLACEMENT BULB	REPLACEMENT HOUSING	REPLACEMENT LENS
128-50405	SPOT	12V	55	4.2	----	128-H504	130-H9405
128-50406	FLOOD	12V	55	4.2	----	128-H504	130-H9406
128-50411	TRAPEZOID	12V	50	3.79	----	128-H504	130-H9411
128-50420	DRIVING BEAM	12V	55	4.2	----	128-H504	130-H9420
128-50415A	AMBER FOG	12V	37.5	2.84	----	128-H504	130-H9415A
130-H9411XW	X-WHITE TRAPEZOID	12V	50	3.79	----	128-H504	130-H9411XW
128-50405-4	SPOT	24V	70	2.65	121-H3-2 (70W)	128-H504	123-9405
128-50406-4	FLOOD	24V	70	2.65	121-H3-2 (70W)	128-H504	123-9406
128-50411-4	TRAPEZOID	24V	70	2.65	121-H3-2 (70W)	128-H504	123-9411

did?
YOU
know

JETCO IMPLEMENTS A **4QC** PROCESS
ON ALL PRODUCTS CATEGORIES. YOUR
"PEACE OF MIND" IS OUR "PEACE OF MIND"



5" x 7" HALOGEN AUXILIARY FLOOD LIGHT

SPECS	VOLTAGE	24V
	AMPERAGE	2.65@24V
	WATTAGE	70W
	CONNECTOR	DIRECT WIRE
	MOUNTING	SINGLE SWIVEL BOLT

123-1183-4




ACCESSORIES - COVERS



123-CS507

REPLACEMENT PARTS

BULB: 121-H3-2 (24V)



5" x 7" HALOGEN AUXILIARY FLOOD LIGHT

12V

24V

123-307001
FLOOD (12V)

123-307001-4
FLOOD (24V)

SPECS	VOLTAGE	12V / 24V
	AMPERAGE	4.2A@ 12V / 2.65A@24V
	WATTAGE	55W@12V / 70W@24V
	CONNECTOR	DIRECT WIRE
	MOUNTING	U-BRACKET



ACCESSORIES - COVERS



123-CS507

REPLACEMENT PARTS

BULB: 121-H3 (12V)

BULB: 121-H3-2 (24V)

5" x 7" HALOGEN LIGHT IN S/ STEEL HOUSING

MAY BE RETROFITTED WITH OTHER 4"x 6" SEALED BEAMS

SPECS	VOLTAGE	12V
	AMPERAGE	3.79A
	WATTAGE	50W (TRAP) / 55W (SPOT)
	CONNECTOR	DIRECT WIRE
	MOUNTING	HEAVY DUTY SINGLE BOLT

128-57H7921SS

TRAPEZOID

128-57H7935SS

SPOT

ACCESSORIES - COVERS



123-CS507




123-CS7000C

REPLACEMENT PARTS


SEALED BEAM: 130-H7935-3 (SPOT)

SEALED BEAM: 120-H7921-1 (TRAP)





5" x 7" HALOGEN LIGHTS IN RUBBER HOUSING



SPECS

CONNECTOR DIRECT WIRE
MOUNTING HEAVY DUTY U-BRACKET

ACCESSORIES - COVERS



PART NUMBER	BEAM TYPE	VOLTAGE	WATTAGE	AMPS	REPLACEMENT BULB	REPLACEMENT HOUSING	REPLACEMENT LENS
128-70H7921	DRIVING BEAM	12V	50	3.79	---	128-H507	120-H7921
128-350507	SPOT	12V	55	4.2	---	128-H507	130-H7953-3
128-350507-H3	SPOT (SEMI SEALED)	12V	55	3.79	121-H3	128-H507	130-H7935-H3
128-350507XW	SPOT -EXTRA WHITE	12V	55	4.2	---	128-H507	130-H7935XW-3
128-5074651-1	DRIVING BEAM	12V	100	7.58	121-H3-1	128-H507	123-4651-3
128-5074651-41	DRIVING BEAM	24V	100	3.79	121-H3-3	128-H507	123-4651-3

6" x 8" HALOGEN "ARCTIC VISION" DRIVING LIGHT

SPECS

VOLTAGE 12V
AMPERAGE 7.58A @12V
WATTAGE 100W
CONNECTOR DIRECT WIRE
MOUNTING HEAVY DUTY SINGLE BOLT

123-77004

LONG RANGE DRIVING PATTERN



ACCESSORIES - COVERS



123-C77004

REPLACEMENT PARTS

BULB: 121-H3-1



1½" x 5" SLIM-LINE HALOGEN SPOT LIGHT SET

SET INCLUDES TWO LIGHTS - COMPLETE WITH WIRING, SWITCH & MOUNTING HARDWARE

123-S93001



SPECS

VOLTAGE 12V
AMPERAGE 4.2A @12V (EACH)
WATTAGE 55W (EACH)
CONNECTOR DIRECT WIRE
MOUNTING BOLT MOUNT

REPLACEMENT PARTS

BULB: 121-H3 (55W)

2½" x 3" HALOGEN AMBER SPOT LIGHT SET

SET INCLUDES TWO LIGHTS - COMPLETE WITH WIRING, SWITCH & MOUNTING HARDWARE

SPECS	VOLTAGE	12V
	AMPERAGE	4.2A@ 12V (EACH)
	WATTAGE	55 W (EACH)
	CONNECTOR	DIRECT WIRE
	MOUNTING	U-BRACKET

123-S92006C

AMBER

REPLACEMENT PARTS

BULB: 121-H3 (55W)



3½" HALOGEN SPOT LIGHT SET

SET INCLUDES 2 LONG RANGE SPOT LIGHTS

123-S888C

CHROME

123-S888SS


STAINLESS STEEL

SPECS

VOLTAGE	12V
AMPERAGE	4.2A@12V
WATTAGE	55W
CONNECTOR	DIRECT WIRE
MOUNTING	U-BRACKET

REPLACEMENT PARTS

BULB: 121-H3 (55W)



5" HALOGEN SPOT WORK LIGHTS

SPECS	VOLTAGE	12V
	AMPERAGE	4.2A @12V
	WATTAGE	55W
	CONNECTOR	DIRECT WIRE
	MOUNTING	SWIVEL SINGLE BOLT

123-518SS

STAINLESS STEEL


ACCESSORIES - COVERS



123-CS3001

REPLACEMENT PARTS

BULB: 121-H3 (55W)





5" HALOGEN AUXILIARY WORK LIGHTS

HIGH IMPACT RUBBER HOUSING

128-50H4411

TRAPEZOID

SPECS	VOLTAGE	12V
	AMPERAGE	4.2A
	WATTAGE	55W
	CONNECTOR	DIRECT WIRE
	MOUNTING	U-BRACKET


ACCESSORIES - COVERS



123-CS3001

REPLACEMENT PARTS

SEALED BEAM: 130-H4411-3



5" HALOGEN SPOT WORK LIGHTS

SPECS	VOLTAGE	12V
	AMPERAGE	4.2A
	WATTAGE	55W
	CONNECTOR	DIRECT WIRE
	MOUNTING	SWIVEL SINGLE BOLT

123-3001C

CHROME


ACCESSORIES - COVERS



123-CS3001

REPLACEMENT PARTS

BULB:	HOUSING:
121-H3	122-H3001C
121-H3	



6" HALOGEN SPOT AUXILIARY WORK LIGHTS

VIBRATION DAMPENING MOUNTING SYSTEM

123-6001XWC

CHROME

123-6001XWSS

S/STEEL

SPECS	VOLTAGE	12V
	AMPERAGE	7.58A
	WATTAGE	100W
	CONNECTOR	DIRECT WIRE
	MOUNTING	SWIVEL SINGLE BOLT


ACCESSORIES - COVERS



123-CS6001

REPLACEMENT PARTS

BULB:	121-H3-1
LENS:	123-LR6001XW
HOUSING:	123-H6001C
	123-H6001SS



ROO-LITE® HALOGEN ADJUSTABLE FOCUS LIGHTS

IDEAL FOR HEAVY DUTY BUMPER BARS & OFF-ROADING

SPECS	VOLTAGE	12V
	AMPERAGE	5.68A - 7.58A
	WATTAGE	75W / 100W
	CONNECTOR	DIRECT WIRE
	MOUNTING	SWIVEL SINGLE BOLT

123-69000HST

"JOEY"™ (75W)

123-79000HLX

"ROO" (100W)



ACCESSORIES - COVERS

123-CS69000	123-C69000BK	123-C69000C	123-C69000A	123-C69000XW	123-C79000AFG	123-C79000XWFG
123-CS79000	123-C79000BK	-----	123-C79000A	-----		

REPLACEMENT PARTS

BULB:	LENS:	MOUNT:	BRACKET:
120-64450S	123-LR69000	123-MH79000HLX	123-BR69-79000
120-64623HLX	123-LR79000	123-MH79000HLX	123-BR69-79000

48" HEAVY DUTY LIGHT BAR

EASY TO INSTALL FULLY CUSTOMIZABLE LIGHT BAR. INCLUDES ANTI-VIBRATION BAR STABILIZERS

128-77113C

INCLUDES LIGHTS

128-77113H

MOUNTING BAR ONLY



FIG. 1



FIG. 2



FIG. 3



FIG. 4

PART NUMBER	FIGURE	AMPS	VOLTAGE	WATTAGE	LUMEN	IP RATING	CONNECTOR	MOUNTING
300-3161F	1	4.00	10-30V	48	2880	IP67	DEUTSCH PLUG	S/ STEEL U-BRACKET
300-3140S	2	2.2A	10-30V	42	3300	IP67	DEUTSCH PLUG	S/ STEEL U-BRACKET
123-81000F	3	0.52	9.32V	10	700	IP68	DEUTSCH PLUG	S/ STEEL U-BRACKET
126-67412A	4	0.36	12-32V	4.5	--	--	DEUTSCH PLUG	SURFACE

HOUSINGS

S/ STEEL HOUSING FOR PAR 36

128-H55SS



METAL HOUSING FOR PAR 36

128-H3001C

CHROME

128-H3001SS

STAINLESS STEEL



RUBBER HOUSING FOR PAR 36

128-H505B



RUBBER FOR PAR 46

128-H506



RUBBER HOUSING FOR 4" x 6"

128-H507

128-H507X

WITH 3 PRONG PLUG



METAL HOUSING FOR PAR 46

128-H6001C

CHROME

128-H6001SS

STAINLESS STEEL



S/ STEEL HOUSING FOR 4" x 6"

128-H57SS

128-H57XSS

WITH 3 PRONG PLUG



RUBBER HOUSING FOR 4" x 6"

128-H504B

U-BRACKET

128-H504M

MAGNETIC BRACKET

128-H504XB

LOG LIGHT BRACKET



REPLACEMENT PARTS

MAGNETIC BRACKET:

128-MBR504

PORTABLE WORK LIGHT



HANDHELD INSPECTION LAMP

INSPECTION MODE OR SPOT FLASHLIGHT WITH RECHARGEABLE BATTERY

151-77455XV

SPECS

NO. DIODES	6 (INSPECTION), 1 (SPOT)
CHARGE	5 HRS CHARGING TIME
BATTERY LIFE	3.5 HRS INSPECT, 7 HRS SPOT
LUMEN RAW	350 (INSPECTION), 100 (SPOT)
HOUSING	HIGH IMPACT PLASTIC
CONNECTOR	USB
MOUNTING	MAGNETIC / HOOKS



SPOT LAMP MODE



INSPECTION LAMP
MODE



CHARGING TIME



MAGNETIC BASE



2200 mAh BATTERY



180 ° PIVOT ABILITY



HOOK MOUNTING

EMERGENCY & WARNING LIGHTING

AUDIBLE WARNING

2.5" x 4" BACK-UP ALARM

SPECS	VOLTAGE	12-48V DC
	DECIBELS	107 dB (a)
	FREQUENCY	2800 Hz
	CYCLES/MIN	70-100
	MOUNTING	GROUND STABILIZER


126-67141



LED STROBES

17" HEAVY DUTY LOW PROFILE WARNING STROBE

126-67085 SERIES



SYNCHRONIZATION CAPABILITY

SPECS	VOLTAGE	12-54V
	CLASS RATING	SAE J595 W-1/W-2 (CLASS 1/2)
	BASE MATERIAL	HIGH IMPACT PLASTIC

ACCESSORIES - ADAPTERS



126-67085MK

REPLACEMENT PARTS

LENS:

126-L67085A (AMBER)
126-L67085R (RED)
126-L67085B (BLUE)
126-L67085C (CLEAR)

PART NUMBER	COLOR	CONNECTOR	MOUNTING	FLASH PATTERNS
126-67085A	AMBER	DIRECT WIRE	SURFACE	16
126-67085R	RED	DIRECT WIRE	SURFACE	16
126-67085B	BLUE	DIRECT WIRE	SURFACE	16
126-67085ACL	AMBER (CLEAR LENS)	DIRECT WIRE	SURFACE	16
126-67085MA	AMBER	12V CAR ADAPTER	MAGNETIC	16
126-67085MACL	AMBER (CLEAR LENS)	12V CAR ADAPTER	MAGNETIC	16
126-67085ABCL	AMBER / BLUE (CLEAR LENS)	DIRECT WIRE	SURFACE	3



8" HIGH PROFILE LED WARNING STROBE

126-67024A
AMBER
126-67024R
RED

126-67024ACL
AMBER CLEAR
126-67024RCL
RED CLEAR
126-67024BCL
BLUE CLEAR

SPECS VOLTAGE 9-32V
CLASS RATING SAE W3-2 07 (CLASS 2)
FLASH PATTERNS 3
BASE MATERIAL BRUSHED ALUMINUM
MOUNTING SURFACE

ACCESSORIES - SWITCH KIT



126-67024SW

REPLACEMENT PARTS

LENS:
126-L67024A (AMBER)
126-L67024C (CLEAR)
126-L67024R (RED)

SYNCHRONIZATION CAPABILITY

7½" HEAVY DUTY LED WARNING STROBE

126-67033 SERIES



MULTI-LAYERED REFLECTOR

SPECS VOLTAGE 12-36V
CLASS RATING SAE J845 W3-1/W3-2 15 (CLASS 1 / 2)
FLASH PATTERNS 28
BASE MATERIAL DIE-CAST ALUMINUM

ACCESSORIES - ADAPTER



126-67000MK



SYNCHRONIZATION CAPABILITY

PART NUMBER	COLOR	CONNECTOR	MOUNTING	REPLACEMENT LENS
126-67033A	AMBER	DIRECT WIRE	SURFACE	126-L67033A
126-67033R	RED	DIRECT WIRE	SURFACE	126-L67033R
126-67033B	BLUE	DIRECT WIRE	SURFACE	126-L67033B
126-67033ACL	AMBER (CLEAR LENS)	DIRECT WIRE	SURFACE	126-L67033C
126-67033WCL	WHITE (CLEAR LENS)	DIRECT WIRE	SURFACE	126-L67033C
126-67033MA	AMBER	12V CAR ADAPTER	MAGNETIC	126-L67033A
126-67033MR	RED	12V CAR ADAPTER	MAGNETIC	126-L67033R
126-67033MB	BLUE	12V CAR ADAPTER	MAGNETIC	126-L67033B
126-67033MACL	AMBER (CLEAR LENS)	12V CAR ADAPTER	MAGNETIC	126-L67033C
126-67033MWCL	WHITE (CLEAR LENS)	12V CAR ADAPTER	MAGNETIC	126-L67033C



JETCO CARRIES A 99% FILL RATE.....
.....INVENTORY IS OUR BACKBONE



5" HEAVY DUTY LED WARNING STROBE

SPECS	VOLTAGE	12-36V
	CLASS RATING	SAE J845, (126-67089A-CLASS 1 / ALL OTHER 2)
	FLASH PATTERNS	5
	BASE MATERIAL	DIE-CAST ALUMINUM

126-67089 SERIES

ACCESSORIES - ADAPTER



126-67000MK

PART NUMBER	COLOR	CONNECTOR	MOUNTING	REPLACEMENT LENS
126-67089A	AMBER	DIRECT WIRE	SURFACE	126-L67089A
126-67089G	GREEN	DIRECT WIRE	SURFACE	126-L67089G
126-67089B	BLUE	DIRECT WIRE	SURFACE	126-L67089B
126-67089ACL	AMBER (CLEAR LENS)	DIRECT WIRE	SURFACE	126-L67089C
126-67089MA	AMBER	12V CAR ADAPTER	MAGNETIC	126-L67089A
126-67089MG	GREEN	12V CAR ADAPTER	MAGNETIC	126-L67089G
126-67089MB	BLUE	12V CAR ADAPTER	MAGNETIC	126-L67089B
126-67089MACL	AMBER (CLEAR LENS)	12V CAR ADAPTER	MAGNETIC	126-L67089CL



SYNCHRONIZATION CAPABILITY

5" LED WARNING STROBE

65 QUAD FLASHES /MIN

126-67412 SERIES

SPECS	VOLTAGE	9-32V
	FLASH PATTERNS	3
	BASE MATERIAL	HIGH IMPACT PLASTIC



PART NUMBER	COLOR	CONNECTOR	MOUNTING	REPLACEMENT LENS
126-67412A	AMBER	DIRECT WIRE	SURFACE	---
126-67412MA	AMBER	12V CAR ADAPTER	MAGNETIC	---
126-LED67412G	GREEN	DIRECT WIRE	SURFACE	---
126-LED67412MG	GREEN	12V CAR ADAPTER	MAGNETIC	---
126-LED67412MB	BLUE	12V CAR ADAPTER	MAGNETIC	126-L67412B

4½" LIGHT DUTY LED AMBER STROBE

COMPACT SIZE - FITS EASILY INTO A GLOVE BOX

126-150MA

SPECS	VOLTAGE	9-30V
	CONNECTOR	12V CAR ADAPTER
	MOUNTING	MAGNETIC

AVAILABLE OPTION - EUROPEAN PLUG CONNECTOR

126-150MAP





5 1/2" HEAVY DUTY LED AMBER FORK LIFT STROBE

126-67081A

SPECS	VOLTAGE	9-100V DC
	CONNECTOR	DIRECT WIRE
	FLASH PATTERNS	60 QUAD FLASHES/MIN
	BASE MATERIAL	HIGH IMPACT PLASTIC
	MOUNTING	FLANGE W/ (3 3/8" HOLE SPACING)

5" PORTABLE BATTERY OPERATED LED WARNING LIGHT

360° VIEWING ANGLE. PHOTOCELL WILL ADJUST WITH LIGHT INTENSITY

SPECS	VOLTAGE	3V
	CONNECTOR	USES 2 D BATTERIES (NOT INCLUDED)
	MOUNTING	MAGNETIC

126-66172A

AMBER

126-66172R

RED



2" x 4 3/4" LED SURFACE MOUNT DIRECTIONAL STROBE

QUAD FLASH OR STEADY ON PATTERNS WITH SYNCHRONIZATION CAPABILITY

127-66766ACL

AMBER CLEAR

127-66766W

WHITE



127-66766RCL

RED CLEAR

127-66766BCL

BLUE CLEAR

SPECS	VOLTAGE	9-36V
	CLASS RATING	SAE W-2 08 DOT
	CONNECTOR	DIRECT WIRE
	BASE MATERIAL	BRUSHED ALUMINUM
	MOUNTING	SURFACE (PLASTIC BASE)

2" x 6" LED "COMPACT COUNT" SEALED STROBE LAMP

DUAL / QUAD FLASHING STROBE

SPECS	VOLTAGE	12V
	CLASS RATING	SAE J845 & J1318 PHOTOMETRIC
	CONNECTOR	3-WIRE PLUG
	MOUNTING	GROMMET (118-9157)

127-S60010A



SOLAR POWERED LED STROBES

6"x 3" SOLAR LED STROBE

SPECS	HOUSING	HIGH IMPACT PLASTIC
	CHARGE TIME	6H (72H RUN TIME)
	MOUNTING	PIPE, PYLON, BRACKET

360° VISIBILITY, UP TO 500M

126-67063 Series

ACCESSORIES - BRACKET



126-BR67063


AVAILABLE COLORS

- AMBER: 126-67063A
- WHITE: 126-67063W
- BLUE: 126-67063B
- RED: 126-67063R
- GREEN: 126-67063G

CHARGES IN RAIN, SUNLIGHT OR OVERCAST



SWITCH



PHOTOCELL



LOG/LOAD/BUGGY LIGHTS


5" RED LED S/T/T TOW LIGHT

EXTRA SIGNAL LIGHT / WARNING LIGHT FOR REAR FACING APPLICATIONS

128-MB5040010R



MAGNETIC



SPECS

VOLTAGE	12V
HOUSING	RUBBER
CONNECTOR	DIRECT WIRE
MOUNTING	MAGNETIC

ACCESSORIES - COVERS



123-CS3001

REPLACEMENT PARTS

LAMP:	HOUSING:	MOUNTING:
127-40010RB	128-H505	128-M307003



3½" x 5¾" LED MAGNETIC "LOAD-LITE"

DESIGNED TO WITHSTAND EXTREME WEATHER AND HIGHWAY CONDITIONS

127-66055AMB

AMBER

127-66055RMB

RED

SPECS

VOLTAGE BATTERY OPERATED, 4 AA (NOT INCLUDED)
MOUNTING 4 SUPER STRENGTH MAGNETS



4½" x 6¾" LED WIDE LOAD / LOG LIGHTS IN RUBBER HOUSING



LOG SPIKE

128-504L55A

AMBER - LOG SPIKE

128-504L55R

RED - LOG SPIKE

MAGNETIC

128-504L55AMB

AMBER - MAGNETIC

128-504L55RMB

RED - MAGNETIC

128-504L55WMB

WHITE - MAGNETIC



SPECS

VOLTAGE USED 4 AA BATTERIES (NOT INCLUDED)
MOUNTING MAGNETIC (100 lb) OR METAL LOG / SPIKE BRACKET

REPLACEMENT PARTS

SEALED LAMP:	HOUSING:	MAGNETIC BRACKET
127-66055R (RED)	128-H504M (MAGNETIC)	128-H504MBR
127-66055A (AMBER)	128-H504FB (LOG SPIKE)	
127-66055W (WHITE)		



LOG SPIKE BRACKET



MAGNETIC BRACKET

LED SAFETY WHIP LAMP

INCLUDES: SCREWS, HEAT SHRINK TUBING AND WRENCH FOR INSTALLATION

127-66090ACL

AMBER CLEAR

127-66090WB

WHITE - BULK

SPECS

VOLTAGE 12V
LENS SHATTERPROOF LEXAN
CONNECTOR S.C. BAYONET



FULLY LIT LED BUGGY WHIP

ONE HANDED QUICK DISCONNECT BASE. INCLUDES FLAG WITH REFLECTORIZED STRIPES



303-03096A

3 FOOT (QUICK CONNECT)

303-08276A

8 FOOT (QUICK CONNECT)

303-05168A

5 FOOT (QUICK CONNECT)

303-08274A

8 FOOT (QUICK CON W/SPRING)



SPECS

VOLTAGE 12V
IP RATING IP67
CONNECTOR DIRECT WIRE
MOUNTING SINGLE BOLT + QUICK DISCONNECT

REPLACEMENT PARTS

QUICK CONNECTOR: 303-10000
 QUICK CON. COVER: 303-11000
 REPLACEMENT FLAG: 303-12000



303-0874A
 (8ft + spring base)

HALOGEN WARNING SYSTEMS



5½" HEAVY DUTY HALOGEN AMBER BEACON

126-33202-4

SPECS

VOLTAGE 24V
AMPERAGE 6.00A @ 24V
WATTAGE 70W
CONNECTOR DIRECT WIRE
BASE MATERIAL HIGH IMPACT PLASTIC
MOUNTING SURFACE

5" ROTATING BEACON W/ MAGNETIC BASE

GEAR-DRIVEN MECHANISMS

126-333A

SPECS

VOLTAGE 12V
CONNECTOR 12V CAR ADAPTER
MOUNTING MAGNETIC



S/T/T & MARKER LIGHTING

**MAKE YOUR TRUCK
STAND OUT!**

LED MARKER LIGHTS

2" BEEHIVE LED SEALED MARKER LAMPS

SPECS	VOLTAGE	12V
	CONNECTOR	2 PRONG PLUG
	MOUNTING	GROMMET

ACCESSORIES - CONNECTORS

119-9122 (2 PRONG PLUG - RIGHT ANGLE)
119-9122X (2 PRONG PLUG - STANDARD)



127-10018A

AMBER

127-10018R

RED

127-10018ACLB

AMBER CLEAR



3/4" LED BULLET MARKER LIGHTS W/ GROMMET MOUNT



127-66793AB

AMBER

127-66793RB

RED

127-66793WB

WHITE



SPECS	VOLTAGE	12V
	CONNECTOR	DIRECT WIRE
	MOUNTING	GROMMET

2" LED SEALED MARKER LAMPS

SPECS	DIODES	9
	VOLTAGE	12V
	CONNECTOR	2 PRONG PLUG
	MOUNTING	GROMMET

ACCESSORIES - CONNECTORS

119-9122 (2 PRONG PLUG - RIGHT ANGLE)
119-9122X (2 PRONG PLUG - STANDARD)

AVAILABLE OPTION - KIT

127-16002KR (RED)

INCLUDES: GROMMET (118-9119) & PLUG (119-9122)



RED

127-16002R

RED

127-16002RB

RED BULK

127-16002RCL

RED CLEAR

AMBER

127-16002A

AMBER

127-16002AB

AMBER - BULK

127-16002ACL

AMBER CLEAR



2½" LED SEALED MARKER LAMPS

127-17002A

AMBER

127-17002ACL

AMBER CLEAR

127-17002RCL

RED CLEAR



SPECS

DIODES	13
VOLTAGE	12V
CONNECTOR	2 PRONG PLUG
MOUNTING	GROMMET

ACCESSORIES - CONNECTORS

119-9122 (2 PRONG PLUG - RIGHT ANGLE)
119-9122X (2 PRONG PLUG - STANDARD)



2½" REFLECTORIZED LED SEALED MARKER LAMPS

SPECS	DIODES	13
	VOLTAGE	12V
	CONNECTOR	2 PRONG PLUG
	MOUNTING	GROMMET

ACCESSORIES - CONNECTORS

119-9122 (2 PRONG PLUG - RIGHT ANGLE)
119-9122X (2 PRONG PLUG - STANDARD)

AVAILABLE OPTION - KIT

127-17004KR (RED)

INCLUDES: GROMMET (118-9119) & PLUG (119-9122)



127-17004R

RED

127-17004RB

RED BULK

127-17004A

AMBER

127-17004AB

AMBER - BULK





LOW PROFILE APPEAL

3/4" x 3 1/2" LED MARKER UTILITY LAMP

127-66810ACLB

AMBER

127-66810RCLB

RED

127-66812WB

WHITE



SPECS	DIODES	3
	VOLTAGE	12V
	CONNECTOR	DIRECT WIRE
	MOUNTING	SURFACE

1" x 2 1/2" LED SEALED MARKER LAMPS

SPECS	DIODES	6
	VOLTAGE	12V
	CONNECTOR	2 PRONG PLUG
	MOUNTING	BASE (118-9387 or 118-9381C)

ACCESSORIES - CONNECTORS

119-9122 (2 PRONG PLUG - RIGHT ANGLE)
119-9122X (2 PRONG PLUG - STANDARD)

AVAILABLE OPTION - KIT

127-15000KA (LIGHT + BASE + PLUG)
127-15000KR (LIGHT + BASE + PLUG)



KIT ALTERNATIVE

127-15000AB

AMBER BULK

127-15000RB

RED BULK



1" x 4" LED SEALED MARKER LAMP

127-19000A

AMBER

127-19000R

RED



SPECS	DIODES	6
	VOLTAGE	12V
	CONNECTOR	2 PRONG PLUG
	MOUNTING	BASE (118-9389C-CHROME) (118-9389BK - BLACK)

ACCESSORIES - CONNECTORS

119-9122 (2 PRONG PLUG - RIGHT ANGLE)
119-9122X (2 PRONG PLUG - STANDARD)



1" x 4" RED / AMBER LED SEALED MARKER LAMP KIT

SPECS	DIODES	2
	VOLTAGE	12V
	CONNECTOR	DIRECT WIRE (WITH MOUNTING BASE)
	MOUNTING	BASE (INCLUDES CONNECTOR)



127-19000ARKT



1"x 4" POLYCARBONATE REFLECTORS



127-19014AB

AMBER

127-19014RB

RED



2" x 6" LED SEALED MIRROR MARKER LAMPS

COMPATIBLE W/ WEST COAST MIRRORS

127-66093A



AMBER

127-66093ACL

AMBER CLEAR

SPECS

DIODES	18
VOLTAGE	12V
CONNECTOR	DIRECT WIRE
MOUNTING	SURFACE

2" x 6" PANEL STYLE LED SEALED MARKER LAMPS

SPECS

DIODES	16
VOLTAGE	12V
CONNECTOR	2 PRONG PLUG
MOUNTING	SURFACE

ACCESSORIES - CONNECTORS

119-9122 (2 PRONG PLUG - RIGHT ANGLE)

119-9122X (2 PRONG PLUG - STANDARD)



127-66023A


AMBER

127-66023R

RED



2" x 6" PANEL STYLE LED SEALED MARKER LAMPS



127-66025A



AMBER

127-66025R

RED

127-66025ACL

AMBER CLEAR

SPECS

DIODES	4
VOLTAGE	12V
CONNECTOR	2 PRONG PLUG
MOUNTING	SURFACE

ACCESSORIES - CONNECTORS

119-9122 (2 PRONG PLUG - RIGHT ANGLE)

119-9122X (2 PRONG PLUG - STANDARD)



CAB MARKER LED SEALED LAMP IN CHROME HOUSING

FITS KENWORTH / WESTERN STAR / PETERBILT. INCLUDES SPONGE MOUNTING PAD

127-66785AK

AMBER

127-66785ACLK

AMBER CLEAR



SPECS

DIODES	11
VOLTAGE	12V
CONNECTOR	DIRECT WIRE
MOUNTING	SURFACE

REPLACEMENT PARTS

MARKER:

127-66785ACL



REPLACEMENT MARKER

LED S/T/T LIGHTS

"INTEGRATED" LED S/T/T BACKUP LIGHTS

COMBINATION OF S/T/T AND BACKUP LIGHT FOR A MODERN "ALL IN ONE DESIGN"

SPECS

DIODES	12 (RED) / 16 (WHITE)
VOLTAGE	12V
CONNECTOR	2 & 3 PRONG PLUG
MOUNTING	GROMMET



127-40328RWB

ROUND

127-60328RWB

OVAL

ACCESSORIES - CONNECTORS

119-9123	(2 PRONG PLUG)
119-9128	(3 PRONG PLUG - RIGHT ANGLE)
119-9124	(3 PRONG PLUG - STANDARD)



TWO LIGHTS IN ONE

"VORTEX" LED S/T/T LIGHTS

INNOVATIVE 3D DESIGN

OVAL



127-60324AB

AMBER - OVAL

127-60324RB

RED - OVAL

ROUND

127-40324AB

AMBER - ROUND

127-40324RB

RED - ROUND

127-40324WB

WHITE - ROUND

SPECS

DIODES	24
VOLTAGE	12V
CONNECTOR	3-PRONG PLUG
MOUNTING	GROMMET

ACCESSORIES - CONNECTORS

119-9128	(3 PRONG PLUG - RIGHT ANGLE)
119-9124	(3 PRONG PLUG - STANDARD)



"HELIX" LED SEALED S/T/T LAMPS

INTERNAL HELIX COIL DESIGN FOR SUPERIOR LIGHT DISPERSION

SPECS	DIODES	7 (ROUND) / 14 (OVAL)
	VOLTAGE	12V
	CONNECTOR	WEATHERPROOF
	MOUNTING	GROMMET

ACCESSORIES - CONNECTORS

119-9476 (WIRING HARNESS WITH ADAPTER)
119-9477 (DIRECT WIRE)




PART NUMBER	FIGURE	COLOR	SHAPE	TYPE
127-40607A 127-40607AB (bulk)	1	AMBER	ROUND	S/T/T
127-40607R 127-40607RB (bulk)	2	RED	ROUND	S/T/T
127-40607W 127-40607W (bulk)	3	WHITE	ROUND	BACK-UP / TAIL LIGHT
127-40607RW 127-40607RWB (bulk)	4	RED/WHITE	ROUND	BACK-UP / TAIL LIGHT
127-60607RW 127-60607RWB (bulk)	5	RED/WHITE	OVAL	BACK-UP / TAIL LIGHT
127-60607A 127-60607AB (bulk)	6	AMBER	OVAL	S/T/T
127-60607R 127-60607RB (bulk)	7	RED	OVAL	S/T/T

"MAXIMUM COUNT" LED S/T/T LAMPS

SPECS	DIODES	24
	VOLTAGE	12V
	CONNECTOR	2 & 3 PRONG PLUG
	MOUNTING	GROMMET



PART NUMBER	FIGURE	COLOR	SHAPE	VOLTAGE
127-44050A	1	AMBER	ROUND	12V
127-44050R	2	RED	ROUND	12V
127-44050W	3	WHITE	ROUND	12V
127-44050ACL	1 (ON) / 3 (OFF)	AMBER (CLEAR LENS)	ROUND	12V
127-44050RCL	2 (ON) / 3 (OFF)	RED (CLEAR LENS)	ROUND	12V
127-66050A	4	AMBER	OVAL	12V
127-66050R	5	RED	OVAL	12V
127-66050W	6	WHITE	OVAL	12V
127-66050ACL	4 (ON) / 6 (OFF)	AMBER (CLEAR LENS)	OVAL	12V
127-66050RCL	5 (ON) / 6 (OFF)	RED (CLEAR LENS)	OVAL	12V
127-66050R-4	5	RED	OVAL	24V



ACCESSORIES - CONNECTORS

119-9123 (2 PRONG PLUG - STANDARD)
119-9128 (3 PRONG PLUG - RIGHT ANGLE)
119-9124 (3 PRONG PLUG - STANDARD)

"COMPACT COUNT" LED S/T/T LAMPS



OVAL

127-60010AB

AMBER - OVAL

127-60010RB

RED - OVAL

127-60310WB

WHITE - BACKUP - OVAL

ROUND

127-40010A

AMBER - ROUND

127-40010RB

RED - ROUND

127-40310WB

WHITE - BACKUP - ROUND

SPECS

DIODES	10
VOLTAGE	12V
CONNECTOR	WEATHERPROOF / 2-PRONG
MOUNTING	GROMMET



ALTERNATIVE (KIT)

127-40010KR (RED - ROUND)
127-40310KW (WHITE - ROUND)
127-60310KW (WHITE - OVAL)
ALL KITS INCLUDE: GROMMET & PLUG

AMBER/RED



WHITE





"COMPACT COUNT" LED SEALED S/T/T LAMPS

127-45070AB

AMBER - ROUND

127-45070RB

RED - ROUND

127-66102AB

AMBER - OVAL

127-66102RB

RED - OVAL



SPECS

DIODES 7
VOLTAGE 12V
CONNECTOR WEATHERPROOF
MOUNTING GROMMET

ACCESSORIES - CONNECTORS

119-9128 (3 PRONG - RIGHT ANGLE)
119-9124 (3 PRONG - STANDARD)

ALTERNATIVE (KIT)

127-45070KR (RED - ROUND)
127-66102KR (RED - OVAL)
ALL KITS INCLUDE: GROMMET + PLUG

4" REFLECTORIZED LED SEALED S/T/T LAMPS

SPECS

DIODES 61 (AMBER / RED) / 28 (WHITE)
VOLTAGE 12/24V
CONNECTOR WEATHERPROOF
MOUNTING GROMMET

ACCESSORIES - CONNECTORS

119-9477 (3 PRONG DIRECT WIRE)

12V

127-43044R

RED REFLECTORIZED



24V

127-43044A-4

AMBER REFLECTORIZED

127-43044R-4

RED REFLECTORIZED

127-43004W

WHITE - BACKUP



3" x 5" REFLECTORIZED LED S/T/T LAMPS

RETROFITS ON CATERPILLAR® EQUIPMENT. DESIGNED TO HANDLE > 5000 PSI

127-66077AXV-4

AMBER

127-66077GXV-4

GREEN

127-66077RXV-4

RED

127-66077B-4

BLUE


127-66077W-4

WHITE



SPECS

DIODES 36 (A/R/G) / 60 (B/W)
VOLTAGE 24V
AMPERAGE 0.02A
PSI >5500
CONNECTOR WEATHERPROOF DEUTSCH
BASE POLYCARBONATE




2" x 4½" RECTANGULAR RED LED LAMP

SPECS	DIODES	15
	VOLTAGE	24V
	CONNECTOR	3-WIRE
	MOUNTING	SURFACE



127-5050R-4



2" x 6" OVAL LED MID-TURN LAMP

127-40073A



SPECS	DIODES	9
	VOLTAGE	12V
	CONNECTOR	3-PRONG PLUG
	MOUNTING	GROMMET

ACCESSORIES - CONNECTORS

119-9128 (3 PRONG PLUG - RIGHT ANGLE)
119-9124 (3 PRONG PLUG - STANDARD)



2" x 6" "COMPACT COUNT" LED STROBE LAMP

DUAL / QUAD FLASHING STROBE. MEETS BOTH SAE J845 AND J1318 PHOTOMETRICS

SPECS	DIODES	10
	VOLTAGE	12V
	CONNECTOR	3-WIRE PLUG (119-9477 or 119-9476)
	MOUNTING	Grommet (118-9157)



127-S60010A



STROBE



7" "MAXIMUM COUNT" LED S/T/T BUS LAMP

127-65000A  

AMBER

127-65000R

RED

SPECS DIODES 17
VOLTAGE 12V
CONNECTOR 3-WIRE
MOUNTING SURFACE

6½" x 6" "MAXIMUM COUNT" HEAVY DUTY LED TAIL LIGHT

SPECS DIODES 34 (RIGHT) / 38 (LEFT)
VOLTAGE 12V
CONNECTOR 4-WIRE
MOUNTING 3-STUD




127-66094R

RIGHT

127-66095L

LEFT W/ LICENSE PLATE LIGHT



4" DUAL-FACED LED S/T/T PEDESTAL LAMP

12V

127-66070

24V

127-66070-4



SPECS DIODES 88
VOLTAGE 12V / 24V
CONNECTOR 3-WIRE
MOUNTING SINGLE STUD

4" DUAL-FACED LED S/T/T PEDESTAL LAMPS

SPECS DIODES 48
VOLTAGE 12V
CONNECTOR 3-WIRE
MOUNTING SINGLE STUD



127-66708A

AMBER / AMBER

127-66708AR

AMBER / RED

127-66708ARCL

AMBER / RED CLEAR LENS



4½" DUAL FACED LED PEDESTAL LAMPS

SPECS	DIODES	50
	VOLTAGE	12V
	CONNECTOR	3-WIRE
	MOUNTING	SINGLE STUD



127-66031RCL
RIGHT CLEAR
127-66031LCL
LEFT CLEAR

127-66031R
RIGHT
127-66031L
LEFT



SHATTERPROOF LENS



SHATTERPROOF LENS

4½" DUAL-FACED LED PEDESTAL LAMP

127-66035RCL
RIGHT - CLEAR AMBER & RED
127-66035LCL
LEFT - CLEAR AMBER & RED

127-66035A
AMBER / AMBER
127-66035R
RIGHT - AMBER / RED
127-66035L
LEFT - AMBER / RED




SPECS	DIODES	50
	VOLTAGE	12V
	CONNECTOR	3-WIRE
	MOUNTING	DUAL STUD

15" RED LED S/T/T IDENTIFICATION MARKER BAR

SPECS	DIODES	11
	VOLTAGE	12V
	CONNECTOR	5-WIRE
	MOUNTING	SURFACE



127-66085XV



Front



Back



Stop



Right Turn



3 Point Marker



Left turn

LED CLEANER LIGHT BARS

17" x 4" LED AIR CLEANER LIGHT BAR SET

COMPATIBLE WITH 13" KENWORTH® T-800 OR 15" DONALDSON® AIR CLEANERS.



127-100185A
AMBER - BEEHIVE

127-160025A 
AMBER - FLAT

127-100185ACL
AMBER CLEAR - BEEHIVE

127-160025ACL
AMBER CLEAR - FLAT

SPECS

VOLTAGE 12V
MOUNTING SURFACE

REPLACEMENT PARTS

LAMP:	MOUNTING:
127-16002A (AMBER)	118-9139 GROMMET
127-16002ACL (AMBER CLEAR)	118-9399V (BEZEL)

19" x 4" LED FLAT STYLE AIR CLEANER LIGHT BAR SET

COMPATIBLE WITH 13" PETERBILT® OR 15" DONALDSON® AIR CLEANERS.



127-160026A
AMBER

127-160026R 
RED - REAR FACING

127-160026ACL
AMBER CLEAR

127-160026RCL
RED CLEAR - REAR FACING

SPECS

VOLTAGE 12V
MOUNTING SURFACE

REPLACEMENT PARTS

LAMP:	MOUNTING:
127-16002A (AMBER)	118-9139 (GROMMET)
127-16002R (RED)	118-9399V (BEZEL)
127-16002ACL (AMBER CLEAR)	118-9399 (BEZEL ON RED)
127-16002RCL (RED CLEAR)	

19" x 4" SET BACK MODEL LED FLAT STYLE AIR CLEANER LIGHT BAR SET

COMPATIBLE WITH 13" PETERBILT® OR 15" DONALDSON® AIR CLEANERS.



127-160025X
AMBER

127-160026RX 
RED - REAR FACING

127-160025ACLX
AMBER CLEAR

127-160026RCLX
RED CLEAR - REAR FACING

SPECS

VOLTAGE 12V
MOUNTING SURFACE

REPLACEMENT PARTS

LAMP:	MOUNTING:
127-16002A (AMBER)	118-9139 (GROMMET)
127-16002R (RED)	118-9399V (BEZEL)
127-16002ACL (AMBER CLEAR)	118-9399 (BEZEL ON RED)
127-16002RCL (RED CLEAR)	

CUSTOMIZED FOR 367,388 & 389 SETBACK MODELS

26" x 4" LED STYLE AIR CLEANER LIGHT BAR SET

COMPATIBLE WITH PETERBILT® 15" VORTOX® AIR CLEANERS.



127-100188A
AMBER

127-100188ACL
AMBER CLEAR

127-160028RX
RED - REAR FACING

127-160028RCLX
RED CLEAR - REAR FACING

127-160028A
AMBER

127-160028ACL
AMBER CLEAR

SPECS

VOLTAGE 12V
MOUNTING SURFACE

REPLACEMENT PARTS 127-1001

LAMP:	MOUNTING:
127-10018A (AMBER)	118-9139 (GROMMET)
127-10018ACLB (AMBER CLEAR)	118-9399V (BEZEL)

REPLACEMENT PARTS 127-1600

LAMP:	
127-16002A (AMBER)	127-16002ACL (AMBER CLEAR)
127-16002R (RED)	127-16002RCL (RED CLEAR)

LICENCE LIGHTS

SPECS

VOLTAGE	12V
CONNECTOR	DIRECT WIRE
MOUNTING	SURFACE

LED LICENCE / UTILITY LIGHT

HOODED TO SHIELD AGAINST UPWARD GLARE

127-66800B

CHROME

127-66800BKB

BLACK



SEALED & SEMI SEALED BEAMS

3½" x 6" SEALED BEAMS



3½" x 6" HALOGEN AMBER FOG LIGHT

120-H9415A



SPECS

VOLTAGE 12.8V
WATTAGE 37.5W
CONNECTOR 2 RIGHT ANGLE LUGS
LIFE RATING 200H

3½" x 6" HALOGEN AUXILIARY LIGHT

SPECS

VOLTAGE 12.8V
WATTAGE 55W
CONNECTOR 2 RIGHT ANGLE LUGS
LIFE RATING 400H

130-H9411

TRAPEZOID

130-H9411XW

TRAPEZOID- BLUE LENS



4" x 6" SEALED BEAMS

4" x 6" DOT APPROVED LED HEADLIGHTS

SPECS

VOLTAGE 10-32V
AMPERAGE 2.0A @ 12V / 1.0A @ 24V
WATTAGE 24W
IP RATING IP68
CONNECTOR 3 PRONG (LB) / 2 PRONG (HB) PLUG
MOUNTING SOCKET

DIAMOND CUT REFLECTOR FOR CRISP BEAM PATTERN




130-LED4651

HIGH BEAM

130-LED4656

LOW BEAM



4" x 6" HALOGEN HEADLIGHTS



FIG. 1



FIG. 2



FIG. 3




FIG. 4



FIG. 5

PART NUMBER	FIG. NO.	BEAM TYPE	VOLTAGE	WATTAGE	CONNECTOR	LIFE RATING	JETCO LED REPLACEMENT
120-H4651ST	1	HIGH	12.8V	50W	2 CONTACT LUGS	50H	130-LED4651
120-H4656ST	1	LOW	12.8V	55W/40W	3 CONTACT LUGS	100H	130-LED4656
120-H7921-1	4	OFF ROAD	12.8V	50W	SLIP-ON TERMINAL	200H	---
130-H7935-3	5	SPOT	12.8V	50W	DUAL TERMINAL	100H	---
130-H7935XW-3	5	X-WHITE SPOT	12.8V	50W	DUAL TERMINAL	100H	---
130-H7935-H3	5	SPOT	12.8V	55W	H3 TERMINAL	100H	---

6" x 8" SEALED BEAMS



6" x 8" HALOGEN HEADLIGHT (HIGH / LOW)

120-H6054ST
 SILVER STAR® - HALOGEN



SPECS

VOLTAGE 12.8V
WATTAGE 65W (H) / 55W (L)
CONNECTOR 3 CONTACT LUGS
LIFE RATING 70H / 100H

SEMI SEALED



3½" x 6" AUXILIARY SEMI SEALED BEAMS

DRIVING

123-9405

SPOT

123-9406

FLOOD

123-9411

TRAPEZOIDAL

123-9420

DRIVING TRAPEZOIDAL



PAR 36 4½" SEALD BEAMS

LED

TRAPEZOID

IMPACT & SCRATCH RESISTANT

130-LED4411

SPECS	VOLTAGE	10-30V
	AMPERAGE	0.80A @ 12V /
	WATTAGE	IP68
	IP RATING	DIRECT WIRE
	CONNECTOR	DUAL TERMINAL



AVAILABLE OPTION - BULK

130-LED4411B

HALOGEN

TRAPEZOID

130-H4411-3

SPECS	VOLTAGE	12.8V
	WATTAGE	55W
	CONNECTOR	DUAL TERMINAL
	LIFE RATING	300H



SPOT

120-H7616
123-33114

SPECS	VOLTAGE	12.8V
	WATTAGE	37.5W
	CONNECTOR	SCREW TERMINAL
	LIFE RATING	300H



INCANDESCENT

HEADLIGHT

120-4502

SPECS	VOLTAGE	28V
	WATTAGE	50W
	CONNECTOR	SCREW TERMINAL
	LIFE RATING	400H



SPOT

120-4505

SPECS	VOLTAGE	28V
	WATTAGE	50W
	CONNECTOR	SCREW TERMINAL
	LIFE RATING	400H



FLOOD

120-4589B

SPECS	VOLTAGE	28V
	WATTAGE	50W
	CONNECTOR	SCREW TERMINAL
	LIFE RATING	400H



PAR 46 5³/₄" SEALED BEAMS

HALOGEN

HEADLIGHT

120-H4880

SPECS
VOLTAGE 28V
WATTAGE 60W
CONNECTOR 2 CONTACT LUGS
LIFE RATING 800H



HEADLIGHT (LOW BEAM)

120-H5006



SPECS
VOLTAGE 12.8V
WATTAGE 35W / 35W
CONNECTOR 3 CONTACT LUGS
LIFE RATING 200H / 320H



INCANDESCENT

HEADLIGHT (LOWBEAM)

120-4000



SPECS
VOLTAGE 12.8V
WATTAGE 37.5W / 60W
CONNECTOR 3 CONTACT LUGS
LIFE RATING 200H / 320H



HEADLIGHT (LOW BEAM)

120-4579

SPECS
VOLTAGE 28V
WATTAGE 80W / 60W
CONNECTOR 3 CONTACT LUGS
LIFE RATING 400H



PAR 56 7" SEALED BEAMS

HALOGEN

HEADLIGHT (HIGH / LOW)

120-H6024CB



COOL BLUE



SPECS
VOLTAGE 12.8V
WATTAGE 65W (H) / 55W (L)
CONNECTOR 3 CONTACT LUGS
LIFE RATING 150H / 320H

INCANDESCENT

SEMI SEALED FOR H4 BULBS

HEADLIGHT (HIGH / LOW)

120-4800



SPECS
VOLTAGE 28V
WATTAGE 50W / 40W
CONNECTOR 3 CONTACT LUGS
LIFE RATING 400H



PAR 56 7" HID LIGHT RETROFIT KIT

DIRECT RETROFIT TO 7" OEM FOR TRANSIT & RAILWAY APPLICATIONS INCLUDES: LENS, BULB & BALLAST

SPECS

VOLTAGE 24-120V
AMPERAGE 0.29A - 1.54A
WATTAGE 35W
CONNECTOR DIRECT WIRE

123-6014HID
 SPOT (24V)

123-6014HIDS-75
 SPOT (75V)

123-6014HIDS-110
 SPOT (120V)

123-6014HIDT-75
 TRAPEZOID (75V)

123-6014HIDT-110
 TRAPEZOID (120V)

REPLACEMENT PARTS

PART:	LENS:	BULB:	BALLAST:
123-6014HID	123-LR6014H	120-D1SXW	123-DIS-B24
123-6014HIDS-75	123-LR6014H	120-D1SXW	123-DIS-B75
123-6014HIDT-75	123-LR6014HIDT	120-D1SXW	123-DIS-B75
123-6014HIDS-110	123-LR6014H	120-D1SXW	123-DIS-B110
123-6014HIDT-110	123-LR6014HIDT	120-D1SXW	123-DIS-B110



INTERIOR LIGHTING



CABINET & INTERIOR DOME LIGHTS

HEAVY DUTY INTERIOR LED LIGHT BARS

WITH REMOVABLE LED STRIP & POLYURETHANE PROTECTED DIODES

SPECS	VOLTAGE	12V
	IP RATING	IP68
	CONNECTOR	DIRECT WIRE
	MOUNTING	SURFACE
	HARNESS	SILICONE

AVAILABLE OPTION – BULK

127-66312B
127-66320B
127-66340B

127-66312

12"



127-66320

20"



127-66340

40"



SIMPLIFY INSTALLATION BY MOVING THE STRIP

- MOUNT VERTICALLY
- MOUNT LEFT OR RIGHT

3" x 6" LED LIGHT

127-66703B



SPECS	VOLTAGE	12V
	LUMEN	286
	CONNECTOR	DIRECT WIRE
	MOUNTING	SURFACE

7" HEAVY DUTY DOME LIGHT

FLUSH MOUNTING PAD INCLUDED

127-99107

SPECS	VOLTAGE	9-36V
	LUMEN	3300
	CONNECTOR	DIRECT WIRE
	MOUNTING	SURFACE



ULTRA LOW PROFILE- ULTRA BRIGHT

6½" RED AND WHITE DOME LIGHT

BICOLOR DOME LIGHT. RETROFIT FOR KOMATSU® DOME LIGHT

127-66780

SPECS	VOLTAGE	9-28V
	LUMEN	378
	CONNECTOR	DIRECT WIRE
	MOUNTING	SURFACE



3-WAY SWITCH

LED STRIP LIGHTING

5 METER LED ADHESIVE LIGHTING STRIP

IDEAL FOR INTERIOR LIGHTING. CAN BE CUT TO CUSTOMIZED LENGTHS. 3M® ADHESIVE BACKING



127-66080A

AMBER

127-66080R

RED

127-66080B

BLUE

127-66080W

WHITE

SPECS	VOLTAGE	12V
	LUMEN	4000
	IP RATING	IP65
	CONNECTOR	DIRECT WIRE
	MOUNTING	3M ADHESIVE BACKING

ACCESSORIES

TERMINAL CONNECTOR:
127-C66080



15" WHITE LED STRIP LIGHTING

180° LIGHT DISPERSION. COMES WITH 2 STRIPS


127-66087W

SPECS	VOLTAGE	12V
	LUMEN	300
	IP RATING	IP65
	CONNECTOR	DIRECT WIRE
	MOUNTING	3M ADHESIVE BACKING



10" LED STRIP LIGHTING

INCLUDES 2 STRIPS PER PACKAGE



127-66088A

AMBER

127-66088B

BLUE

127-66088R

RED

127-66088W

WHITE

SPECS

VOLTAGE	12V
LUMEN	225
IP RATING	IP65
CONNECTOR	DIRECT WIRE
MOUNTING	3M ADHESIVE BACKING

7.5" LED PAD LIGHTING

FOR USE INSIDE AIR CLEANERS (TOP MOUNTED - GLOWS IN CANISTER)

SPECS

VOLTAGE	12V
LUMEN	450
CONNECTOR	DIRECT WIRE
MOUNTING	3M ADHESIVE BACKING

127-66089B

BLUE

127-66089A


AMBER

127-66089W

WHITE

127-66089R

RED



JETCO SPECIALIZES IN CUSTOMIZATION


- Part numbers - we will create numbers that have meaning to your business
- Kits - we can create kits so you don't have to order parts separately, they magically arrive in one box!
- Products - if you need something specific, we can do this
- Packaging - if you prefer bulk or packaged, we will listen to you

WE STRIVE TO MAKE LIFE EASIER FOR YOU!
PARTNERSHIP IS IMPORTANT TO US.

**did
you
know?**



ELECTRICAL & MOUNTING ACCESSORIES



GROMMETS / BEZELS

2" RUBBER GROMMET

118-9139



2" CHROME BEZEL / GROMMET COVER

118-9399

FLAT

118-9399V

WITH VISOR



2½" RUBBER GROMMET

118-9119

FLUSH

118-9121

RECESSED



2½" CHROME BEZEL / GROMMET COVER

118-9392

FLAT

118-9392V

WITH VISOR



4" GROMMET / FLANGE / BEZEL

118-9127

RUBBER



118-9140SS

STAINLESS STEEL



118-9125

FLAT

118-9125V

WITH VISOR



2" x 6" GROMMET / FLANGE / BEZEL

118-9157



118-9160SS



118-9158

FLAT

118-9158V

WITH VISOR



FLASHERS/RESISTORS/RELAYS

IN-LINE LOAD RESISTOR

SIMULATES LOAD IN AN ELECTRICAL SYSTEM.

117-RL50W6



12V 2-PRONG LED FLASHER

OPERATES ON A VERY LOW AMPERAGE DRAW

117-FL66088



12V / 24V 3-PRONG LED FLASHER

OPERATES ON A VERY LOW AMPERAGE DRAW

117-FL66090

12V

117-FL66090-4

24V



12V POWER RELAY

117-R128

RELAY ONLY

117-PP128

PLUG ASSEMBLY



MOUNTING BASES/JUNCTION BOXES

7 TERMINAL JUNCTION BOX

117-33201



REPLACEABLE
TERMINAL BAR

1" x 4" MOUNTING BASE

FITS 127-19000 SERIES. INCLUDES MOUNTING SCREWS AND WIRE

118-9389BK

BLACK



1½" x 3" CHROME PLASTIC BASE

FITS 127-15000 SERIES. INCLUDES MOUNTING SCREWS AND WIRE

118-9381C



1½" x 4" MOUNTING BASE

FITS 127-15000 SERIES. EASY SNAP-ON LIGHT INSTALLATION

118-9387



MOUNTING BRACKETS

UNIVERSAL MOUNTING BRACKET

DIRECT ANY LIGHT WITH EASE

123-BR3090



2" MAGNET WITH U-BRACKET MOUNT

CONVERT ANY LIGHT TO A MAGNETIC MOUNT

128-M307003



DUAL MAGNET BRACKET FOR 128-H504 HOUSING

MAGNETIC MOUNTING FOR 128-504L55 SERIES

128-MBR504



126-67063 SERIES MOUNTING BRACKET

MOUNT 67063 SERIES SOLAR STROBES

126-BR67063



POWER SUPPLIES

POWER CONVERTER /SUPPLY & BATTERY



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6

PART NUMBER	FIG. NO.	INPUT VOLTAGE	OUTPUT VOLTAGE	AMPS	DESCRIPTION
117-PS22905	1	120V AC	12V DC	16	POWER SUPPLY
117-120122A	2	120V AC	12V DC	2	POWER ADAPTER
117-SPS1201218A	3	120V AC	12V DC	18	POWER SUPPLY
117-SPS12024	4	120V AC	24V DC	14.6	POWER SUPPLY
117-TR241220A	5	24V DC	12V DC	20	POWER CONVERTER
117-125BAT	6	--	12V DC	5.6	PORTABLE

ILLUMINATED SWITCHES

SWITCH KIT FOR 126-67024 SERIES STROBES

COMES WITH 2 SWITCHES (ON/OFF & 3 POSITION SWITCH)

117-67024SW



RED MOMENTARY BUTTON SWITCH

117-SWM006

12 VOLT

OPAQUE SWITCH



WIRING PLUGS

1 MAGNET 12V CAR ADAPTER FOR STROBES

USED ON SINGLE 1 1/4" THREADED MOUNTING HOLE

119-67000MK



AUXILIARY LIGHT WIRING HARNESS KIT

KIT INCLUDES: DIGITAL SWITCH, RELAY & IN-LINE 15A FUSE

119-KTD007

SPECS AMPERAGE 30A
LENGTH 11 ft



DELUXE WIRING HARNESS KIT

KIT INCLUDES: DIGITAL SWITCH, RELAY & IN-LINE 15A FUSE

119-HR60114

W/ DEUTSCH CONNECTOR


SPECS AMPERAGE 60A
LENGTH 20 ft



RIGHT ANGLE 2-PRONG PLUG

USED FOR BACK-UP LIGHTS

119-9123



PLUG FOR MARKER / CLEARANCE LIGHTS


119-9122

RIGHT ANGLE - 6"



119-9122X

STRAIGHT - 6"



119-9122-12

RIGHT ANGLE - 12"



2-PRONG PLUG (RIGHT ANGLE) BULK ROLL

100 FT ROLL

119-9122B

6" SPACING - 200 PLUGS/ROLL

119-9122-12B

12" SPACING - 100 PLUGS/ROLL



2 MAGNETS 12V CAR ADAPTER FOR STROBES

USED ON DUAL 1 1/4" THREADED MOUNTING HOLES

119-67085MK



DRIVING LIGHT WIRING HARNESS

COMPLETE HARNESS FOR DIRECT WIRING OF DRIVING LIGHTS

119-HR1013

SPECS AMPERAGE 30A
LENGTH 11 ft



3-PRONG PLUG


USED FOR STOP/TURN/TAIL LIGHTS

119-9124

STRAIGHT ON

119-9128

R/ ANGLE



CABLE CONNECTER FOR D1S BULB TO BALLAST

119-J1E7CM



2 WIRE DEUTSCH HARNESS / ADAPTER

119-DHF

FEMALE DEUTSCH HARNESS



119-DHM

MALE DEUTSCH KIT



WEATHERPROOF WIRING HARNESS


USED FOR STOP/TURN/TAIL LIGHTS

119-9476

WITH ADAPTER

119-9477


DIRECT WIRE



LED SIGN BOARDS



3-DIGIT SIGNBOARD



3 - DIGIT BACKLIT LED NUMERIC SIGN BOARD

CUSTOMIZED TO INDIVIDUAL SPECIFICATIONS. SUPERIOR VISIBILITY DAY & NIGHT

126-67030C




SPECS	DIODES	240 TOTAL, 4-60 DIODES/MODULE
	VOLTAGE	24V
	AMPERAGE	1.17A
	CONNECTOR	DIRECT WIRE
	MOUNTING	U-BRACKET / RAIL (18" SPACING)

REPLACEMENT PARTS

LED MODULE: 126-LED67030C

HARNESS: 126-HR67030

4-DIGIT SIGNBOARD



4 - DIGIT BACKLIT LED NUMERIC SIGN BOARD

CUSTOMIZED TO INDIVIDUAL SPECIFICATIONS. ALUMINUM FRAME WITH LEXAN FACEPLATE

126-67027WXVC-4



SPECS	DIODES	240 TOTAL, 4-60 DIODES/MODULE
	VOLTAGE	24V
	AMPERAGE	1.17A
	CONNECTOR	DIRECT WIRE
	MOUNTING	SURFACE / RAIL (17-18" SPACING)
APPLICATION	HEAVY EQUIPMENT	

REPLACEMENT PARTS

LED MODULE: 126-LED67030C

HARNESS: 126-HR67027

4' x 7' 4 - DIGIT LIT LED REFLECTIVE SIGN BOARD


RUGGED ALUMINUM DIBOND® W/ LED BARS ON REFLECTIVE SURFACE.

SPECS	DIODES	VARIABLE - 11 DIODES/ MODULE
	VOLTAGE	12V SWITCHING POWER SUPPLY 120V TO 12V
	AMPERAGE	UP TO 6.38A
	CONNECTOR	DIRECT WIRE
	MOUNTING	SURFACE

126-67034C

REPLACEMENT PARTS

LED MODULE: 127-66085XV



CUSTOMIZED DESIGN


TRIANGULAR SIGN BOARDS**3 - DIGIT LED TRIANGULAR I.D. SIGN**

SPECS	DIODES	180 TOTAL, 3-60 DIODES/MODULE
	VOLTAGE	24V
	AMPERAGE	0.90A
	CONNECTOR	DIRECT WIRE
	MOUNTING	SURFACE
	APPLICATION	HEAVY EQUIPMENT


126-67088-4

REPLACEMENT PARTS

LED MODULE: 126-LED67030C



VIBRATION DAMPENING MOUNT

**3 - DIGIT LED TRIANGULAR I.D. SIGN****126-67115**

SPECS	DIODES	30 TOTAL
	VOLTAGE	12V
	AMPERAGE	0.35A @ 12V
	CONNECTOR	DIRECT WIRE
	MOUNTING	MAGNETIC
	APPLICATION	LIGHT VEHICLE FLEET

REPLACEMENT PARTS

127-66089W (7.5" PAD)

LED SCENE LIGHTS

100 - 277V (AC) LED SCENE LIGHTS

SPECS

VOLTAGE	100-277V AC
BEAM ANGLE	120°
IP RATING	IP65
CONNECTOR	DIRECT WIRE
MOUNTING	U-BRACKET

PART NUMBER	AMPERAGE	WATTAGE	LUMEN
129-50020BXW	0.16	20	1800
129-50030BXW	0.25	30	2400
129-50050BXW	0.42	50	3700

129-50020BXW

20W

129-50030BXW

30W

129-50050BXW

50W



100 - 277V (AC) LED SCENE LIGHTS

129-50100BXW

100W

129-50150BXW

150W

129-50200BXW

200W


129-50200BA

200W - AMBER

SPECS

VOLTAGE	100-277V AC
BEAM ANGLE	120°
IP RATING	IP65
CONNECTOR	DIRECT WIRE
MOUNTING	U-BRACKET

PART NUMBER	AMPERAGE	WATTAGE	LUMEN
129-50100BXW	0.83	100	8,400
129-50150BXW	1.25	150	12,000
129-50150BXW	1.67	200	16,000



11" x 9" PORTABLE LED SCENE LIGHT

129-60050BXW

50W

REMOVABLE METAL GUARD

SPECS

VOLTAGE	120V AC
AMPERAGE	0.75A
WATTAGE	50W
LUMEN	4000
BEAM ANGLE	120°
IP RATING	IP65
CONNECTOR	3 PRONG PLUG (120V)

HEAVY DUTY MIRRORS



16" x 7" WEST COAST HEATED MIRROR WITH LED MARKER LIGHT

124-6364LED



SPECS	DIODES	18
	VOLTAGE	12V
	CONNECTOR	DIRECT WIRE

REPLACEMENT PARTS

MARKER LIGHTS:

127-66093A (AMBER)
127-66093ACL (AMBER CLEAR)



REPLACEMENT MARKERS

8" CONVEX MIRRORS

SPECS

VOLTAGE 12V
CONNECTOR DIRECT WIRE

124-6408A

OFF-CENTER MOUNT

124-6408B

CENTER MOUNT

124-6308BH

HEATED CENTER MOUNT



6" ROUND CONVEX CENTER MOUNT MIRROR

124-6306B

Jetco cares about making your vehicle look different....

- Eye-catching designs using cutting edge technology....make others envious
- Safety features such as enhanced reflectors and shatterproof material...without compromising aesthetics
- Keep it simple, using standard 'plug & play' with exquisite style

**We want you to stand out
without compromising solid state
engineering...LOOK different,
...BE different!**

**did
YOU
know**





FUSES

FUSE DISPLAYS

FUSE DISPLAY COMPLETE WITH POPULAR FUSE SELECTION

IDEAL FOR QUICK & EASY REFILL 'HASSLE-FREE' DESIGN. DESIGNED FOR COUNTER USE OR WALL MOUNTING

125-FUSE DISPLAY



CONTAINS

1 UNIT OF 125-66638 AND THE FOLLOWING PARTS:

5 PKGS EACH:

125-AGC-20	125-MIN-10
125-AGC-25	125-MIN-15
125-AGC-30	125-MIN-20
125-SFE-20	125-MIN-25
125-SFE-30	125-MIN-30

10 PKGS EACH:

125-ATQ-3	125-ATQ-20
125-ATQ-5	125-ATQ-25
125-ATQ-7.5	125-ATQ-30
125-ATQ-10	
125-ATQ-15	

10 EACH:

125-MAX-20
125-MAX-30
125-MAX-40
125-MAX-50
125-MAX-60



125-66638

CABINET ONLY - FUSES NOT INCLUDED

BLADE STYLE / GLASS STYLE FUSES

AUTOMOTIVE BLADE STYLE FUSES



FIG. 1



FIG. 2



FIG. 3

PART NUMBER	FIG. NO.	AMPERAGE
125-MIN-4	1	4
125-MIN-5	1	5
125-MIN-075	1	7.5
125-MIN-10	1	10
125-MIN-15	1	15
125-MIN-20	1	20
125-MIN-25	1	25
125-MIN-30	1	30
125-ATQ-3	2	3
125-ATQ-5	2	5
125-ATQ-075	2	7.5
125-ATQ-10	2	10
125-ATQ-15	2	15
125-ATQ-20	2	20
125-ATQ-25	2	25
125-ATQ-30	2	30
125-MAX-20	3	20
125-MAX-30	3	30
125-MAX-40	3	40
125-MAX-50	3	50
125-MAX-60	3	60

32V DC GLASS STYLE FUSES



FIG. 4

PART NUMBER	FIG. NO.	AMPERAGE
125-AGC-050	4	0.5
125-AGC-1	4	1
125-AGC-025	4	2.5
125-AGC-4	4	4
125-AGC-5	4	5
125-AGC-075	4	7.5
125-AGC-20	4	20
125-AGC-25	4	25
125-AGC-30	4	30
125-SFE-075	4	7.5
125-SFE-20	4	20
125-SFE-30	4	30

ATQ FUSE HOLDER

ALWAYS HAVE A FUSE NEAR BY WITH THE JETCO FUSE HOLDER

125-FHC-ATQ



Jetco carries a turn-key solution for end-to-end lighting...

- Our engineering focuses on safety, ease of installation, and unique appeal
- Our lights focus on low amperage draw.....saves you on gas and alternators

We understand your vehicle has less interrupted downtime when the electrical draw stays low...

...let's keep it that way!

**did
YOU
know**

MINIATURE BULBS & BALLASTS

PHONE: (780) 444-2886 | FAX: (780) 444-3448 | TOLL FREE: 1-800-230-8501



LED

LED AUTO BULB H-SERIES 9-36V



FIG. 0



FIG. 1


PART NUMBER	FIG. NO.	WATTAGE	AMPS@12V	LUMEN
121-LEDH1	0	24	1.975	2400
121-LEDH3	0	24	1.975	2400
121-LEDH4	0	40/20	3.125	4000
121-LEDH4XW	1	40/20	3.125	4000
121-LEDH7	0	40	3.125	4000
121-LEDH11	0	40	3.125	4000
121-LED9005	0	40	3.125	4000
121-LED9006	0	40	3.125	4000
121-LED9007	0	40/20	3.125	4000
121-LED9008/H13	0	40 /20	3.125	4000

Jetco got its start in the mini-bulb line...

- The largest selection of mini-bulbs in North America.
- We have thermal managed LED options
- Our focus is surface-mounted diodes to get more brightness with less chips

did
YOU
know

**While our business expanded
to other realms of lighting,
we owe our start to
mini-bulbs!**



LED MINIATURE BULBS



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7

PART NUMBER	FIG. NO.	COLOR	BASE TYPE	DIODES	VOLTAGE
121-LED67-89	3	WHITE	S.C. BAYONET	10	12
121-LED90	4	WHITE	D.C. BAYONET	10	12
121-LED194AXV	5	AMBER	WEDGE	5	12
121-LED194BXV	5	BLUE	WEDGE	5	12
121-LED194GXV	5	GREEN	WEDGE	5	12
121-LED194RXV	5	RED	WEDGE	5	12
121-LED194WXV	5	WHITE	WEDGE	5	12
121-LED303	6	WHITE	S.C. BAYONET	8	24
121-LED400-657W	7	WHITE	WEDGE	1	24
121-LED464WXV	6	WHITE	WEDGE	5	24
121-LED623	3	WHITE	S.C. BAYONET	8	24
121-LED624	4	WHITE	D.C. BAYONET	8	24

LED MINIATURE BULBS



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13

PART NUMBER	FIG. NO.	COLOR	BASE TYPE	DIODES	VOLTAGE
121-LED656	8	WHITE	WEDGE	1	24
121-LED904	9	WHITE	WEDGE	5	12
121-LED906	10	WHITE	WEDGE	9	12
121-LED912	11	WHITE	WEDGE	13	12
121-LED1003	12	WHITE	S.C. BAYONET	20	12
121-LED1004	13	WHITE	D.C. BAYONET	20	12

LED MINIATURE BULBS



FIG. 14



FIG. 15



FIG. 16



FIG. 17



FIG. 18



FIG. 19

PART NUMBER	FIG. NO.	COLOR	BASE TYPE	DIODES	VOLTAGE
121-LED1156AXV	14	AMBER	S.C. BAYONET	27	12
121-LED1156RXV	14	RED	S.C. BAYONET	27	12
121-LED1156WXV	14	WHITE	S.C. BAYONET	27	12
121-LED1157AXV	15	AMBER	D.C. INDEXED	27	12
121-LED1157RXV	15	RED	D.C. INDEXED	27	12
121-LED1157WXV	15	WHITE	D.C. INDEXED	27	12
121-LED1662WXV	15	WHITE	D.C. INDEXED	27	24
121-LED1683WXV	14	WHITE	S.C. BAYONET	27	24
121-LED1873WXV	16	WHITE	MINIATURE BAYONET	5	24
121-LED1893	16	WHITE	MINIATURE BAYONET	5	12
121-LED1895	17	WHITE	MINIATURE BAYONET	5	12
121-LED3156AXV	18	AMBER	S.C. PLASTIC WEDGE	30	12
121-LED3156RXV	18	RED	S.C. PLASTIC WEDGE	30	12
121-LED3156WXV	18	WHITE	S.C. PLASTIC WEDGE	30	12
121-LED3157AXV	19	AMBER	D.C. PLASTIC WEDGE	30	12
121-LED3157RXV	19	RED	D.C. PLASTIC WEDGE	30	12
121-LED3157WXV	19	WHITE	D.C. PLASTIC WEDGE	30	12



D1S HID BULB - 35W

USED IN ALL JETCO HID LIGHTS. NO FILAMENT TO FAIL FROM VIBRATION / SHOCK


SPECS VOLTAGE DETERMINED BY BALLAST
WATTAGE 35W
LIFE RATING 2000H

120-D1SXW

XTRA-WHITE

120-D1SA

AMBER





HID BALLAST FOR D1S BULBS

USED IN ALL JETCO HID LIGHTS

123-D1S-B12

12V

123-D1S-B24

24V

SPECS	VOLTAGE	12V or 24V
	WATTAGE	35W
	LIFE RATING	3000H

HID BALLAST FOR D1S BULBS

USED IN ALL JETCO HID LIGHTS

SPECS	VOLTAGE	75V or 110V
	WATTAGE	35W
	LIFE RATING	3000H

123-D1S-B75

75V

123-D1S-B110

110V



HALOGEN

B-3 ½ BULB 7/16" (11MM) DIAMETER



FIG. 20

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-KPR102	20	S.C. MIN. FLANGE	2.4	1.68	0.7	C-2R	NO
121-KPR113	20	S.C. MIN. FLANGE	4.8	3.6	0.75	C-2R	NO
121-PR3	20	S.C. MIN. FLANGE	3.57	1.79	0.5	C-2R	NO
121-PR6	20	S.C. MIN. FLANGE	2.47	0.74	0.3	C-2R	NO
121-PR12	20	S.C. MIN. FLANGE	5.95	2.98	0.5	C-2R	NO
121-PR13	20	S.C. MIN. FLANGE	4.75	2.38	0.5	C-2R	NO
121-PR18	20	S.C. MIN. FLANGE	7.2	3.96	0.55	C-2R	NO

B-6 BULB 3/4" (19MM) DIAMETER



FIG. 21



FIG. 22

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-R5W (5007)	21	BA 15	12	4.92	0.41	C-2R	121-LED67-89
120-R10W (5008) 121-R10W (5008)	21	BA 15	12	9.96	0.83	C-2R	121-LED67-89

G-3 ½ BULB 7/16" (11MM) DIAMETER



FIG. 23



FIG. 24

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-14	23	MIN. SCREW	2.47	0.74	0.3	C-2R	NO
121-1450	24	MIN. BAYONET	24	0.84	0.04	C-2F	121-LED75W

G-4 ½ BULB 9/16" (14MM) DIAMETER



FIG. 25

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
120-55	25	MIN. BAYONET	7	2.87	0.41	C-2R	NO
120-57	25	MIN. BAYONET	14	3.78	0.24	C-2V	NO
121-257	25	MIN. BAYONET	14	3.78	0.27	C-2R	NO
121-455	25	MIN. BAYONET	6.5	3.25	0.5	C-2R	NO
121-456	25	MIN. BAYONET	28	4.76	0.17	C-2F	121-LED-1873
120-1895 121-1895	25	MIN. BAYONET	14	3.78	0.27	C-2F	121-LED-1895

G-6 BULB 3/4" (19MM) DIAMETER



FIG. 26



FIG. 27

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-89	26	S.C. BAYONET	13	7.54	0.58	C-2R	121-LED67-89
120-90 121-90	27	D.C. BAYONET	13	7.54	0.58	C-2R	121-LED90
120-97 121-97	26	S.C. BAYONET	13.5	9.32	0.69	C-2V	NO
121-303	26	S.C. BAYONET	28	8.4	0.3	C-2F	121-LED303
121-623	26	S.C. BAYONET	28	10.36	0.37	2C-6	121-LED623
121-624	27	D.C. BAYONET	28	10.36	0.37	2C-6	121-LED624
121-1155	26	S.C. BAYONET	13.5	7.97	0.59	2C-R2	NO
121-1251	26	S.C. BAYONET	28	6.44	0.23	2-C6	NO
121-1252	27	D.C. BAYONET	28	6.44	0.23	2-C6	NO

LED H-SERIES BULBS

Find them
on Page

62

PLUG & PLAY LED UPGRADE FOR HALOGEN HEADLIGHT BULBS



EASY INSTALLATION



FOR H1·H3·H7·H11·H13 & 9005 (06-07-08) BULBS

S-8 BULB 1" (25MM) DIAMETER



FIG. 28



FIG. 29



FIG. 30



FIG. 31



FIG. 32

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-1076	30	D.C. BAYONET	12.8	23.04	1.8	C-6	121-LED1004
121-1129	19	S.C. BAYONET	6.4	16.83	2.63	C-6	NO
121-1142	30	D.C. BAYONET	12.8	18.43	1.44	C-6	121-LED1004
121-1154	9	D.C. INDEX	6.30 / 7.00	16.57 / 5.50	2.63 / 0.75	C-6	NO
120-1157	28	D.C. INDEX	12.80 / 14.00	26.88 / 8.26	2.10 / 0.59	C-6	121-LED1157WXV
121-1157A	28	D.C. INDEX	12.8	26.88	2.1	C-6	121-LED1157AXV
121-1591	29	S.C. BAYONET	28	17.08	0.61	C-2V	121-LED1683WXV
121-1638	30	D.C. BAYONET	28	28.56	1.02	2C-6	NO
121-1662	28	D.C. INDEX	28	25.20 / 9.52	0.90 / 0.34	CC-6	121-LED1662WXV
120-2057 121-2057	28	D.C. INDEX	12.80 / 14.00	26.88 / 6.72	2.10 / 0.48	C-6	121-LED1157WXV
121-2057A	28	D.C. INDEX	12.80 / 14.00	26.88 / 6.72	2.10 / 0.48	C-6	121-LED1157AXV
120-2357	82	D.C. INDEX	12.80 / 14.00	28.16 / 8.26	2.20 / 0.59	C-6	121-LED1157WXV
121-3157A	31	D.F. PLASTIC WEDGE	12.80 / 14.00	26.88 / 8.26	2.10 / 0.59	C-6	121-LED3157AXV
120-33-3457 121-33-3457	31	D.F. PLASTIC WEDGE	12.80 / 14.00	26.90 / 8.26	2.10 / 0.59	C-6	121-LED3157WXV
121-33-3457A	31	D.F. PLASTIC WEDGE	12.80 / 14.00	26.90 / 8.26	2.10 / 0.59	C-6	121-LED3157AXV
121-4157LL	31	D.F. PLASTIC WEDGE	12.80 / 14.00	28.54 / 8.26	2.23 / 0.59	C-6	121-LED3157WXV
121-4157NALL	31	D.F. PLASTIC WEDGE	12.80 / 14.00	28.54 / 8.26	2.23 / 0.59	C-6	121-LED3157AXV
121-7511	29	S.C. BAYONET	24	21.12	0.88	C-6	121-LED1683WXV
121-7537	28	D.C. INDEX	24	21.12 / 5.04	0.88 / 0.21	C-6	121-LED1662WXV

RP-11 BULB 1 3/8 (35MM) DIAMETER



FIG. 33



FIG. 33

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-1195	33	S.C. BAYONET	12.5	37.50	3.00	C-2V	NO
121-RP11-60604	34	D.C. BAYONET	24	60	2.50	C-2V	NO

S-13 (R2) BULB)



FIG. 35

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-7952	35	P45T	24.00	55.00 / 50.00	2.29 / 2.08	C-6	NO

T-1 3/4 BULB 7/32" (5.5MM) DIAMETER



FIG. 36



FIG. 37



FIG. 38

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-37	36	SUB-MIN WEDGE	14	1.26	0.09	C-2F	NO
121-70	36	SUB-MIN WEDGE	14	2.1	0.15	C-2F	NO
121-73	36	SUB-MIN WEDGE	14	1.12	0.08	C-2F	NO
121-74	36	SUB-MIN WEDGE	14	1.4	0.1	C-2F	NO
121-85	36	SUB-MIN WEDGE	28	1.12	0.04	C-2F	NO
121-86	36	SUB-MIN WEDGE	6.3	1.26	0.2	C-2F	NO
121-327	38	S.C. MIDGET FLANGED	28	1.12	0.04	C-2R	NO
121-387	38	S.C. MIDGET FLANGED	28	1.12	0.04	C-2F	NO
121-2721	36	SUB-MIN WEDGE	12	1.2	0.1	C-2V	NO
121-2721MF	37	SOCKET & LAMP ASSEMBLY	12	1.2	0.1	C-2V	NO
121-2741	36	X2X 4.6D	24	1.2	0.05	C-2V	NO

T-2 BULB 1/4" (6.8MM) DIAMETER



FIG. 39

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-3899	39	BA75	24.00	3.00	0.13	C-2V	NO
121-SE1274	39	BA75MM	14.40	1.50	0.12	C-2V	NO

T-2 BULB 11/32" (8.7MM) DIAMETER



FIG. 40



FIG. 41



FIG. 42

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-3796	42	BA9S	12	2.04	0.17	C-8	121-LED53W-1
121-3797	42	BA9S	24	2	0.08	C-8	121-LED757
121-3930	42	BA9S	24	4.08	2.8	C-8	121-LED757
121-DE3022	40	SV7MM	13	4.94	0.38	C-8	NO
121-T4W (3893)	42	BA9S	12	3	0.25	C-8	121-LED53W-1

T-2 BULB 3/8" (9.5MM) DIAMETER



FIG. 43



FIG. 44

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
120-211-2	43	DOUBLE END CAP	12.80	12.42	0.97	C-8	NO

T-3 ¼ BULB 13/32" (10MM) DIAMETER



FIG. 45



FIG. 46



FIG. 47



FIG. 48



FIG. 49



FIG. 50

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-44	45	MIN. BAYONET	6.3	1.58	0.25	C-2R	NO
120-158	46	WEDGE	14	3.36	0.24	C-2V	121-LED194AXV
120-168	46	WEDGE	14	4.9	0.35	C-2F	121-LED194AXV
121-193	46	WEDGE	14	4.62	0.33	C-2F	121-LED194AXV
121-194	46	WEDGE	14	3.78	0.27	C-2F	121-LED194AXV
121-259	46	WEDGE	6.3	1.58	0.25	C-2R	NO
121-313	45	MIN. BAYONET	28	4.76	0.17	C-2F	121-LED1873WXV
121-464	46	WEDGE	28	4.76	0.17	C-2F	121-LED464WXV
121-555	46	WEDGE	6.3	1.58	0.25	C-2R	NO
121-656	46	WEDGE	28	1.68	0.06	C-2F	121-LED656
121-657	46	WEDGE	28	2.24	0.08	C-2F	121-LED400-657W
121-658	46	WEDGE	14	1.12	0.08	C-2F	NO
121-755	45	MIN. BAYONET	6.3	0.95	0.15	C-2R	NO
121-967	50	BA9S	125	0.25	3	C-2V	NO
121-1819	45	MIN. BAYONET	28	1.12	0.04	C-2F	121-LED757
120-1820 121-1820	45	MIN. BAYONET	28	2.8	0.1	C-2F	121-LED757
121-1829	45	MIN. BAYONET	28	1.96	0.07	C-2F	121-LED757
121-1847	45	MIN. BAYONET	6.3	0.95	0.15	C-2R	NO
121-1850	45	MIN. BAYONET	5	0.45	0.09	C-2R	NO
121-1888	45	MIN. BAYONET	7	3.5	0.5	C-2R	NO
120-1891 121-1891	45	MIN. BAYONET	14	3.36	0.24	C-2F	121-LED1893
121-1892	45	MIN. BAYONET	14.4	1.73	0.12	C-2F	121-LED53-1
120-1893 121-1893	45	MIN. BAYONET	14	4.62	0.33	C-2F	121-LED1893
120-6411	49	FESTOON SV8.5/8	13.8	0.74	10	C-8	NO
121-2841 (W3W)	46	WEDGE	24	3.12	0.13	C-7A	NO
121-C5W (6318)	48	FESTOON CAPS	12	4.8	0.4	C-8	NO
121-DE3175	47	FESTOON CAPS	12	10	0.83	C-2R	NO

T-6 BULB 3/4" (19MM) DIAMETER



FIG. 51



FIG. 52

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-3496	51	DC. INDEX	12.80 / 14.00	26.88 / 8.26	2.10 / 0.59	C-6	121-LED1157WXV
121-3497	52	S.C.. BAYONET	12.80	26.88	2.10	C-6	121-LED1156WXV

T-5 BULB 5/8" (16MM) DIAMETER



FIG. 53

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-904	53	W2.1 WEDGE	13.5	9.32	0.69	C-2F	121-LED906
120-906 121-906	53	W2.1 WEDGE	13.5	9.32	0.69	C-2F	121-LED906
120-912	53	W2.1 WEDGE	12.8	12.8	1	C-2R	121-LED912
121-912B	53	W2.1 WEDGE	12.8	12.8	1	C-2R	NO
121-912G	53	W2.1 WEDGE	12.8	12.8	1	C-2R	NO
121-912P	53	W2.1 WEDGE	12.8	12.8	1	C-2R	NO
121-912R	53	W2.1 WEDGE	12.8	12.8	1	C-2R	NO
120-916	53	W2.1 WEDGE	13.5	7.29	0.54	C-2F	121-LED904
121-916A	53	W2.1 WEDGE	13.5	7.29	0.54	C-2F	NO
120-921 121-921	53	W2.1 WEDGE	12.8	17.92	1.4	C-2R	121-LED912
120-922	53	W2.1 WEDGE	12.8	12.54	0.98	C-2R	121-LED912
121-927	53	W2.1 WEDGE	6	7.2	1.2	C-2R	NO

T-6 ½ BULB 13/16" (20.6MM) DIAMETER



FIG. 54



FIG. 55

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
120-7440 121-7440	54	WEDGE	13.50	24.98	1.85	C-6	NO
120-7443 121-7443	55	WEDGE	13.50	24.98 / 5.67	1.85 / 0.42	C-6	NO

LINEAR HALOGEN LAMP



FIG. 55

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-1500	55	WEDGE	120.00	500.00	4.17	C-8	NO

T-2 ¼ HALOGEN LAMPS



FIG. 57



FIG. 58



FIG. 59

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
120-2040	59	WEDGE	12.8	8	0.63	C-6	NO

T-2 ½ BULB HALOGEN LAMPS



FIG. 60

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-BH1-1	60	P14.5S	12	100	8.33	C-8	NO
121-H1-1	60	P14.5S	12	100	8.33	C-8	NO
121-H1-24100	60	P14.5S	24	100	8.33	C-8	NO
121-H1XW	60	P14.5S	12	55	4.58	C-8	NO

T-2 ¾ HALOGEN LAMP



FIG. 61

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
120-64111	61	MINI BAYONET	12.00	5.00	0.42	C-6	121-LED1895

T-3 ¼ HALOGEN LAMPS



FIG. 62



FIG. 63



FIG. 64



FIG. 65



FIG. 66



FIG. 67



FIG. 68



FIG. 69

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
120-880 121-880	65	AXIAL PREFOCUS	12.8	27	2.1	C-6	NO
121-885	67	AXIAL PREFOCUS	12.8	49.92	3.9	C-6	NO
121-886	68	RIGHT ANGLE PREF.	12.8	49.92	3.9	C-6	NO
120-889 121-889	69	RIGHT ANGLE	12.8	26.88	2.1	C-6	NO
121-889XW	69	RIGHT ANGLE	12.8	26.88	2.1	C-6	NO
120-890 121-890	67	AXIAL PREFOCUS	12.8	26.88	2.1	C-6	NO
120-893 121-893	65	AXIAL PREFOCUS	12.8	37.5	2.93	C-6	NO
121-893XW	65	AXIAL PREFOCUS	12.8	37.5	2.93	C-6	NO
121-894	66	RIGHT ANGLE	12.8	37.5	2.93	C-6	NO
120-896 121-896	66	RIGHT ANGLE	12.8	37.5	2.93	C-6	NO
120-899	65	AXIAL PREFOCUS	12.8	32	2.50	C-6	NO
121-BH3-1	62	PK22S	12	100	8.33	C-6	121-LEDH3
121-BH3-3	62	PK22S	24	100	4.17	C-6	121-LEDH3
121-H3	62	PK22S	12	55	4.58	C-6	121-LEDH3
121-H3-4	62	PK22S	24	70	2.92	C-6	121-LEDH3
121-H3-13	62	PK22S	12	130	10.83	C-6	121-LEDH3
121-H3-35	62	PK22S	12	35	2.96	C-6	121-LEDH3
121-H3-635	62	PK22S	6	35	5.83	C-6	NO
121-H3-2470-1	64	PK20S	24	70	2.92	C-6	121-LEDH3
121-H3CXW	63	BI-PIN	12	100	4.58	C-6	NO
121-H3CXW-1	63	BI-PIN	12	55	8.33	C-6	NO
121-H3XW-1	62	PK22S	12	55	8.33	C-6	121-LEDH3

T-3 ½ HALOGEN LAMPS



FIG. 70

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
120-64450S	70	GY6.35	12.00	75.00	6.25	C-8	NO
120-64623HLX	70	GY6.35	12.00	100.00	8.33	C-8	NO

T-4 HALOGEN LAMPS



FIG. 71



FIG. 72



FIG. 73



FIG. 74



FIG. 75

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-9005-1	72	R. ANGLE PREFOCUS	12.8	100	7.81	C-8	121-LED9005
120-9005XS	73	AXIAL PLASTIC PREFOCUS	12.8	65	5.08	C-8	121-LED9005
121-9005XW-1	72	R. ANGLE PREFOCUS	12.8	100	7.82	C-8	121-LED9005
121-9006-1	74	R. ANGLE PREFOCUS	12.8	80	6.25	C-8	121-LED9006
121-B9005-1	72	R. ANGLE PREFOCUS	12.8	100	7.82	C-8	121-LED9005
120-9006XS	75	AXIAL PLASTIC PREFOCUS	12.8	55	4.3	C-8	121-LED9006
121-9006XW	74	R. ANGLE PREFOCUS	12.8	55	4.3	C-8	121-LED9006
120-9040	72	R. ANGLE PREFOCUS	12.8	40	3.12	C-6	NO
120-9055	72	R. ANGLE PREFOCUS	12.8	53	4.14	C-6	NO
121-B9006-1	74	R. ANGLE PREFOCUS	12.8	80	6.25	C-8	121-LED9006
121-H11	71	R. ANGLE (PGJ9-2)	13.2	55	4.58	C-8	121-LEDH11
121-H11-2	71	R. ANGLE (PGJ9-2)	28	70	2.92	C-8	121-LEDH11

T-3 BULB 13/32" (10MM) DIAMETER



FIG. 76



FIG. 77



FIG. 78



FIG. 79



FIG. 80



FIG. 81

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
120-9004 121-9004	78	AXIAL PREFOCUS	12.8	65.00 / 45.00	5.08 / 3.51	C-6	NO
121-9004-1	78	AXIAL PREFOCUS	12.8	100.00 / 55.00	7.82 / 4.29	C-6	NO
120-9004CB	78	AXIAL PREFOCUS	12.8	65.00 / 45.00	5.08 / 3.51	C-6	NO
120-9004LL-XL	78	AXIAL PREFOCUS	12.8	65.00 / 45.00	5.08 / 3.51	C-6	NO
120-9004XV	78	AXIAL PREFOCUS	12.8	65.00 / 45.00	5.08 / 3.51	C-6	NO
121-9004XW-1	78	AXIAL PREFOCUS	12.8	100.00 / 55.00	7.82 / 4.29	C-6	NO
121-9004XW-2	78	AXIAL PREFOCUS	12.8	100.00 / 80.00	7.82 / 6.25	C-6	NO
121-9007	80	AXIAL PREFOCUS	12.8	65.00 / 55.00	5.08 / 4.29	C-8	121-LED9007
120-9007CB	80	AXIAL PREFOCUS	12.8	65.00 / 55.00	5.08 / 4.29	C-8	121-LED9007
121-9008-H13	81	P26.4T	12.8	65.00 / 55.00	5.08 / 4.29	C-8	121-LED9008/H13
121-B9004	79	AXIAL PREFOCUS	12.8	65.00 / 45.00	5.08 / 3.51	C-6	NO
121-B9004-1	79	AXIAL PREFOCUS	12.8	100.00 / 55.00	7.82 / 4.29	C-8	NO
121-B9004-2	77	AXIAL PREFOCUS	12.8	100.00 / 80.00	7.82 / 6.25	C-8	NO
121-B9007-2	79	AXIAL PREFOCUS	12.8	100.00 / 80.00	7.82 / 6.25	C-8	121-LED9007
121-BH4-1390	76	P43T	12	130.00 / 90.00	10.83 / 7.50	C-8	121-LEDH4/121-LEDH4XW
121-H4-1	76	P43T	12	100.00 / 55.00	8.33 / 4.58	C-8	121-LEDH4/121-LEDH4XW
121-H4-2	76	P43T	12	100.00 / 80.00	8.33 / 6.66	C-8	121-LEDH4/121-LEDH4XW
121-H4-3	76	P43T	24	75.00 / 70.00	3.125 / 2.92	C-8	121-LEDH4/121-LEDH4XW
121-H4-1390	76	P43T	12	130.00 / 90.00	10.83 / 7.50	C-8	121-LEDH4/121-LEDH4XW
121-H7-2LL	77	PX26D	24	70	2.92	C-8	121-LEDH7
121-H7XW-1	77	PX26D	12	100	8.33	C-8	121-LEDH7

T-3 ½ HALOGEN LAMPS



FIG. 82

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
121-795	82	S.C. BAYONET	12.80	50.00	3.90	C-6	
121-795-2	82	S.C. BAYONET	24.00	50.00	2.08	C-6	

T-4 120V INCANDESCENT LAMPS



FIG. 83

PART NUMBER	FIG. NO.	BASE TYPE	VOLTAGE	WATTAGE	AMPS	FILAMENT TYPE	JETCO LED REPLACEMENT
120-60A-RS-PRO	83	MED. SCREW	130	60	0.462	C-9	NO
120-100A-RS-PRO	83	MED. SCREW	130	100	0.769	C-9	NO

LED BULBS DISPLAY



HIGH MARGIN



TRAFFIC DRAW



EYE CATCHING



SELF SELLING

ON PAGE 78

PROFIT

HIGH MARGIN ITEMS WITH AVAILABLE
DISPLAY TO GUARANTEE SALES.



BEST DOLLAR
\$ VALUE PER
SQUARE FOOT

MERCHANDISE DISPLAYS

LED MINIATURE BULB DISPLAY CASE

FEATURING 22 LED BULBS FOR STT & INDICATOR APPLICATIONS

SPECS

HOUSING ALUMINUM & METAL
MOUNTING COUNTER TOP or SHELF

390-LMB



LED STOP TURN TAIL DISPLAY BOARD

8 TOP SELLING LED LAMPS ON A 12" x 24" BOARD

390-ST1

SPECS

MOUNTING SLAT WALL

LED AUXILIARY FORWARD LIGHTING

390-FL1



LIGHT INDUSTRIAL APPLICATIONS LED WORK LIGHT DISPLAY

390-WL1



INDUSTRIAL APPLICATIONS LED WORK LIGHT DISPLAY

390-WL2



EMERGENCY & WARNING LIGHT DISPLAY

390-EM1



BUILD YOUR OWN DISPLAY

390-CSD



PRODUCT INTERCHANGE



MARKER LIGHTS

CATEGORY	PART NUMBER	GROTE	TRUCK LITE	UNI BOND	OPTRONICS	UNITED PACIFIC	TRUX	PETERSEN
2 INCH ROUND	127-10018	47212 G3092	3075 10276R	LED7200-10R	MCL21RB	38169 38386	TLED-2BR	166R
2 INCH ROUND	127-10018A	47213 G3093	3075A 10276A 1075A	LED7200-10A	MCL21AB	38168 38366 38385	TLED-2BA	166A
2 INCH ROUND	127-16002	G3002 47112 MKR4500R-PG	30050R 30085R 30270R	LED2000-1R LED2010-1R LED2000-4R	MCL155RB MCL55RB MCL56RB	37036 36525 38171	TLED-2R TLED-2SR	164R 165R
2 INCH ROUND	127-16002ACL		3051A 30376Y	LED2000C-10A	MCL55ACB	39577 36526 38362	TLED-2CA TLED-2TA TLED-2XCA	
2.5 INCH ROUND	127-17002A	G1093 G1033 47233 47123 46143	10275A 10050A 10250RA	LED2500-4A LED2500-12A LED2500-13A	MCL157AB MCL57AB MCL527AB	37016 38174 38465	TLED-2HA TLED-2HSA	162A 163A 192A 193A 194A 195A
2.5 INCH ROUND	127-17002RCL	G1042	1051	LED2500C-13R	MCL57RCB	37019 38365 38394	TLED-2HCR TLED-2HTR TLED-2HXR	
2.5 INCH ROUND	127-17004	G1002	1052	LR2500-4R	MCL59RB MCL0039RBB	38456		173R 175R
OTHER	127-66793AB	49333 49323	33075Y 33050Y	LED0700A LED0720A	MCL10A MCL11AKPG	39769	TLED-B3A	171A 176KA 181A
OTHER	127-66793WB	49341	33010C 33210C 33060C	LED0700C	LPL12CPGB	39772		291C
OVAL MARKER	127-66023	45582	21075R 21275R	LED1315-4R LED1545-6R	11212337P	36985 38955 38974	36985 38955 38974	
OVAL MARKER	127-66023A	45583 45603	21075Y 21090Y 21093Y	LED1315-4A LED1545-6A	11212335P	36984 38954 38958		
OVAL MARKER	127-66025ACL	47773	2152A		00212336P 11212336P	36986 36990 38956	TLED-G4CA	
OVAL MARKER	127-66025R	45582	21075R 21275R	LED1545-6R	00212337P	36989 39325 39523	TLED-G4R	
RECTANGULAR	127-15000A	G1503 47083 MKR4700Y-PG	15250A 1560A	LED1225-1A LED1225-3A	AL91AB AL90AB AL191AB	38158 38766	TLED-1X2A	153A 203A 253A
RECTANGULAR	127-19000	G1902 47092 47492	19250R	LED1040-4R	MCL165RB MCL65RB MCL75RB	36993 38162 39464	TLED-1X4R	161R
TRUCK ACCESSORIES	124-6364	16173 16223	97826 97827 97631	OE7169SS WC6169SS WC7169SS			TM-2011	
TRUCK ACCESSORIES	124-6364LED		97826 97827	OE7169SSL			TM-2007	
TRUCK ACCESSORIES	124-6408B	12983 12183 12293	97664 97665 97686	CX855SS			TM-2003	
UTILITY / LICENSE	127-66812WB		36140C 36145C 36205C		LPL61C24B LPL65CB LL85CB		TB-C5W	
LICENSE / UTILITY	127-66800B	G6151	36140C 36145C	LLP2101	LPL31CB LPL26SKB		"TB-C7W TB-C3W"	296XC

LED BULBS

CATEGORY	PART NUMBER	GROTE	SPEED DEMON	UNI BOND	HAMSAR	UNITED PACIFIC	VIVID LUMEN	TRUX
INDICATOR / DASH	121-LED194AXV	94753-4			84184A	37800 36917 37734	194A-5 194A-1	TB-SP2128A
INDICATOR / DASH	121-LED194RXV	94752-4			84184R	37802 36919 37736	194R-5 194R-1	TB-SP2128R
INDICATOR / DASH	121-LED194WXV	94761-5 94751-4		LED194-5W-2	84184	37803 36920	194W-5 194W-1	TB-SP2128W
TAIL LIGHT/ SIGNAL BULBS	121-LED1156AXV	94793-4	10-20123	LED1156-24A	84180A	36465 36928 37690	1156A-SMD 1156A	TB-S1156A
TAIL LIGHT/ SIGNAL BULBS	121-LED1156RXV				84175R	36466 36930		TB-S1156R
TAIL LIGHT/ SIGNAL BULBS	121-LED1156WXV	94801-5 94791-4	10-20122	LED1156-24W	84175 84180	36467 36931	1156W	TB-S1156W
TAIL LIGHT/ SIGNAL BULBS	121-LED1157RXV	94812-4		LED1157-24R	84176R 84180 R	36470 36934	1157R-SMD 1157R	TB-S1157R
TAIL LIGHT/ SIGNAL BULBS	121-LED3156AXV	94860-5		LED3156A	84177A	36543	3156A-SMD 3156A	TB-SP3156A
TAIL LIGHT/ SIGNAL BULBS	121-LED3156WXV	94841-5 94831-4			84177 84182	36546	3156W-SMD 3156A	TB-SP3156W
TAIL LIGHT/ SIGNAL BULBS	121-LED3157AXV	94853-4				36547	3157A-SMD 3157A	TB-SP3157A
TAIL LIGHT/ SIGNAL BULBS	121-LED3157RXV	94852-4				36549	3157R-SMD 3157R	TB-SP3157R
TAIL LIGHT/ SIGNAL BULBS	121-LED3157WXV	94851-4 94861-5	10-20130	LED3157-24W	84178 84183	36550	3157W-SMD 3157W	TB-SP3157W

FORWARD LIGHTING

CATEGORY	PART NUMBER	GROTE	TRUCK LITE	JW SPEAKER	HELLA	NIGHT RIDER	UNI BOND	VIVID LUMEN	TRUX
AUXILIARY	123-33066		84720 84740 84770	MODEL TS3000V				V20DL	
AUXILIARY	123-88044		84720 84740 84770	MODEL TS3000V			LW5700 LW5300 LW5200E		
HEAD LIGHT	130-LED4651	94411	27465C	MODEL 8800 HIGH BEAM				F46R-H	TLED-H1 TLED-H7 TLED-H75
HEAD LIGHT	130-LED4656	94421	27460C	MODEL 8800 LOW BEAM				F46R-L	TLED-H2 TLED-H6 TLED-H73
LIGHT BAR	302-1572FS	64J21		MODEL TS1500 MODEL 9049-2M MODEL 9049-3M	1FJ958040-001 1FJ958040-051 1FJ958040-072	NXS12 NSX20 NXSCR20	LW91303 LW91305 LW91309	DRS-72 DRS-120 DRC-72	TLED-U51 TLED-U65 TLED-U66
LIGHT BAR	302-32180FS	64J31		9049-4M	1FJ958040-001 1FJ958040-051 1FJ958040-072	NXS28 NXS30 N2180	LW93163 LW93100 LW93103	DRS-180	TLED-U67
LIGHT BAR	302-836FS	64J11				NXS06 N236	LW90703 LW90705 LW90709	DRS-36	
LIGHT BAR	305-32180FS	64J31		MODEL 9049-4M	1FJ958040-001 1FJ958040-051 1FJ958040-072	NXSCR30 NCR2180	LW93163 LW93100 LW93103	DRS-180 DRC-120	TLED-U67
LIGHT BAR	305-42240FS			MODEL 9049-6M		N3R40 NCR2240	LW94163 LW94100 LW94103	DRC-240 DRS-240	TLED-U43 TLED-U68

WORK LIGHTING

CATEGORY	PART NUMBER	GROTE	TRUCK LITE	JW SPEAKER	HELLA	NIGHT RIDER	NORDIC	HAMSAR
INTERIOR / CABINET	127-66703B	61861 61871 61991	80162C 80163C 80164C	MODEL 410 MODEL 411				
INTERIOR / CABINET	127-66780-8	61171 61341	44438C	MODEL 417				
LED	123-81000F	64G01 64G11 64G71 64G51 64G61 64G41		MODEL 4415	1G0996276-481 1G0995050-001 1G0995050-021	N2820 N1212 N1218	KL2001 KL1501 N2401 N24 N24R N2001	81871 81873 81874 81271 81272 81273 81274 81801 81802
LED	123-81004F			MODEL 670XD MODEL 680XD	1GB996386-001 1GB996386-021 1GA996661-001		CG410 CG420	81863 81881 81262 81263 81281 81902 81903 81904
LED	123-81004S			MODEL 670XD MODEL 680XD	1GA996661-011		CG410 CG420	81861 81261 81901
LED	123-81008F			MODEL 526	1GA995506-001		N2201 KL1001 KL1002	81639 81640 81283 81284 82293 82294 81642 81643 81679
LED	123-81008S			MODEL 526	1GA995506-031		N2201 KL1001 KL1002 KL1401	81638 81282 82291 81641 81678
LED	123-81106F			MODEL 526XL MODEL 7150XL MODEL 7250	1GB996194-001		N7201 AG610 AG625 N3301 N3302 N3303	
LED	123-LED63511	63W71 63W61 63W41 63W31 63W21 63W11		MODEL 526	1GA996288-011 1GA996288-001 1GA996188-001		SG410 SG420 N4402	
LED	123-LED95000F			MODEL 832XL	1GA996288-031 1GA996188-011 1GB996194-011		N4601QD N4401QD N4403QD	81669
LED	123-LED95000T			MODEL 832XL	1GA996288-021 1GB996194-031 1GA995606-081		N4601QD N4401QD N4403QD	81670
LED	130-LED4411	64971 61E41 61E51 61H01 61H11 63971	44304C 44308C 44347C	MODEL 6042 MODEL 6045 MODEL 6040				81446 81444 81445
LED	300-1501F		81500 81520 81510		1GA996192-021 1GA996192-011 1GA996192-001	N2290F N2745F		81669 81670
LED	300-3140S	BZ111 BZ101	81295 81395 81390 81391 81290 81291	MODEL 840XD MODEL 680XD	1GM996136-131 1GM996136-192 1GM996136-311	N1042		81447
LED	300-3161F	BZ551 BZ601 BZ201 63W71 63W61 63W41	81500 8170 81520 81510	MODEL 832	1GA357106-022 1GA357106-032	NOS48 N1748		81257
LED	300-340F	64G71 64G51 64G61 64G41 BZ111 BZ601	8140	MODEL 6150 MODEL 4410 MODEL 4415	1G0996276-451 1G0996176-721 1G0996176-741			
LED	300-382F	64W11 64W01 63F81 63F91 63G01 63G11	8180 8193	MODEL 660 MODEL 770XD MODEL 735	1GA357001-011 1GA357001-001 1GB996486-011			81257
LED	300-390F	BZ111 BZ101	81250 81255 81260	MODEL 840XD MODEL 680XD	1G0357101-012 1G0357108-012 1G1357105-022			81256 81448 81449
LED	300-391F	BZ551 BZ601 BZ201 63W71 63W61 63W41	8170 81520 81510	MODEL 832	1GA011720-041 1GA995193-001 1GA357103-012	NOS275Q N727		
LED	300-618F	BZ301		MODEL 783XD	1GE360000-002	N1918F N1930F		

SAFETY & WARNING

CATEGORY	PART NUMBER	GROTE	TRUCK LITE	JW SPEAKER	UNI BOND	WHELEN	PETERSEN	ECCO
AUDIBLE WARNING	126-67141	73170 73250 73040 73090	92900 92901 92902	1100141	BU-97 BU-107	WBUA107 WBUA97 WBUA112	780 781 782 783	505 520 530 575
STROBES / BEACONS	126-150MA	78103 77103	301A 313A		E-336AM E-336A E-350AM E-330A		772A	6465A-MG
STROBES / BEACONS	126-66172A	77913			E-460AM E-438AM E-420AM		740A	
STROBES / BEACONS	126-67024A		92865Y	MODEL 601 MODEL 601XL	E-890A		799A	
STROBES / BEACONS	126-67033A	78013 78063 77953 77963 78923	92565Y	MODEL 601 MODEL 601XL	E-661A E-450AD	L21HAP L21HAP4 L22HAP	798A 799A	7965A EB7935A 7970A
STROBES / BEACONS	126-67033ACL		92566Y		E-888AC			7965CA
STROBES / BEACONS	126-67033B		92565B 92568B			L22HBP L22HBP4		7965B EB7935B
STROBES / BEACONS	126-67033MA		92569Y 92568Y 92860Y	MODEL 601	E-450ADM	L21HAM L22HAM L10HAM		
STROBES / BEACONS	126-67033MWCL	78011 78061				L21HCM L22HCM		
STROBES / BEACONS	126-67033R		92565R 92568R	MODEL 601		L22HRP L22HRP4		7965R EB7935R 7970R
STROBES / BEACONS	126-67033WCL	78011 78061	92565C 92568C			L21HCP L21HCP4 L10HCP		7965C EB7935C 7970C
STROBES / BEACONS	126-67085A	76983 78023	92866Y		E-2160A E-2161A E-2215A E-2210A E-2163A	R1LPPA R2LPPA4 MC16PA		5550A 5545A 5590A
STROBES / BEACONS	126-67085ABCL	76770 78020			E-2161AB E-7211AB			
STROBES / BEACONS	126-67085MA	76993 78443			E-2161AM E-2215AM E- 2210AM	R1LPVA R2LPMA4 MC16MA		752MA 5590A-MG 5597A-MG
STROBES / BEACONS	126-67089A	78033 78053 76253 77873 76263 78853	92564Y 92864Y	MODEL 407 MODEL 406 MODEL 405	E-350A	L21LAP L21LAP4 L22LAP	798A 764A 791A	7960A 7965A 7975A
STROBES / BEACONS	126-67089MA	77823	92863Y	MODEL 407 MODEL 406 MODEL 405	E-550A E-350AM E-336A E-336AM E-350A E-330A	L21LAM L22LAM L10LAM	764MA 791MA	
STROBES / BEACONS	126-67412A	77473	300A		E-553A E-650A E-655A E-551A	L41AP	745A 762A 791A	6465A
STROBES / BEACONS	126-67412MA	77483	301A 313A			L41AM	791MA	6465A-MG
STROBES / BEACONS	126-LED67081A	78113 78783	92563	MODEL 539	E-250A			6262A
STROBES / BEACONS	127-66766ACL	77773 78773 77463 78143	92695Y 92696Y		E-950A E-950CA		4155SA 4513SA 153SA	ED3704A 3730A 3735A
STROBES / BEACONS	127-66766RCL	77462 78142			E-950R		153SR	ED3704R 3730R 3735R
STROBES / BEACONS	127-66766W	77461 78141			E-950C E-955CW		153SC	ED3704C 3730C 3735C

STOP / TURN / TAIL LIGHTS

CATEGORY	PART NUMBER	GROTE	TRUCK LITE	UNI BOND	OPTRONICS	UNITED PACIFIC	TRUX	PETERSEN
4 INCH ROUND	127-40607RW	55082	44556R		BUL603CRB			1217F-C
4 INCH ROUND	127-43004W	62571			BUL11CM24B			
4 INCH ROUND	127-43044-4	52162	44253R	LED4000M-10R		36511		
4 INCH ROUND	127-44050A	G4003	4050A 44203Y 44233Y	LED4000-24A LED4000-10A LED4000T-30A	STL23AB STL43AB	39700	TLED-4100A TLED-4MA	417A
4 INCH ROUND	127-44050ACL	G4023	4051A	LED4000C-24A LED4000C-10A	STL101ACB	38415 37135 38773	TLED-4CA TLED-4MCA TLED-417CA	
4 INCH ROUND	127-45070AB	G4003 54343 TUR5100Y-PG	44093Y 44094Y 44293Y	LED4000T-12A LED4000-1A	STL003AB STL13AB	39923 37133 38771	TLED-417A	826A
4 INCH ROUND	127-45070RB	G4002 54342 STT5100R-PG	44030R 44034R 44038R	LED4000T-12R LED4000-1R	STL543RB STL003RB STL413RB	39924 37585 36922	TLED-417R	
6X2 OVAL	127-60010AB	54133 54143	6058A	LED2238G-10A	STL72AMB			1220A-10 320A 820A
6X2 OVAL	127-60010RB	54132 54142 52592	6058 66050R 66085R	LED2238G-10R	STL002RMB STL12RMB			
6X2 OVAL	127-60324AB		6058A		STL111AB	36657		
6X2 OVAL	127-60607RW	54682 54672 54702	60556R 60557R		BUL602CRB			
6X2 OVAL	127-66050A	53963	6050A 60290Y 60892Y	LED2238-24A LED2238-10A	STL70AB STL22AB STL72AB	38784 38916 39704	TLED-OBSA TLED-OBMA	
6X2 OVAL	127-66050ACL	G6013	6051A	LED2238C-24A LED2238C-10A	STL22ACB STL72CAB	37131 38777 39342	TLED-AOA TLED-OBSCA TLED-O12CA	
6X2 OVAL	127-66050R	54792 53962	6050 60050R 60085R 60250R	LED2238-24R LED2238-10R	STL70RB STL- 72RB STL512RB	38095 39703	TLED-OBSR TLED-OBMR	
6X2 OVAL	127-66050RCL	G6012 54802	6051	LED2238C-24R LED2238C-10R	STL22RCB STL12RCB STL82RCB	39815 36857 38122	TLED-AOR TLED-OBRS TLED-O12CR	
6X2 OVAL	127-66102RB	54172 STT5000R-PG	66050R 66085R 66250R	LED2238-1R	STL572RB STL22RB STL002RB	36771 36855 36924		
MID TURN	127-40073A	54183 54193	60422Y 60421Y	LR2238-9A	STL75AB	38920 38857	TLED-HOBA	350A 351A 355A 356A
OTHER	127-65000	53422 55982 55992	91242R 91244R 91369R	LED7010R	STL90RB	39961		717R
PEDESTAL LAMPS	127-66031L		2753	LFML5213RA	STL53ARDB	38701 38709 38750	TLED-SDFL4	
PEDESTAL LAMPS	127-66031R		2756	LFMR5213RA	STL53ARPB	38702 38710 38751	TLED-SDFR4	
PEDESTAL LAMPS	127-66033A	G5543	2752			39777 39778 38712	TLED-SDFL3A TLED-SDFR3A	327AA
PEDESTAL LAMPS	127-66035L	G5530	2759	LFML5223RA	STL153ARDBB	37124 37578 38703	TLED-SDFL3	327L

INDEX

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
Prefix 117		119-9124	54	120-2040	73	Prefix 121		121-893	74
117-125BAT	53	119-9128	54	120-2057	68	121-14	66	121-893XW	74
117-120122A	53	119-9476	54	120-211-2	70			121-894	74
117-33201	52	119-9477	54	120-2357	68			121-896	74
117-PS22905	53	119-67000MK	54			121-33-3457	68	121-904	72
117-SPS12024	53	119-67085MK	54			121-33-3457A	68	121-906	72
117-SPS1201218A	53	119-DHF	54	120-4000	46	121-37	69	121-912B	72
117-TR241220A	53	119-DHM	54	120-4412A	46	121-44	71	121-912G	72
117-FL66088	52	119-DHR95000	54			121-57	66	121-912P	72
117-FL66090	52	119-HR1013	54	120-4502	45	121-67	67	121-912R	72
117-FL66090-4	52	119-HR60114	54	120-4505	45	121-70	69	121-916A	72
117-PP128	52	119-J1E7CM	54	120-4579	46	121-73	69	121-921	72
117-R128	52	119-KTD007	54	120-4589B	45	121-74	69	121-927	72
117-RL50W6	52			120-4800	47	121-85	69	121-967	71
117-SWM006	53	Prefix 120				121-86	69		
		120-33-3457	68			121-89	67		
		120-55	66	120-6411	71	121-90	67	121-1076	68
		120-57	66	120-64111	73	121-93	68	121-1129	68
		120-60A-RS-PRO	77	120-64450S	75	121-97	67	121-1142	68
				120-64623HLX	75			121-1154	68
				120-7440	72	121-193	71	121-1155	67
		120-90	67	120-7443	72	121-194	71	121-1156	68
		120-97	67					121-1157A	68
		120-158	71					121-1157NA	68
				120-9004	76			121-1176	68
Prefix 118		120-168	71	120-9004CB	76			121-1195	69
118-9119	51			120-9004LL-XL	76			121-1251	67
118-9121	51	120-880	74	120-9004XV	76	121-257	66	121-1252	67
118-9125	51			120-9005XS	75	121-259	71	121-1295	68
118-9125V	51	120-889	74			121-303	67		
118-9127	51	120-890	74	120-9006XS	75	121-307	68		
118-9139	51			120-9007CB	76	121-313	71	121-1450	66
118-9140SS	51	120-893	74	120-9040	75	121-327	69	121-1500	73
118-9157	51			120-9055	75			121-1591	68
118-9158	51	120-896	74	120-D1SA	64	121-387	69	121-1638	68
118-9158V	51	120-899	74	120-D1SXW	64	121-455	66	121-1662	68
118-9160SS	51	120-906	72			121-456	66		
118-9381C	52	120-912	72	120-H3-1	74	121-464	71		
118-9387	52					121-555	71		
118-9389BK	52	120-916	72	120-H4651ST	43	121-623	67	121-1819	71
		120-921	72	120-H4656ST	43	121-624	67	121-1820	71
118-9392	51	120-922	72			121-656	71	121-1829	71
118-9392V	51					121-657	71	121-1847	71
118-9399	51			120-H4880	46	121-658	71	121-1850	71
118-9399V	51	120-100A-RS-PRO	77			121-755	71	121-1888	71
		120-1141	68			121-795	77	121-1891	71
Prefix 119		120-1156	68			121-795-2	77	121-1892	71
119-9122	54	120-1157	68	120-H6054ST	43	121-880	74		
119-9122-12	54					121-885	74		
119-9122-12B	54	120-1820	71	120-H7616	45	121-886	74		
119-9122B	54	120-1891	71	120-H7921-1	43	121-889	74		
119-9122X	54	120-1893	71	120-H9415A	42	121-889XW	74		
119-9123	54	120-1895	66	120-R10W	66	121-890	74		

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
121-1893	71	121-H3	74	121-LED1893	64			123-C69000XW	21
121-1895	66			121-LED1895	64	123-33044BK	4	123-C77004	18
121-2057	68	121-H3-13	74	121-LED3156AXV	64	123-33044MC	4	123-C79000A	21
121-2057A	68	121-H3-4	74	121-LED3156RXV	64	123-33044XW	4	123-C79000AFG	21
121-2721	69	121-H3-2470-1	74	121-LED3156WXV	64	123-33066	2	123-C79000BK	21
121-2721MF	69			121-LED3157AXV	64			123-C79000XFG	21
121-2741	69	121-H3-35	74	121-LED3157RXV	64	123-33114	45		
121-2841	71	121-H3-635	74	121-LED3157WXV	64	123-33188F	15		
		121-H3CXW	74	121-LED9005	63	123-33188F-4	15		
		121-H3CXW-1	74	121-LED9006	62	123-33188MCT	15		
		121-H3XW-1	74	121-LED9007	62	123-33188MCT-4	15	123-C33044C	4
121-3157A	68			121-LED9008-H13	62	123-33188T	15	123-C33188C	15
121-3496	72	121-H4-1	76	121-LEDH1	62	123-33188T-4	15	123-C57000C	3,4,17,18
121-3497	72	121-H4-2	76	121-LEDH3	62			123-C81106C	8
121-3796	70	121-H4-3	76	121-LEDH4	62			123-C88044A	2
121-3797	70	121-H4-1390	76	121-LEDH4XW	62			123-C88044BK	2
121-3899	70			121-LEDH7	62			123-C95000C	8
121-3930	70			121-LEDH11	62			123-C95000A	8
121-4157LL	68			121-PR12	65			123-CS3001	19,20
121-4157NALL	68	121-H7-2LL	76	121-PR13	65				
121-7440	72			121-PR18	65	123-69000HST	21	123-CS507	3,4,17,18
121-7443	72	121-H7XW-1	76	121-PR3	65	123-77004	18	123-CS6001	20
121-7511	68	121-H11	75	121-PR6	65	123-79000HLX	21	123-CS69000	21
121-7537	68	121-H11-2	75	121-R10W	66	123-81000F	9	123-CS79000	21
121-7952	69	121-KPR102	65	121-R5W	66	123-81004F	10		
121-9004	76	121-KPR113	65	121-RP11-60604	69	123-81004S	10	123-D1S-B110	65
121-9004-1	76	121-LED53W-1	63	121-SE1274	70	123-81008F	10	123-D1S-B12	65
121-9004XW-1	76	121-LED67-89	63	121-TW4	70	123-81008S	10	123-D1S-B24	65
121-9004XW-2	76	121-LED90	63					123-D1S-B75	65
121-9005-1	75	121-LED194AXV	63	Prefix 123		123-81106F	8	123-LED63511	10
121-9005XW-1	75	121-LED194GXV	63	123-1183-4	17	123-88044	2	123-LED95000A	8
121-9006-1	75	121-LED194RXV	63	123-3001C	20			123-LED95000F	8
121-9006XW	75	121-LED194WXV	63	123-3001SS	20	123-95000F	14	123-LED95000T	8
121-9007	76	121-LED303	63			123-95000MCT	14		
121-9008-H13	76	121-LED400-657W	63			123-307001	17	123-S6612	5
121-B9004	76	121-LED464WXV	63	123-518SS	19	123-307001-4	17	123-S888C	19
121-B9004-1	76	121-LED623	63	123-6001XWC	20	123-460038A	8	123-S888SS	19
121-B9004-2	76	121-LED624	63	123-6001XWSS	20	123-460038F	8	123-S91302MC	6
121-B9005-1	75	121-LED656	63			123-460038R	8	123-S92006C	19
121-B9006-1	75	121-LED904	63	123-6014HID	47	123-460038T	8	123-S93001	18
121-B9007-2	76	121-LED906	63	123-6014HIDS-110	47	123-950012F	14	123-S97356	6
121-BH1-1	73	121-LED912	63	123-6014HIDS-75	47	123-950012MCT	14		
121-BH3-1	74	121-LED1003	63	123-6014HIDT-110	47	123-BR3090	52		
121-BH3-3	74	121-LED1004	63	123-6014HIDT-75	47	123-C33044	4	Prefix 124	
121-BH4-1390	76	121-LED1156AXV	64	123-9405	44	123-C33066A	2	124-6306B	59
121-C5W	71	121-LED1156RXV	64	123-9406	44	123-C33066BK	2	124-6308BH	59
121-DE3022	70	121-LED1156WXV	64	123-9411	44			124-6364LED	58
121-DE3175	71	121-LED1157AXV	64	123-9420	44			124-6408A	59
		121-LED1157RXV	64	123-30305	15			124-6408B	59
121-H1-1	73	121-LED1157WXV	64	123-30305-4	15				
		121-LED1662WXV	64	123-30306	15	123-C507BK	4,18		
121-H1-24100	73	121-LED1683WXV	64	123-30306-4	15	123-C69000BK	21		
121-H1XW	73	121-LED1873WXV	64			123-C69000C	21		

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
Prefix 125		126-67024BCL	24	127-100188A	41	127-40607AB	35
125-66638	60	126-67024R	24	127-100188ACL	41	127-40607R	35
125-AGC-025	61	126-67024RCL	24	127-10018A	30	127-40607RB	35
125-AGC-050	61	126-67024SW	53	127-10018ACLB	30	127-40607RW	35
125-AGC-075	61	126-67027WXVC-4	55	127-10018R	30	127-40607RWB	35
125-AGC-1	61	126-67030C	55	127-11284A	33	127-40607W	35
		126-67033A	24	127-15000AB	32	127-40607WB	35
		126-67033ACL	24	127-15000KA	32	127-43004W	36
125-AGC-4	61	126-67033B	24	127-15000KR	32	127-43044-4	36
125-AGC-5	61	126-67033MA	24	127-15000RB	32	127-43044A-4	36
125-AGC-20	61	126-67033MACL	24	127-160025A	40	127-43044R	36
125-AGC-25	61	126-67033MB	24	127-160025ACL	40	127-44050A	35
125-AGC-30	61	126-67033MR	24	127-160025ACLX	41	127-44050ACL	35
125-ATQ-3	61	126-67033MWCL	24	127-160025AX	41	127-44050R	35
125-ATQ-5	61	126-67033R	24	127-160026A	40	127-44050RCL	35
125-ATQ-075	61	126-67033WCL	24	127-160026ACL	40	127-44050W	35
125-ATQ-10	61	126-67034C	56	127-160026R	40	127-45070AB	36
125-ATQ-15	61	126-67063A	27	127-160026RCL	40	127-45070KR	36
125-ATQ-20	61	126-67063B	27	127-160026RCLX	41	127-45070RB	36
125-ATQ-25	61	126-67063G	27	127-160026RX	41	127-5050R-4	37
125-ATQ-30	61	126-67063R	27	127-160028A	41	127-60010AB	35
125-FHC-ATQ	61	126-67063W	27	127-160028ACL	41	127-60010RB	35
125-FUSEDISPLAY	60	126-67085A	23	127-160028RCLX	41	127-60310KW	35
125-MAX-20	61	126-67085ABCL	23	127-160028RX	41	127-60310WB	35
125-MAX-30	61	126-67085ACL	23	127-16002A	31	127-60324AB	34
125-MAX-40	61	126-67085B	23	127-16002AB	31	127-60324RB	34
125-MAX-50	61	126-67085MA	23	127-16002ACL	31	127-60328RWB	34
125-MAX-60	61	126-67085MACL	23	127-16002KR	31	127-60607A	35
125-MIN-075	61	126-67085R	23	127-16002R	31	127-60607AB	35
125-MIN-4	61	126-67088-4	56	127-16002RB	31	127-60607R	35
125-MIN-5	61	126-67089A	25	127-16002RCL	31	127-60607RB	35
125-MIN-10	61	126-67089ACL	25	127-17002A	31	127-60607RW	35
125-MIN-15	61	126-67089B	25	127-17002ACL	31	127-60607RWB	35
125-MIN-20	61	126-67089G	25	127-17002RCL	31	127-65000A	38
125-MIN-25	61	126-67089MA	25	127-17004A	31	127-65000R	38
125-MIN-30	61	126-67089MACL	25	127-17004AB	31	127-66023A	33
125-SFE-075	61	126-67089MB	25	127-17004KR	31	127-66023R	33
		126-67089MG	25	127-17004R	31	127-66025A	33
125-SFE-20	61	126-67115	56	127-17004RB	31	127-66025ACL	33
125-SFE-30	61	126-67141	23	127-19000A	32	127-66025R	33
				127-19000ARKT	32	127-66031L	39
Prefix 126				127-19000R	32	127-66031LCL	39
				127-19014AB	33		
				127-19014RB	33		
126-150MA	25	126-67412A	25	127-40010A	35	127-66031R	39
126-333A	29	126-67412MA	25	127-40010KR	35	127-66031RCL	39
126-33202-4	29	126-BR67063	52	127-40010RB	35	127-66035A	39
		126-67081A	26	127-40073A	37	127-66035L	39
126-66172A	26	126-LED67412G	25	127-40310KW	35	127-66035LCL	39
126-66172R	26	126-LED67412MB	25	127-40310WB	35	127-66035R	39
		126-LED67412MG	25	127-40324AB	34	127-66035RCL	39
				127-40324RB	34		
		Prefix 127		127-40324WB	34		
126-67024A	24	127-100185A	40	127-40328RWB	34		
126-67024ACL	24	127-100185ACL	40	127-40607A	35		

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
		127-66766ACL	26	128-H3001C	21	300-382F	13
127-66050A	35	127-66766BCL	26	128-H3001SS	21	300-390F	13
127-66050ACL	35	127-66766RCL	26	128-H504	22	300-390FB	13
127-66050R	35	127-66766W	26	128-H504B	22	300-391F	13
127-66050R-4	35	127-66780	49	128-H504M	22	300-391FB	13
127-66050RCL	35	127-66785ACL	34	128-H504FB	22	300-618F	7
127-66050W	35	127-66785ACLK	34	128-H505B	22	300-618FP	7
127-66055A	28	127-66785AK	34	128-H506	22	300-1500F	11
127-66055AMB	28	127-66793AB	30	128-H507	22	300-1500FP	11
127-66055R	28	127-66793RB	30	128-H507X	22	300-1500S	11
127-66055RMB	28	127-66793WB	30	128-H55SS	21	300-1500SP	11
127-66055W	28	127-66800B	41	128-H57SS	22	300-1501F	12
127-66070	38	127-66800BKB	41	128-H57XSS	22	300-1501FP	12
127-66070-4	38	127-66810ACLB	32	128-H6001C	22	300-1501S	12
127-66077AXV-4	36	127-66810RCLB	32	128-H6001SS	22	300-1501SP	12
127-66077B-4	36	127-66812WB	32	128-H77113	21	300-3140S	12
127-66077GXV-4	36	127-99107	49	128-M307003	52	300-3161F	12
127-66077RXV-4	36			128-MB5040010R	27	300-3161FP	12
127-66077W-4	36	127-S60010A	26,37	128-MB50LED4411	11	300-C382A	13
127-66080A	49			128-MBR504	52	300-322BS	14
127-66080B	49	Prefix 128				Prefix 302	
127-66080R	49			Prefix 129		302-954FS	7
127-66080W	49	128-50H4411	20	129-50020BXW	57	302-1572FS	7
127-66085XV	39	128-50LED4411	11	129-50030BXW	57	302-32180FS	7
127-66087W	49	128-55LED4411SS	11	129-50050BXW	57	302-C73A	7
127-66088A	50	128-57H4651SS	4	129-50100BXW	57	302-C73BK	7
127-66088B	50	128-57H7921SS	17	129-50150BXW	57		
127-66088R	50	128-57H7935SS	17	129-50200BA	57	Prefix 303	
127-66088W	50	128-57LED4651SS	3	129-50200BXW	57	303-03096A	29
127-66089A	50	128-70H4651	4	129-60050BXW	57	303-05168A	29
127-66089B	50	128-70H7921	18			303-08274A	29
127-66089R	50	128-504L55A	28	Prefix 130		303-08276A	29
127-66089W	50	128-504L55AMB	28			303-10000	29
127-66090ACL	28	128-504L55R	28	130-H4411-3	45	303-11000	29
127-66090WB	28	128-504L55RMB	28	130-H7935-3	43	303-12000	29
127-66093A	33,58	128-504L55WMB	28	130-H7935-H3	44		
127-66093AB	33	128-50405	16	130-H7935XW-3	43	Prefix 305	
127-66093ACL	33, 58	128-50405-4	16	130-H9405	42	305-42240FS	7
127-66094R	38	128-50406	16	130-H9406	42	305-50288FS	7
127-66095L	38	128-50406-4	16	130-H9411	42	305-C103A	7
127-66102AB	36	128-50411	16	130-H9411XW	42	305-C103BK	7
127-66102KR	36	128-50411-4	16	130-H9420	42		
127-66102RB	36	128-50411XW	16	130-LED4411	45	Prefix 390	
127-66312	48	128-50415A	16	130-LED4411B	45	390-CUST	78
127-66312B	48	128-50420	16	130-LED4651	3, 43	390-FL1	78
127-66320	48	128-77113C	21	130-LED4656	3, 43	390-LMB	78
127-66320B	48	128-350507	18			390-ST1	78
127-66340	48	128-350507-H3	18	Prefix 151		390-WL1	78
127-66340B	48	128-350507XW	18	151-77455XV	22	390-WL2	78
127-66703B	48	128-5074651-1	18				
127-66708AR	38	128-5074651-41	18	Prefix 300			
127-66708A	38	128-CM504	16,18	300-340F	14		
127-66708ARCL	38	128-CM507	16,17	300-363F	13		



123-LED38066 DOT APPROVED AUXILIARY LIGHT



DESIGNED TO GENERATE HEAT THROUGH THE LENSES.

300-1500 SERIES



126-67033 SERIES HEAVY DUTY LED STROBE



OUR BRANDS:

AMBERVISION™

ENVIRO VISION™

L.E.D.



JOEY™

ARCTIC VISION™

ROO-Lite™


L.E.D.

BOOMER™

XW™



GLOBAL SUPPLIERS WITH CUTTING EDGE TECHNOLOGY



17311 109 AVENUE, NW - EDMONTON - ALBERTA - CANADA - T5S 1H7
PHONE: (780) 444-2886 | FAX: (780) 444-3448 | TOLL FREE: 1-800-230-8501



INFO@JETCOLIGHTING.COM
www.jetcolighting.com

PROUDLY CANADIAN

