Jetco®

HEAVY DUTY LIGHTING

we light things that ***MOVE***™

2027-29









PROUDLY CANADIAN

Jetco®
HEAVY DUTY LIGHTING
we light things that ***MOVE***™

About Jetco Heavy Duty Lighting...

we light things that MOVE™

For nearly 40 years, we have supplied dependable heavy-duty lighting solutions to the mining, construction, forestry, utility, trucking, and automotive industries across Canada and international markets.

We provide durable, high-performance lighting products designed to operate in demanding environments where reliability matters most. Backed by strong inventory, responsive service, and knowledgeable support, we help our customers keep equipment and operations moving safely and efficiently.

As a focused and agile team, we are able to make decisions quickly, adapt to customer needs, and build long-term relationships based on trust, accountability, and consistent performance.

What We Stand For

- Customer-first service
- Teamwork, trust, and accountability
- Durable and dependable products
- Strong inventory and reliable supply
- Fast, responsive decision-making

For nearly four decades, our reputation has been built on reliability, responsiveness, and supporting the industries that keep the world moving.



Why Jetco?

- ☑ 99% Fill Rate
- ☑ Hassle Free Warranty
- ☑ Purpose Engineered Solutions
- ☑ Complete Product Ecosystem
- ☑ Customization



TABLE OF CONTENTS

FORWARD LIGHTING - DOT APPROVED — PAGES 2 - 4




LED	2 - 3
HALOGEN	3
LIGHT BARS	4

WORK LIGHTING — PAGES 5 - 11



SPECIALITY	5
LED	6 - 10
HANDHELD	10
HID	10
HALOGEN	11
HOUSINGS	

INTERIOR LIGHTING — PAGES 12



CABINET / INTERIOR / DOME LIGHTS	12
LED STRIP LIGHTING	12

EMERGENCY LIGHTING & WARNING SYSTEMS — PAGES 13 - 16



LED STROBES	13 - 14
SOLAR POWERED LED STROBES	14
AUDIBLE WARNING	14
LED LOG / LOAD / BUGGY WHIP LIGHTS	15
LED SIGNBOARDS	16

STOP/TURN/TAIL/BACKUP & MARKER LIGHTS — PAGES 17 - 23



4" ROUND / 6X2" OVAL STT	17 - 18
SPECIALTY / OTHER STT	18 - 19
MARKER LIGHTS	20
LICENSE PLATE LIGHTS	20
PEDESTAL LAMPS / TRAILER MARKER	21
CAB MARKER / MIRRORS	22
AIR CLEANER LIGHT BARS	23

SEALED & SEMI SEALED BEAMS — PAGES 24



3½" x 6" SEALED BEAMS	24
4" x 6" SEALED BEAMS	24
6" x 8" SEALED BEAMS	24
SEMI-SEALED BEAMS	24
PAR 36 LIGHTS	24
PAR 46 LIGHTS	24
PAR 56 LIGHTS	24

SCENE LIGHTS — PAGES 25



FIXED MOUNT	25
50W PORTABLE	25

FUSES — PAGES 25



BLADE / GLASS STYLE FUSES	25

ELECTRICAL & MOUNTING ACCESSORIES — PAGES 26 - 27



POWER SUPPLIES	26
HARNESSES	26
STT / MARKER WIRING / PLUGS	26
FLASHERS / RESISTORS / RELAYS	27
MOUNTING BASES / JUNCTION BOXES	27
GROMMETS / BEZELS	27
MOUNTING BRACKETS	27

MINIATURE BULBS & BALLASTS — PAGES 28 - 31



LED	28
HID BULBS & BALLASTS	29
HALOGEN	30 - 31

MERCHANDISE DISPLAYS — PAGES 32

MERCHANDISE DISPLAYS	32



INTERCHANGE & INDEX — PAGES 33 - 40



INTERCHANGE	33 - 36
INDEX	37 - 40

SALES SUPPORT & INDUSTRY QUICK REFERENCE GUIDES — 41 - 48

LEGEND - LIGHTING TIERS

PREMIUM
LIGHT DUTY - $
RAPID SERVICE CYCLES
2 YEAR WARRANTY

PLUS
MEDIUM DUTY - $$
REGULAR SERVICE CYCLES
2-5 YEAR WARRANTY

MILITARY
HEAVY DUTY - $$$
ZERO DOWNTIME
5 YEAR WARRANTY

FORWARD LIGHTING



4" x 6" DOT LED AUXILIARY DRIVING LIGHT

123-33066

SAE INTERNATIONAL DOT

SPECS

VOLTAGE	9 - 32V
AMPERAGE	1.90A @ 12V / 1.11A @ 24V
WATTAGE	40W
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

ACCESSORIES - COVERS & WIRING KIT



123-C33066A



123-C33066BK



119-KTD007

3 ¾" x 6 ½" DOT LED AUXILIARY DRIVING LIGHT

123-88044

SAE INTERNATIONAL DOT

SPECS

VOLTAGE	9 - 32V
AMPERAGE	1.7A @ 12V / 0.99A @ 24V
WATTAGE	24W
IP RATING	IP68
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

ACCESSORIES - COVERS & WIRING KIT



123-C88044A



123-C88044BK



119-KTD007








5" x 7" DOT LED IN STAINLESS STEEL HOUSING

128-57LED4651SS

SAE INTERNATIONAL DOT

SPECS

VOLTAGE	10 - 32V
AMPERAGE	2.0A @ 12V / 1.0A @ 24V
WATTAGE	24 W
IP RATING	IP68
CONNECTOR	DIRECT WIRE
MOUNTING	SWIVEL SINGLE BOLT



ACCESSORIES - COVERS & WIRING KIT



123-C57000C



119-KTD007

4" x 6" DOT LED HEADLIGHTS

SPECS


VOLTAGE	10 - 32V
AMPERAGE	1.95A @ 12V / 1.0A @ 24V
WATTAGE	24W
IP RATING	IP67
CONNECTOR	3 PRONG (LB) / 2 PRONG (HB) PLUG
MOUNTING	SOCKET

130-LED4651
HIGH BEAM

130-LED4656
LOW BEAM



PLUG AND PLAY





4"x 6" DUAL HALOGEN DOT DRIVING LIGHT

BLACK PROTECTIVE COVER INCLUDED

123-33044
DRIVING BEAM PATTERN

123-33044MC
MULTI COATED - AMBER

SPECS

VOLTAGE	12V
AMPERAGE	8.3A @ 12V
WATTAGE	2x 55W (H3 BULB)
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

ACCESSORIES - COVERS



123-C33044BK 123-C33044C

3½" x 6½" HALOGEN DOT DRIVING LIGHT SET


SET INCLUDES TWO LIGHTS

SPECS

VOLTAGE	12V
AMPERAGE	8.4A @ 12V (PER SET)
WATTAGE	110W (PER SET)
CONNECTOR	DIRECT WIRE KIT
MOUNTING	STAINLESS STEEL U-BRACKET

123-S6612





3" x 4" HALOGEN DOT AUXILIARY LIGHT SET

SET INCLUDES TWO LIGHTS - COMPLETE WITH WIRING , SWITCH & MOUNTING HARDWARE

123-S97356

SPECS

VOLTAGE	12V
AMPERAGE	8.4A@ 12V (SET)
WATTAGE	110 W (PER SET)
CONNECTOR	DIRECT WIRE
MOUNTING	U-BRACKET

REPLACEMENT PARTS

BULBS: 121-H3 (55W)

LIGHT BARS

STRAIGHT FLOOD/SPOT LED LIGHT BARS

SPECS

VOLTAGE 10 - 30V
IP RATING IP67
MOUNTING STAINLESS STEEL BRACKET

@12V	6"	9"	15"	32"
AMPERAGE	1.3A	3.0A	3.6A	8.0A
WATTAGE	18W	54W	72W	180W
LUMEN	1,440	2,500	4,000	21,600
CONNECTOR	DIRECT OR DEUTSCH	DIRECT WIRE	DIRECT WIRE	DEUTSCH PLUG

ACCESSORIES - COVERS & WIRING KIT



302-C73BK 302-C73A 119-HR60114

300-618F
DIRECT WIRE 6"

300-618FP
DEUTSCH 6"


302-954FS
9"


302-1572FS
15"

302-32180FSP
32"










CURVED FLOOD/SPOT LED LIGHT BARS



305-42240FS
42"

305-50288FS
50"

SPECS

VOLTAGE 10 - 30V
IP RATING IP67
CONNECTOR DIRECT WIRE
MOUNTING STAINLESS STEEL BRACKET

@12V	42"	50"
AMPERAGE	12A	12.5A
WATTAGE	240W	288W
LUMEN	12,302	14,854

ACCESSORIES - COVERS & WIRING KIT



305-C103BK 305-C103A

48" HEAVY DUTY LIGHT BAR

EASY TO INSTALL FULLY CUSTOMIZABLE LIGHT BAR. INCLUDES ANTI-VIBRATION BAR STABILIZERS

128-77113C
INCLUDES LIGHTS

128-77113H
MOUNTING BAR ONLY




FIG. 1


FIG. 2


FIG. 3


FIG. 4

PART NUMBER	FIGURE	QUANTITY	VOLTAGE	WATTAGE	AMPS	LUMEN	IP RATING	CONNECTOR	MOUNTING
300-3161F	1	2	10-30V	48	4.00	2880	IP67	DEUTSCH PLUG	STAINLESS STEEL U-BRACKET
300-3140S	2	2	10-30V	42	2.20	3300	IP67	DEUTSCH PLUG	STAINLESS STEEL U-BRACKET
123-81000F	3	1	10-30V	10	0.52	2700	IP68	DEUTSCH PLUG	STAINLESS STEEL U-BRACKET
126-67412A	4	2	9-30V	4.5	0.26	--	IP66	DEUTSCH PLUG	SURFACE

WORK LIGHTING

SPECIALTY

4" X 6" REMOTE CONTROLLED LED SPOT LIGHT

123-5000

SPECS

VOLTAGE	9-32V
AMPERAGE	5.00A @12V / 2.50A @12V
WATTAGE	50W
LUMEN	6000 (R)
IP RATING	IP65
CONNECTOR	DIRECT WIRE
MOUNTING	4 BOLT MOUNT PLATE



360° ROTATION & 130° VERTICAL



AREA DENIAL LIGHTING

300-322BS
BLUE SPOT


300-322RC
RED CURVE

300-322RL
RED CURVE

SPECS


VOLTAGE	10 - 80V
AMPERAGE	0.26A @12V / 0.13A@24V
WATTAGE	20W (BLUE SPOT) / 10W (RED CURVE) / 15W (RED LINE)
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET





LIGHT DUTY





4" LED FLOOD WORK LIGHT

300-390F
ROUND 4"

300-391F
SQUARE 4"

SPECS

VOLTAGE	10 - 80V
AMPERAGE	1.66A @12V / 0.72A@24V
WATTAGE	27W
LUMEN	2700(R) / 2150(E)
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

AVAILABLE OPTION - BULK


3" X 5" LED FLOOD WORK LIGHT

300-363F


SPECS

VOLTAGE	10 - 30V
AMPERAGE	3.75A @12V / 1.87A @12V
WATTAGE	45W
LUMEN	4900 (R) - 3580 (E)
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET









4" LED UTILITY WORK LIGHT

300-3161F
SQUARE 4" FLOOD

300-3140S
ROUND 4.5" SPOT

SPECS

VOLTAGE	10 - 30V
AMPERAGE	4.0A @ 12V / 2.0A @ 24V
WATTAGE	48W / 42W
LUMEN	4800(R) - 3360(E) / 3360(R) - 2310(E)
IP RATING	IP67
CONNECTOR	DIRECT WIRE
MOUNTING	STAINLESS STEEL U-BRACKET

AVAILABLE OPTION - DEUTSCH PLUG CONNECTOR
300-3161FP (FLOOD)



2" LED FLOOD WORK LIGHT

123-81000F

SPECS

VOLTAGE	9 - 32V
AMPERAGE	0.52A @ 12V / 0.29A @ 24V
WATTAGE	10W
LUMEN	700(R) / 360(E)
IP RATING	IP68
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	STAINLESS STEEL U-BRACKET

PAR36 LED WORK LIGHTS IN HOUSING

SPECS

VOLTAGE	10 - 80V
AMPERAGE	1.5A @ 12V / 0.75A @ 24V
WATTAGE	18W
LUMEN	1800
IP RATING	IP67
CONNECTOR	DIRECT WIRE

128-50LED4411
RUBBER U-BRACKET

128-MB50LED4411
RUBBER MAGNETIC



REPLACEMENT PARTS

SEALED BEAM: 130-LED4411
HOUSING RUBBER: 128-H505B
MAG BASE: 128-M307003



LED COB WORK LIGHT

300-1501F
SQUARE 4.5"

300-1500F
ROUND 5"

EMITS HEAT TO THE FRONT

SPECS

VOLTAGE	10 - 30V
AMPERAGE	4.17A @ 12V / 2.80A @ 24V
WATTAGE	50W
LUMEN	5000(R) / 4000(E)
IP RATING	IP67
CONNECTOR	DIRECT WIRE / DEUTSCH
MOUNTING	STAINLESS STEEL U-BRACKET

AVAILABLE OPTION - DEUTSCH PLUG CONNECTOR
300-1501FP (SQUARE)



4" ULTRA LIGHTWEIGHT LED WORK LIGHT

123-81008F
FLOOD

123-81008S
SPOT

SPECS

VOLTAGE	10 - 30V
AMPERAGE	1.48A @ 12V / 0.71A @ 24V
WATTAGE	30W
LUMEN	2700(R) / 1500(E)
IP RATING	IP68
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	STAINLESS STEEL U-BRACKET



4.5" HIGH OUTPUT LED WORK LIGHT

300-1801F

SPECS

VOLTAGE	9 - 32V
AMPERAGE	7.3A @ 12V / 3.65A @ 24V
WATTAGE	90W
LUMEN	9000(R) / 8100(E)
IP RATING	IP69K
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	STAINLESS STEEL TRUNNION



5" LED FLOOD UTILITY WORK LIGHT

123-LED63511

SPECS

VOLTAGE	9 - 32V
AMPERAGE	2.11A @ 12V / 1.42A @ 24V
WATTAGE	36W
LUMEN	2800(R) / 1800(E)
IP RATING	IP68
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	STAINLESS STEEL U-BRACKET

5" HEAVY DUTY LED WORK LIGHT



123-LED95000F
FLOOD

123-LED95000T
TRAPEZOID

123-LED95000A
AMBER - TRAPEZOID


SPECS

VOLTAGE	9-32V
AMPERAGE	5.00A @ 12V / 2.50A @ 24V
WATTAGE	60W
LUMEN	6000(R) / 4000(E)
IP RATING	IP68
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	HEAVY DUTY TRUNNION

ACCESSORIES - COVERS

AMBER
123-C95000A

CLEAR
123-C95000C



4" x 6" HEAVY DUTY LED WORK LIGHT

123-81106F




SPECS

VOLTAGE	9-32V
AMPERAGE	6.5A@12V / 3.34A@24V
WATTAGE	60W
LUMEN	6000(R) / 4700(E)
IP RATING	IP69K
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	HEAVY DUTY TRUNNION

ACCESSORIES - COVERS

CLEAR
123-C81106C






PAR 46 LED HEADLIGHT SEALED BEAM

DIRECT RETROFIT TO KOMATSU

123-460038A
AMBER

123-460038F
FLOOD

123-460038T
TRAPEZOID



SPECS

VOLTAGE	9-32V
AMPERAGE	4.10 A @ 12V / 1.90A@ 24V
WATTAGE	50W
LUMEN	3000(R) / 2200(E)
IP RATING	IP67
CONNECTOR	WEATHERPROOF DEUTSCH
MOUNTING	PAR 46 (5 3/4") HAUL TRUCK HEADLIGHT

HANDHELD




HANDHELD INSPECTION LAMP

INSPECTION MODE OR SPOT FLASHLIGHT WITH RECHARGEABLE BATTERY

151-77455XV

SPECS

NO. DIODES	6 (INSPECTION), 1 (SPOT)
CHARGE	5 HRS CHARGING TIME
BATTERY LIFE	3.5 HRS INSPECT, 7 HRS SPOT
LUMEN RAW	350 (INSPECTION), 100 (SPOT)
HOUSING	HIGH IMPACT PLASTIC
CONNECTOR	USB
MOUNTING	MAGNETIC / HOOKS



SPOT LAMP MODE



INSPECTION LAMP MODE



CHARGING TIME


MAGNETIC BASE


2200 mAh BATTERY


180 ° PIVOT ABILITY


HOOK MOUNTING

HID


CONNECTOR WEATHERPROOF DEUTSCH
MOUNTING STAINLESS STEEL U-BRACKET


FIG. 1


FIG. 2


FIG. 3

PART NUMBER	FIGURE	VOLT	WATT	AMP	BEAM PATTERN	LENS	BALLAST	BULB	SIZE
123-95000F	1	24V	35	1.47	FLOOD	123-LR95000F	123-D1S-B24	120-D1SXW	5" SQUARE
123-950012F	1	12V	35	3.08			123-D1S-B12		
123-95000MCT	2	24V	35	1.47	AMBER TRAPEZOID	123-LR95000MCT	123-D1S-B24		
123-950012MCT	2	12V	35	3.08			123-D1S-B12		
123-95000S	2	24V	35	1.47	SPOT	123-LR95000S	123-D1S-B24		
123-950012S	2	12V	35	3.08			123-D1S-B12		
123-33188MCT	3	12V	35	1.47	AMBER TRAPEZOID	123-LR33188MCT	123-D1S-B12		3X3 SQUARE
123-33188MCT-4	3	24V	35	3.08			123-D1S-B24		
123-33188T	3	12V	35	1.47	TRAPEZOID	123-LR33188T	123-D1S-B12		
123-33188T-4	3	24V	35	3.08			123-D1S-B24		





HALOGEN



FIG. 1



FIG. 2

PART NUMBER	FIGURE	BEAM TYPE	VOLTAGE	WATTAGE	AMPS	REPLACEMENT BULB	REPLACEMENT HOUSING	REPLACEMENT LENS	ACCESSORIES
128-57H79355SS	1	SPOT	12V	50	4.0	---	128-H57SS	130-H7935-3	128-CM507 & 123-C57000C
128-350507	2	SPOT	12V	50	4.0	---	128-H507	130-H7935-3	128-CM507 & 123-C57000C
128-350507-H3	2	SPOT (SEMI SEALED)	12V	55	4.2	121-H3	128-H507	130-H7935-H3	128-CM507 & 123-C57000C



FIG. 1



FIG. 2

PART NUMBER	FIGURE	BEAM TYPE	VOLTAGE	WATTAGE	AMPS	REPLACEMENT BULB	ACCESSORIES INCLUDED	HOUSING SIZE & MATERIAL
128-50H4411	1	DRIVING BEAM	12V	55	4.2	130-H4411	---	5" RUBBER
123-3001C	2	SPOT	12V	55	4.2	121-H3	---	5" CHROME
123-3001SS	2	SPOT	12V	55	4.2	121-H3	---	5" STAINLESS STEEL



FIG. 1



FIG. 2

PART NUMBER	FIGURE	BEAM TYPE	VOLTAGE	WATTAGE	AMPS	REPLACEMENT BULB	ACCESSORIES INCLUDED	HOUSING SIZE
123-S92006C	1	SPOT	12V	55	4.2	121-H3	WIRING SWITCH KIT	2.5" X 3"
123-S93001	2	SPOT	12V	55	4.2	121-H3	WIRING SWITCH KIT	1.5" X 5"

HOUSINGS



FIG. 1



FIG. 2



FIG. 3



FIG. 4

PART NUMBER	FIGURE	MATERIAL	MOUNTING	SEALED BEAM SIZING
128-H3001C	1	CHROME	SINGLE BOLT PIVOT BRACKET	PAR 36 (4.5" ROUND)
128-H3001SS	1	STAINLESS STEEL	SINGLE BOLT PIVOT BRACKET	PAR 36 (4.5" ROUND)
128-H505B	2	RUBBER	SINGLE BOLT U-BRACKET	PAR 36 (4.5" ROUND)
128-H504	3	RUBBER	SINGLE BOLT U-BRACKET	4"X6" (150MM)
128-H504FB	3	RUBBER	FORESTRY LOG SPIKE BRACKET	4"X6" (150MM)
128-H504M	3	RUBBER	MAGNETIC LOAD BRACKET	4"X6" (150MM)
128-H507	4	RUBBER	SINGLE BOLT U-BRACKET	4"X6" (165MM)

INTERIOR LIGHTING

ADJUSTABLE INTERIOR LED LIGHT BARS

WITH REMOVABLE LED STRIP & POLYURETHANE PROTECTED DIODES

SPECS

VOLTAGE	12V
IP RATING	IP68
CONNECTOR	DIRECT WIRE
MOUNTING	SURFACE
HARNESS	SILICONE


122-66312B 12"

122-66320B 20"

122-66340B 40"



SIMPLIFY INSTALLATION BY MOVING THE STRIP
- MOUNT VERTICALLY
- MOUNT LEFT OR RIGHT






FIG. 1



FIG. 2



FIG. 3

PART NUMBER	FIGURE	VOLTAGE	DIMENSIONS	LUMEN	CONNECTOR	APPLICATION
122-66703B	1	12 V	3 X 6 ″	286	DIRECT WIRE	LOW PROFILE CABINET / INTERIOR
122-66780	2	9 - 28 V	6.5 ″ ROUND	248 (R) / 378 (W)	DIRECT WIRE	RED / WHITE ANTI-FATIGUE INTERIOR
122-99107	3	9 - 36 V	7 ″ ROUND	3300	DIRECT WIRE	HIGH OUTPUT INTERIOR

ADHESIVE MOUNT



FIG. 1

SPLICE CONNECTOR




FIG. 2




FIG. 3

PART NUMBER	FIGURE		COLOR	VOLTAGE	SIZE	LUMEN	ACCESSORY
127-66080B	1	●	BLUE	12V	5 METER REEL (SPLICE JOINT EVERY 3 DIODES)	4000	127-C66080 CONNECTOR
127-66080R		●	RED				
127-66080W		○	WHITE				
127-66087W	2	○	WHITE	12V	15" STRIPS (2 PACK)	300	-
127-66088A	2	●	AMBER	12V	10" STRIPS (2 PACK)	225	-
127-66088B		●	BLUE				
127-66088R		●	RED				
127-66088W		○	WHITE				
127-66089A	3	●	AMBER	12V	7.5" ROUND PAD	450	-
127-66089B		●	BLUE				
127-66089R		●	RED				

EMERGENCY LIGHTING



FIG. 1



FIG. 2



FIG. 3



AVAILABLE COLORS



FIG. 4

PART NUMBER	FIGURE		COLOR	CONNECTOR	MOUNTING TYPE	FLASH PATTERNS - CLASS RATING	BASE SIZE	LENS SIZE	VOLTAGE
126-67081A	1		AMBER	DIRECT WIRE	2 BOLT SURFACE FLANGE	1	4"	5"	9 - 110V
126-150MA	2		AMBER	CAR ADAPTOR	MAGNETIC	1	4.75"	4.5"	9 - 30V
126-150MAP	2		AMBER	EUROPEAN CAR					
126-67412A	3		GREEN	DIRECT WIRE	3 BOLT SURFACE	3	6.25" PC	5"	9 - 32V
126-67412MA	3		AMBER	CAR ADAPTOR	MAGNETIC				
126-67089A	4		AMBER	DIRECT WIRE	3 BOLT SURFACE / PIPE THREAD	5 - SAE J845 CLASS 1	6.25" ALUMINUM	5"	12 - 36V
126-67089B	4		BLUE			5 - SAE J845 CLASS 2			
126-67089G	4		GREEN						
126-67089MA	4		AMBER	CAR ADAPTOR	MAGNETIC	5 - SAE J845 CLASS 1	6.25" ALUMINUM ON MAGNET	5"	12V
126-67089MB	4		BLUE			5 - SAE J845 CLASS 2			
126-67089MG	4		GREEN						



AVAILABLE COLORS



FIG. 1




AVAILABLE COLORS



FIG. 2

PART NUMBER	FIGURE		COLOR	CONNECTOR	MOUNTING TYPE	FLASH PATTERNS - CLASS RATING	BASE SIZE	LENS SIZE	VOLTAGE
126-67033A	1		AMBER	DIRECT WIRE	4 BOLT SURFACE / PIPE THREAD	28 - SAE J845 CLASS 1 & 2	7"	7"	12 - 36 V
126-67033ACL	1		AMBER (CLEAR LENS)						
126-67033B	1		BLUE						
126-67033G	1		GREEN						
126-67033R	1		RED						
126-67033W	1		WHITE						
126-67033MA	1		AMBER	CAR ADAPTOR	MAGNETIC	28 - SAE J845 CLASS 1 & 2	7"	7"	12 - 36 V
126-67033MACL	1		AMBER (CLEAR LENS)						
126-67033MR	1		RED						
126-67033MG	1		GREEN						
126-67033MR	1		RED						
126-67033MW	1		WHITE						
126-67024A	2		AMBER	DIRECT WIRE	2 BOLT SURFACE	3 - SAE W3-2 07 CLASS 2	8"	8"	9 - 32 V
126-67024ACL	2		AMBER (CLEAR LENS)						
126-67024BCL	2		BLUE (CLEAR LENS)						
126-67024R	2		RED						
126-67024RCL	2		RED (CLEAR LENS)						



17" HEAVY DUTY LOW PROFILE WARNING STROBE

126-67085 SERIES

SPECS
- **VOLTAGE** 12-54V
- **CLASS RATING** SAE J595 W-1/W-2 (CLASS 1/2)
- **BASE MATERIAL** HIGH IMPACT PLASTIC

ACCESSORIES - ADAPTERS



126-67085MK


PART NUMBER		COLOR	CONNECTOR	MOUNTING	FLASH PATTERNS - CLASS RATING	VOLTAGE
126-67085A		AMBER	DIRECT WIRE	SURFACE	16 - SAE J595 W-1 W-2 CLASS 1 / 2	12 - 54 V
126-67085ACL		AMBER (CLEAR LENS)				
126-67085B		BLUE				
126-67085R		RED				
126-67085ABCL		AMBER / BLUE (CLEAR LENS)			3 - SAE J595 W-2 CLASS 2	
126-67085MA		AMBER	12V CAR ADAPTOR	MAGNETIC	16 - SAE J595 W-1 W-2 CLASS 1 / 2	
126-67085MACL		AMBER (CLEAR LENS)				

SURFACE / DIRECTIONAL STROBES

127-66766 SERIES



127-S60010A



PART NUMBER		COLOR	CONNECTOR	MOUNTING	FLASH PATTERNS	VOLTAGE
127-66766ACL		AMBER (CLEAR LENS)	DIRECT WIRE	2 BOLT - 4.5" SPACED	QUAD FLASH OR STEADY SAE W-2 08 DOT	9 - 36 V
127-66766BCL		BLUE (CLEAR LENS)				
126-66766RCL		RED (CLEAR LENS)				
127-66766W		WHITE				
127-S60010A		AMBER	WEATHERPROOF 3 PRONG	6 X 2 GROMMET / FLANGE	DUAL OR QUAD FLASH SAE J845 J1318	12 V

6"x 3"SOLAR LED STROBE

360° VISIBILITY, UP TO 500M

SPECS
- **HOUSING** HIGH IMPACT PLASTIC
- **CHARGE TIME** 6H (72H RUN TIME)
- **MOUNTING** PIPE, PYLON, BRACKET - 1.25" HOLE

ACCESSORIES - BRACKET



126-BR67063

126-67063A
AMBER

126-67063G
GREEN

126-67063R
RED


126-67063W
WHITE

CHARGES IN RAIN, SUNLIGHT OR OVERCAST





SWITCH



PHOTOCELL



2.5" x 4" BACK-UP ALARM

126-67141

SPECS
- **VOLTAGE** 12 - 48V DC
- **DECIBELS** 105 dB (a) ± 3
- **FREQUENCY** 2800 Hz
- **CYCLES/MIN** 70-100
- **MOUNTING** GROUND STABILZER



FIG. 1



FIG. 2



FIG. 3



LOG SPIKE



MAGNETIC

PART NUMBER	FIGURE		COLOR	APPLICATION	MOUNTING	BATTERIES	FLASH PATTERNS	PARTS
126-66172A	1		AMBER	STROBE / HANGING LOAD	MAGNETIC OR LANYARD	2 X D CELL	TRIPLE FLASH	N/A
126-66172R	1		RED					
127-66055AMB	2		AMBER	LOAD LIGHT	MAGNETIC	4 X AA	STEADY ON OR FLASHING	N/A
127-66055RMB	2		RED					
128-504L55A	3		AMBER	LOGGING TRAILER LIGHT	LOG SPIKE BRACKET			127-66055A (LIGHT)
128-504L55R	3		RED					127-66055R (LIGHT)
128-504L55AMB	3		AMBER	TRAILER LOAD LIGHT	MAGNETIC			127-66055A (LIGHT)
128-504L55RMB	3		RED					127-66055R (LIGHT)



LED SAFETY WHIP LAMP

INCLUDES: SCREWS, HEAT SHRINK TUBING AND WRENCH FOR INSTALLATION

127-66090ACL
AMBER CLEAR

127-66090WB
WHITE

SPECS
- VOLTAGE 12V
- LENS SHATTERPROOF LEXAN
- CONNECTOR S.C. BAYONET


FULLY LIT LED BUGGY WHIP

INCLUDES REFLECTORIZED FLAG

303-03096A
3 FOOT (QUICK CONNECT)

303-06220A
6 FOOT (QUICK CONNECT)

303-08276A
8 FOOT (QUICK CONNECT)



SPECS
- VOLTAGE 12V
- IP RATING IP67
- CONNECTOR DIRECT WIRE
- MOUNTING SINGLE BOLT + QUICK DISCONNECT

REPLACEMENT PARTS


QUICK CONNECTOR: 303-10000
QUICK CON. COVER: 303-11000
REPLACEMENT FLAG: 303-12000


3 - DIGIT LED LIGHT DUTY TRIANGULAR SIGN

126-67115

SPECS

DIODES	30 TOTAL
VOLTAGE	12V
AMPERAGE	0.35A @ 12V
CONNECTOR	DIRECT WIRE
MOUNTING	MAGNETIC
APPLICATION	LIGHT VEHICLE FLEET





3 - DIGIT BACKLIT LED NUMERIC SIGNBOARD

126-67030C

SPECS

DIODES	256 TOTAL, 4-64 DIODES/MODULE
VOLTAGE	24V
AMPERAGE	1.17A
CONNECTOR	DIRECT WIRE
MOUNTING	U-BRACKET / RAIL (18" SPACING)

REPLACEMENT PARTS

LED MODULE: 126-LED67030C

HARNESS: 126-HR67030

4 - DIGIT BACKLIT LED NUMERIC SIGNBOARD

126-67027C


SPECS


DIODES	256 TOTAL, 4-64 DIODES/MODULE
VOLTAGE	24V
AMPERAGE	1.17A
CONNECTOR	DIRECT WIRE
MOUNTING	6-BOLT

REPLACEMENT PARTS

LED MODULE: 126-LED67030C

HARNESS: 126-HR67027





4 - DIGIT LIT LED REFLECTIVE SIGNBOARD

RUGGED ALUMINUM DIBOND® W/ LED BARS ON REFLECTIVE SURFACE

126-67034C

SPECS

DIODES	VARIABLE - 13 DIODES/ MODULE
VOLTAGE	12V SWITCHING POWER SUPPLY 120V TO 12V
AMPERAGE	UP TO 6.38A
CONNECTOR	DIRECT WIRE
MOUNTING	SURFACE

REPLACEMENT PARTS

LED MODULE: 127-66085XV

3 - DIGIT LED HEAVY DUTY TRIANGULAR SIGN

VIBRATION DAMPENING MOUNT

126-67088-4

SPECS

DIODES	192 TOTAL, 3-64 DIODES/MODULE
VOLTAGE	24V
AMPERAGE	0.90A
CONNECTOR	DIRECT WIRE
MOUNTING	SURFACE
APPLICATION	HEAVY EQUIPMENT

REPLACEMENT PARTS

LED MODULE: 126-LED67030C



S/T/T & MARKER

ROUND & OVAL



"ECO COUNT" LED SEALED S/T/T LAMPS

127-45070AB
AMBER - ROUND

127-66102AB
AMBER - OVAL

127-45070RB
RED - ROUND

127-66102RB
RED - OVAL

SPECS

DIODES	7
VOLTAGE	12V
CONNECTOR	3 PRONG PLUG
MOUNTING	GROMMET


ACCESSORIES - CONNECTORS

119-9128 (3 PRONG - RIGHT ANGLE)
119-9124 (3 PRONG - STANDARD)

ALTERNATIVE (KIT)

127-45070KR (RED - ROUND)
127-66102KR (RED - OVAL)
ALL KITS INCLUDE: GROMMET + PLUG

"COMPACT COUNT" LED S/T/T LAMPS



SPECS

DIODES	10
VOLTAGE	12V
CONNECTOR	WEATHERPROOF / 2-PRONG
MOUNTING	GROMMET / FLANGE

ALTERNATIVE (KIT)

127-40010KR (RED - ROUND)
127-40310KW (WHITE - ROUND)
127-60310KW (WHITE - OVAL)
ALL KITS INCLUDE: GROMMET & PLUG

OVAL

127-60010AB
AMBER - OVAL

127-60010RB
RED - OVAL

127-60310WB
WHITE - BACKUP -OVAL

ROUND

127-40010A
AMBER - ROUND

127-40010RB
RED - ROUND

127-40310WB
WHITE - BACKUP - ROUND

AMBER/RED



WHITE



4" *REFLECTORIZED* LED SEALED S/T/T LAMPS



12V

127-43044R
RED REFLECTORIZED

24V

127-43044A-4
AMBER REFLECTORIZED

127-43044R-4
RED REFLECTORIZED

127-43044W-4
WHITE - BACKUP

SPECS

DIODES	61 (AMBER / RED) / 28 (WHITE)
VOLTAGE	12/24V
CONNECTOR	WEATHERPROOF
MOUNTING	GROMMET / FLANGE

ACCESSORIES - CONNECTORS

119-9477 (3 PRONG DIRECT WIRE)
118-9127 (GROMMET)

"MAXIMUM COUNT" LED S/T/T LAMPS


SPECS

DIODES	24
VOLTAGE	12V
CONNECTOR	2 & 3 PRONG PLUG
MOUNTING	GROMMET / FLANGE

ACCESSORIES - CONNECTORS

119-9123 (2 PRONG PLUG - STANDARD)
119-9128 (3 PRONG PLUG - RIGHT ANGLE)
119-9124 (3 PRONG PLUG - STANDARD)
118-9127 (ROUND GROMMET) / 118-9157 (OVAL GROMMET)







PART NUMBER	FIGURE	COLOR	SHAPE	VOLTAGE
127-44050A	1	AMBER	ROUND	12V
127-44050R	2	RED	ROUND	12V
127-44050W	3	WHITE	ROUND	12V
127-44050ACL	1 (ON) / 3 (OFF)	AMBER (CLEAR LENS)	ROUND	12V
127-44050RCL	2 (ON) / 3 (OFF)	RED (CLEAR LENS)	ROUND	12V
127-66050A	5	AMBER	OVAL	12V
127-66050R	4	RED	OVAL	12V
127-66050W	6	WHITE	OVAL	12V
127-66050ACL	5 (ON) / 6 (OFF)	AMBER (CLEAR LENS)	OVAL	12V
127-66050RCL	4 (ON) / 6 (OFF)	RED (CLEAR LENS)	OVAL	12V
127-66050R-4	4	RED	OVAL	24V

"INTEGRATED" LED S/T/T BACKUP LIGHTS

COMBINATION S/T/T & BACKUP LIGHT FOR A MODERN "ALL IN ONE DESIGN"

SPECS

DIODES	12 (RED) / 16 (WHITE)
VOLTAGE	12V
CONNECTOR	2 & 3 PRONG PLUG
MOUNTING	GROMMET / FLANGE

ACCESSORIES - CONNECTORS

119-9123 (2 PRONG PLUG - STANDARD)
119-9128 (3 PRONG PLUG - RIGHT ANGLE)
119-9124 (3 PRONG PLUG - STANDARD)
118-9127 (ROUND GROMMET) / 118-9157 (OVAL GROMMET)

127-40328RWB
ROUND


127-60328RWB
OVAL





TWO LIGHTS IN ONE

SPECIALTY STT





3" x 5" REFLECTORIZED LED S/T/T LAMPS

RETROFITS TO CATERPILLAR® EQUIPMENT. DESIGNED TO HANDLE > 5000 PSI

127-66077AXV-4
AMBER
127-66077GXV-4
GREEN
127-66077RXV-4
RED
127-66077W-4
WHITE

SPECS

DIODES	36 (A/R/G) / 60 (W)
VOLTAGE	24V
AMPERAGE	0.02A
PSI	>5500
CONNECTOR	WEATHERPROOF DEUTSCH
BASE	POLYCARBONATE



4" RED MAGNETIC TOW LAMP

128-5040010RMB

SPECS

DIODES	10
VOLTAGE	12V
CONNECTOR	3-WIRE
MOUNTING	MAGNETIC

2" x 4½" RECTANGULAR RED LED LAMP

SPECS

DIODES	15
VOLTAGE	24V
CONNECTOR	3-WIRE
MOUNTING	SURFACE

127-5050R-4





7" "MAXIMUM COUNT" LED S/T/T BUS LAMP

127-65000A
AMBER

127-65000R
RED

SPECS

DIODES	17
VOLTAGE	12V
CONNECTOR	3-WIRE
MOUNTING	SURFACE

15" RED LED S/T/T IDENTIFICATION MARKER BAR

127-66085XV

SPECS

DIODES	13
VOLTAGE	12V
CONNECTOR	5-WIRE
MOUNTING	SURFACE


FRONT


BACK


STOP


RIGHT TURN


3 POINT MARKER


LEFT TURN

12V MARKER

ROUND


FIG. 1


FIG. 2


FIG. 3



FIG. 4


FIG. 5

PART NUMBER	FIGURE		COLOR	CONNECTOR	SIZE - LENS STYLE	MOUNTING
127-66793AB	1		AMBER	DIRECT 2-WIRE	0.75" - RIDGED	INCLUDED GROMMET
127-66793RB	1		RED			
127-66793WB	1		WHITE			
127-10018A	2		AMBER	2 PRONG PLUG 119-9122 SERIES	2" - BEEHIVE	118-9139 GROMMET
127-10018ACLB	2		AMBER (CLEAR LENS)			
127-10018R	2		RED			
127-16002A	3		AMBER		2" - FLAT	
127-16002ACL	3		AMBER (CLEAR LENS)			
127-16002R	3		RED			
127-16002RCL	3		RED (CLEAR LENS)			
127-17002A	4		AMBER		2.5" - FLAT	118-9119 OR 118-9121 GROMMET
127-17002ACL	4		AMBER (CLEAR LENS)			
127-17002RCL	4		RED (CLEAR LENS)			
127-17004A	5		AMBER - REFLECTORIZED			
127-17004R	5		RED - REFLECTORIZED			

RECTANGULAR & LICENSE


FIG. 1


FIG. 2



FIG. 3


FIG. 4


FIG. 5

PART NUMBER	FIGURE		COLOR	CONNECTOR	SIZE	MOUNTING
127-66810ACLB	1		AMBER (CLEAR LENS)	DIRECT WIRE	3.5 X 0.75 "	2.25 " CENTER TO CENTER BOLT
127-66810RCLB	1		READ (CLEAR LENS)			
127-66812WB	1		WHITE			
127-15000RB	2		RED	2 PRONG PLUG 119-9122 SERIES	2.5 X 1 "	118-9387 BASE
127-15000KR	2		RED		4 X 1" ON BASE	3.5 " CENTER TO CENTER BOLT
127-19000A	3		AMBER	2 PRONG 119-9122 SERIES OR BASE INTEGRATED	4 X 1 "	118-9389BK BASE
127-19000R	3		RED			
127-19000ARKT	4		AMBER & RED	DIRECT WIRE BASE INCLUDED	4 X 1 " ON BASE	3 " CENTER TO CENTER BOLT
127-66800BKB	5		WHITE	DIRECT WIRE	2.5 X 1 "	2 " CENTER TO CENTER BOLT
127-66800B	5		WHITE			

PEDESTAL LAMPS



AVAILABLE CLEAR LENS



FIG. 1



FIG. 2



AVAILABLE CLEAR LENS



FIG. 3



AVAILABLE CLEAR LENS



FIG. 4

PART NUMBER	FIGURE		COLOR	CONNECTOR	VOLTAGE	SIZE	MOUNTING
127-66708A	1		AMBER / AMBER	DIRECT 3 WIRE	12 V	4 " ROUND FLAT LENS	0.50" BOLT
127-66708AR	1		AMBER / RED				
127-66708ARCL	1		AMBER / RED (CLEAR LENS)				
127-66708AR-4	1		AMBER / RED		24V		
127-66070	2		AMBER / RED		12V	4 " ROUND CONE LENS	
127-66031L	3		AMBER / RED		12 V	4.5 " SQUARE LEFT REFLECTOR	
127-66031LCL	3		AMBER / RED (CLEAR LENS)				
127-66031R	3		AMBER / RED			4.5 " SQUARE RIGHT REFLECTOR	
127-66031RCL	3		AMBER / RED (CLEAR LENS)				
127-66035A	4		AMBER / AMBER			4.5 " SQUARE SIDE REFLECTOR	DUAL 0.25" BOLT (2" CENTER TO CENTER)
127-66035L	4		AMBER / RED			4.5 " SQUARE LEFT REFLECTOR	
127-66035LCL	4		AMBER / RED (CLEAR LENS)				
127-66035R	4		AMBER / RED			4.5 " SQUARE RIGHT REFLECTOR	
127-66035RCL	4		AMBER / RED (CLEAR LENS)				

TRAILER MARKER




FIG. 1




FIG. 2



FIG. 3



FIG. 4

PART NUMBER	FIGURE		COLOR	CONNECTOR	SIZE	MOUNTING	APPLICATION
127-40073A	1		AMBER	3 PRONG (119-9128)	6 X 2 " OVAL	118-9157 GROMMET	MID TURN MARKER
127-19014AB	2		AMBER REFLECTOR	---	1 X 4 " RECTANGULAR	3.75" CENTER TO CENTER BOLT	SAFETY REFLECTOR
127-19014RB	2		RED REFLECTOR				
127-66023A	3		AMBER	2 PRONG PLUG 119-9122 SERIES	6 X 2 " OVAL	4.75" CENTER TO CENTER BOLT	16 DIODE MARKER
127-66023R	3		RED				
127-66025A	4		AMBER				4 DIODE MARKER
127-66025ACL	4		AMBER (CLEAR LENS)				

CAB MARKER



11" X 4" CHROME BASE CAB MARKER

127-66785AK
AMBER KIT W/ CHROME

127-66785ACLK
AMBER CLEAR W/ CHROME

SPECS

DIODES	11
VOLTAGE	12V
CONNECTOR	DIRECT WIRE
MOUNTING	SURFACE

REPLACEMENT PARTS

AMBER MODULE: 127-66785A
AMBER CLEAR LENS MODULE: 127-66785ACL



HEAVY DUTY MIRRORS



FIG. 1



FIG. 2



FIG. 3



FIG. 4

PART NUMBER	FIGURE	DIMENSIONS	MOUNT TYPE	POWERED COMPONENT
124-6364LED	1	16" X 7" WEST COAST STYLE	END POSTS	MARKER LIGHT & HEATED
124-6408A	2	8" ROUND CONVEX	OFF CENTER MOUNT	---
124-6408B	3		CENTER MOUNT	---
124-6308BH	4			HEATED
124-6306B	3	6" ROUND CONVEX		---



2" X 6" LED MIRROR MARKER LIGHT

127-66093A
AMBER

127-66093ACL
AMBER CLEAR

SPECS

DIODES	18
VOLTAGE	12V
CONNECTOR	DIRECT WIRE
MOUNTING	SURFACE

AIR CLEANER BARS



FIG. 1



FIG. 2



FIG. 3



FIG. 4

FIT	PART NUMBER	FIG.	LENS		COLOR	LIGHT QTY	SIZE	CONNECTOR
13" KENWORTH T-800 / 15" DONALDSON (FRONT)	127-100185A	1	BEEHIVE		AMBER	5	17 X 4	ALL UNITS USE INCLUDED 2 WIRE HARNESS
	127-160025A	1	FLAT		AMBER			
	127-160025ACL	1	FLAT		AMBER (CLEAR LENS)			
13" PETERBILT / 15" DONALDSON (FRONT)	127-160026A	2	FLAT		AMBER	6	19 X 4	
	127-160026ACL	2	FLAT		AMBER (CLEAR LENS)			
13" PETERBILT / 15" DONALDSON (REAR)	127-160026R	2	FLAT		RED			
	127-160026RCL	2	FLAT		RED (CLEAR LENS)			
367, 388, 389 SETBACK 13" PETERBILT (FRONT)	127-160025AX	3	FLAT		AMBER	5		
	127-160025ACLX	3	FLAT		AMBER (CLEAR LENS)			
367, 388, 389 SETBACK 13" PETERBILT (REAR)	127-160026RX	3	FLAT		RED	6		
	127-160026RCLX	3	FLAT		RED (CLEAR LENS)			
15" PETERBILT VORTOX (FRONT)	127-100188A	4	BEEHIVE		AMBER	8	26 X 4	
	127-100188ACL	4	BEEHIVE		AMBER (CLEAR LENS)			
	127-160028A	4	FLAT		AMBER			
	127-160028ACL	4	FLAT		AMBER (CLEAR LENS)			
15" PETERBILT VORTOX (REAR)	127-160028RX	4	FLAT		RED			
	127-160028RCLX	4	FLAT		RED (CLEAR LENS)			

REPLACEMENT PARTS

LED MARKERS:
AMBER FLAT: 127-16002A
AMBER CLEAR LENS FLAT: 127-16002ACL
RED FLAT: 127-16002R
RED CLEAR LENS FLAT: 127-16002ACL
AMBER BEEHIVE: 127-10018A
AMBER CLEAR LENS BEEHIVE: 127-10018ACLB

BEZELS / GROMMETS:
GROMMET: 118-9139
FLAT BEZEL: 118-9399
VISORED BEZEL: 118-9399V

SEALED BEAMS

RECTANGULAR



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6

PART NUMBER	FIGURE	BEAM TYPE	VOLTAGE	WATTAGE	CONNECTOR	LIFE	SIZE	LED OPTION
120-H4651ST	1	HIGH	12.8V	50W	2 CONTACT LUGS	50H	4X6 (100X165MM)	130-LED4651
120-H4656ST	2	LOW	12.8V	55W/40W	3 CONTACT LUGS	50H		130-LED4656
130-H9405	3	SPOT	12.8V	55W	2 RIGHT ANGLE LUGS	100H	4X6 (92X150MM)	---
130-H9411	3	TRAPEZOID	12.8V	55W	2 RIGHT ANGLE LUGS	100H		---
130-H9411XW	3	X-WHITE TRAP	12.8V	55W	2 RIGHT ANGLE LUGS	100H		---
130-H7935-3	4	SPOT	12.8V	50W	DUAL TERMINAL	100H	4X6 (100X165MM)	---
130-H7935XW-3	4	X-WHITE SPOT	12.8V	50W	DUAL TERMINAL	100H		---
130-H7935-H3	4	SPOT	12.8V	55W	H3 TERMINAL	100H		---
130-LED4651	5	HIGH	10-32V	24W	2 PRONG	35K		---
130-LED4656	5	LOW	10-32V	24W	3 PRONG	35K		---
120-H6054ST	6	HIGH/LOW	12.8V	65W/55W	3 PRONG	50H	5X7 (200X143MM)	---

ROUND



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG.6

PART NUMBER	FIGURE	BEAM TYPE	VOLTAGE	WATTAGE	CONNECTOR	LIFE	SIZE	LED OPTION
123-33114	1	SPOT	12.8 V	55W	H3 TERMINAL	100H	PAR 36 4.5" ROUND	---
120-4502	2	HEADLIGHT	28 V	50W	SCREW TERMINAL	400H		---
120-4505	6	SPOT	28 V	50W	SCREW TERMINAL	400H		---
120-4589B	4	FLOOD	28 V	50W	SCREW TERMINAL	400H		130-LED4411
130-H4411	4	TRAPEZOID	12.8 V	55W	DUAL TERMINAL	300H		130-LED4411
130-LED4411	3	TRAPEZOID	10-80 V	18W	DUAL TERMINAL	35,000H		---
120-4000	5	LOW BEAM	28 V	37.5 / 60W	3 CONTACT LUGS	200 / 320H	PAR 46 5.75" ROUND	---
120-4579	2	LOW BEAM	28V	80 / 60W	3 CONTACT LUGS	280 / 400H		---
120-H4880	5	HEADLIGHT	28 V	60W	2 CONTACT LUGS	800H		---
120-H5006	2	LOW BEAM	12.8 V	35 / 53W	3 CONTACT LUGS	200 / 320H		---
120-4800	2	HIGH LOW BEAM	28 V	50 / 40W	3 CONTACT LUGS	280 / 400H	PAR 56 7" ROUND	---
123-6014	2	HIGH LOW BEAM	12 V	65 / 50W	3 CONTACT LUGS	200 / 320H		---
123-6014HID	5	SPOT	24 V	35W	DIRECT WIRE	2,500H		---
123-6014HIDT-75	5	TRAPEZOID	75 V	35W	DIRECT WIRE	2,500H		---
123-6014HIDS-75	5	SPOT	75 V	35W	DIRECT WIRE	2,500H		---
123-6014HIDT-110	5	TRAPEZOID	110 V	35W	DIRECT WIRE	2,500H		---
123-6014HIDS-110	5	SPOT	110 V	35W	DIRECT WIRE	2,500H		---

LED SCENE LIGHTS

c UL us

100 - 277 VAC



FIG. 1



FIG. 2




FIG. 3



FIG. 4



FIG. 5

PART NUMBER	FIG. NO.	WATTAGE	LUMEN	APPLICATION
129-50050BXW	1	50	3,700	SIGN OR AREA GROUND LIGHT
129-50100BXW	2	100	8,400	BUILDING SIDE OR 10 FOOT PARKING POLE
129-50150BXW	3	150	12,000	BUILDING OR LARGE SIGN GROUND LIGHT
129-50200BXW	4	200	16,000	LARGE PARKING LOT OR GENERATOR POLE LIGHTING
129-60050BXW	5	50	4,000	PORTABLE SHOP OR AREA LIGHT

FUSES



FIG. 1



FIG. 2




FIG.3



FIG. 4

PART NUMBER	FIGURE	TYPE	AMPERAGE
125-ATQ-3	1	AUTO BLADE	3
125-ATQ-5	1	AUTO BLADE	5
125-ATQ-075	1	AUTO BLADE	7.5
125-ATQ-10	1	AUTO BLADE	10
125-ATQ-15	1	AUTO BLADE	15
125-ATQ-20	1	AUTO BLADE	20
125-ATQ-25	1	AUTO BLADE	25
125-ATQ-30	1	AUTO BLADE	30
125-MIN-5	2	MIN AUTO BLADE	5
125-MIN-075	2	MIN AUTO BLADE	7.5
125-MIN-10	2	MIN AUTO BLADE	10
125-MIN-15	2	MIN AUTO BLADE	15
125-MIN-20	2	MIN AUTO BLADE	20
125-MIN-25	2	MIN AUTO BLADE	25
125-MIN-30	2	MIN AUTO BLADE	30
125-MAX-30	3	MAX AUTO BLADE	30
125-MAX-50	3	MAX AUTO BLADE	50
125-AGC-4	4	GLASS TUBE	4
125-AGC-25	4	GLASS TUBE	25
125-AGC-30	4	GLASS TUBE	30
125-SFE-30	4	GLASS TUBE	30

ELECTRICAL & MOUNTING

POWER CONVERTERS / SUPPLIES


FIG. 1


FIG. 2


FIG. 3


FIG. 4


FIG. 5

PART NUMBER	FIGURE	INPUT VOLTAGE	OUTPUT VOLTAGE	AMPS	DESCRIPTION
117-PS22905	1	120V AC	12V DC	16	POWER SUPPLY
117-120122A	2	120V AC	12V DC	2	POWER ADAPTER
117-SPS1201217A	3	120V AC	12V DC	17	POWER SUPPLY
117-SPS12024	4	120V AC	24V DC	14.6	POWER SUPPLY
117-TR241220A	5	24V DC	12V DC	20	POWER CONVERTER

FORWARD / WORK / STROBE HARNESSES


FIG. 1


FIG. 2


FIG. 3


FIG. 4


FIG. 5


FIG. 6

PART NUMBER	FIGURE	APPLICATION	COMPONENTS
126-67000MK	1	126-67089 OR 126-67033 SERIES MAGNETIC KIT	1 X MAGNET & 15FT CAR ADAPTOR
126-67085MK	2	126-67085 SERIES MAGNETIC KIT	2 X MAGNET & 15FT CAR ADAPTOR
119-KTD007	3	AUXILIARY LIGHT WIRING HARNESS (2 LIGHTS)	11FT HARNESS, 30A FUSE, RELAY, DIGITAL SWITCH
119-HR60114	4	LIGHT BAR WIRING HARNESS	20FT HARNESS, 60A FUSE, RELAY, & TOGGLE SWITCH
119-DHF	5	EQUIPMENT SIDE WEATHERPROOF DEUTSCH	FEMALE HARNESS END ON 6" LEAD
119-DHM	6	WORK LIGHT SIDE WEATHERPROOF DEUTSCH	MALE HARNESS SOCKET, 2 PINS, AND WEDGE

STT & MARKER PIGTAILS




FIG. 1


FIG. 2


FIG. 3


FIG. 4


FIG. 5


FIG. 6



FIG. 7


FIG. 8

PART NUMBER	FIGURE	CONNECTOR TYPE	LEAD LENGTH	TERMINATION
119-9122	1	2 PRONG MARKER RIGHT ANGLE	6"	DIRECT WIRE WITH GROUND RING
119-9122-12	1	2 PRONG MARKER RIGHT ANGLE	12"	DIRECT WIRE WITH GROUND RING
119-9122X	2	2 PRONG MARKER HORIZONTAL	6"	DIRECT WIRE WITH GROUND RING
119-9122B	3	2 PRONG MARKER RIGHT ANGLE	100 FT (6" SPACED)	CONTINOUS ROLL 200 PLUGS
119-9122-12B	3	2 PRONG MARKER RIGHT ANGLE	100 FT (12" SPACED)	CONTINUOUS ROLL 100 PLUGS
119-9123	4	2 PRONG STT	6"	DIRECT WIRE WITH GROUND RING
119-9124	5	3 PRONG PL3 STT STRAIGHT ON	6"	DIRECT WIRE WITH GROUND RING
119-9128	6	3 PRONG PL3 STT RIGHT ANGLE	6"	DIRECT WIRE WITH GROUND RING
119-9476	7	WEATHERPROOF 3 PIN ADAPTOR	6"	FEMALE PL3 CONNECTOR
119-9477	8	WEATHERPROOF 3 PIN	6"	DIRECT WIRE WITH GROUND RING

INLINE RESISTORS / FLASHERS / JUNCTION BOX



FIG. 1



FIG. 2



FIG. 3

PART NUMBER	FIGURE	VOLTAGE	APPLICATION	TERMINALS
117-RL50W6	1	12 / 24 V	IN-LINE LOAD RESISTOR	1
117-FL66090	2	12 V	FLASHER	3
117-FL66090-4	2	24 V	FLASHER	3
117-33201	3	---	TERMINAL JUNCTION BOX	7

GROMMETS / BEZELS

2" ROUND



FIG. 1



FIG. 2



FIG. 3

2.5" ROUND



FIG. 4



FIG. 5

4" ROUND



FIG. 6

6X2" OVAL



FIG. 7

LIGHT SIZE	PART NUMBER	FIGURE	MATERIAL	FUNCTION
2" ROUND	118-9139	1	RUBBER	GROMMET
	118-9399	2	CHROME	FLAT BEZEL
	118-9399V	3	CHROME	VISORED BEZEL
2.5" ROUND	118-9119	4	RUBBER	FLUSH GROMMET
	118-9121	5	RUBBER	RECESS GROMMET
4" ROUND	118-9127	6	RUBBER	FLUSH GROMMET
6X2 " OVAL	118-9157	7	RUBBER	FLUSH GROMMET

MOUNTING BRACKETS



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6

PART NUMBER	FIGURE	LIGHT SIZE	MATERIAL	APPLICATION
118-9389BK	1	1 X 4 "	BLACK PLASTIC	127-19000 SERIES MARKER LIGHT
118-9387	2	1 X 2.5 "	GREY PLASTIC	127-15000 SERIES MARKER LIGHT
128-MBR504	3	4 X 6 "	MAGNETIC	128-504L55 MB SERIES LOAD LIGHT
126-BR67063	4	1.25 " POST	STEEL	126-67063 SERIES SOLAR STROBE
128-M307003	5	4.5" ROUND	MAGNETIC	128-H505 SERIES HOUSINGS
123-BR3090	6	UP TO 0.5" BOLT	STEEL	WORK LIGHT PIVOT BRACKET (3" MOUNT POINTS)

MINIATURE BULBS

LED BULBS



FIG. 1



FIG. 2

PART NUMBER	FIG. NO.	WATTAGE	AMPS@12V	LUMEN	VOLTAGE
121-LEDH1	1	24W	1.975	2400	9-36V
121-LEDH3	1	24W	1.975		
121-LEDH4	1	40/20W	3.125	4000	
121-LEDH4XW	2	40/20W	3.125		
121-LEDH7	1	40W	3.125		
121-LEDH11	1	40W	3.125		
121-LED9005	1	40W	3.125		
121-LED9006	1	40W	3.125		
121-LED9008/H13	1	40 /20W	3.125		



FIG. 1 FIG. 2 FIG. 3 FIG. 4 FIG. 5 FIG. 6 FIG. 7 FIG. 8 FIG. 9 FIG. 10 FIG. 11 FIG. 12 FIG. 13 FIG. 14 FIG. 15 FIG. 16

PART NUMBER	FIG. NO.	COLOR	BASE TYPE	DIODES	VOLTAGE
121-LED67-89	1	WHITE	S.C. BAYONET	10	12V
121-LED90	2	WHITE	D.C. BAYONET	10	
121-LED194AXV	3	AMBER	WEDGE	5	
121-LED194BXV	3	BLUE		5	
121-LED194RXV	3	RED		5	
121-LED194WXV	3	WHITE		5	
121-LED400-657W	5	WHITE	WEDGE	1	24V
121-LED464WXV	4	WHITE		5	
121-LED624	2	WHITE	D.C. BAYONET	8	
121-LED656	6	WHITE	WEDGE	1	12V
121-LED906	7	WHITE		9	
121-LED912	8	WHITE		13	
121-LED1003	9	WHITE	S.C. BAYONET	20	
121-LED1004	10	WHITE	D.C. BAYONET	20	
121-LED1156AXV	11	AMBER	S.C. BAYONET	27	
121-LED1156RXV	11	RED		27	
121-LED1156WXV	11	WHITE		27	
121-LED1157AXV	12	AMBER	D.C. INDEXED	27	
121-LED1157WXV	12	WHITE		27	
121-LED1662WXV	12	WHITE		27	24V
121-LED1873WXV	13	WHITE	MINIATURE BAYONET	5	
121-LED1895	14	WHITE		5	12V
121-LED3156AXV	15	AMBER	S.C. PLASTIC WEDGE	30	
121-LED3156RXV	15	RED		30	
121-LED3156WXV	15	WHITE		30	
121-LED3157AXV	16	AMBER	D.C. PLASTIC WEDGE	30	
121-LED3157WXV	16	WHITE		30	

HID COMPONENTS



D1S HID BULB - 35W

120-D1SXW
XTRA-WHITE

SPECS
VOLTAGE DETERMINED BY BALLAST
WATTAGE 35W
LIFE RATING 2000H

HID BALLAST FOR D1S BULBS



123-D1S-B12
12V

123-D1S-B24
24V

SPECS
WATTAGE 35W
LIFE RATING 3000H

123-D1S-B75
75V

123-D1S-B110
110V



FILAMENT BULBS




FIG. 1 FIG. 2 FIG. 3 FIG. 4 FIG. 5 FIG. 6 FIG. 7 FIG. 8 FIG. 9 FIG. 10 FIG. 11 FIG. 12 FIG. 13 FIG. 14 FIG. 15

PART NUMBER	FIG. NO.	BASE TYPE	BASE SIZE	VOLTAGE	WATTAGE	AMPS	FILAMENT	LED OPTION	APPLICATION
121-H3	1	PK22S	T-3 1/4	12V	55W	4.6	C-6	121-LEDH3	AUXILIARY & WORK
121-H3-13	1	PK22S	T-3 1/4	12V	130W	10.8	C-6	121-LEDH3	
121-H3-2470-1	1	PK20S	T-3 1/4	24V	70W	2.9	C-6	---	
121-H3-4	1	PK22S	T-3 1/4	24V	70W	2.9	C-6	121-LEDH3	
121-H3XW-1	1	PK22S	T-3 1/4	12V	55W	8.3	C-6	121-LEDH3	
120-64450S	2	GY6.35	T-3 1/2	12V	75W	6.3	C-8	---	
120-9040	3	RIGHT ANGLE PREFOCUS	T-4	12.8V	40W	3.1	C-6	---	FOG & HEAD LIGHT
121-880	4	AXIAL PREFOCUS	T-3 1/4	12.8V	27W	2.1	C-6	---	
121-885	5	AXIAL PREFOCUS	T-3 1/4	12.8V	50W	3.9	C-6	---	
121-886	6	RIGHT ANGLE PREFOCUS	T-3 1/4	12.8V	50W	3.9	C-6	---	
121-893	4	AXIAL PREFOCUS	T-3 1/4	12.8V	37.5W	2.9	C-6	---	
121-894	7	RIGHT ANGLE	T-3 1/4	12.8V	37.5W	2.9	C-6	---	
121-9004	8	AXIAL PREFOCUS	T-3 13/32" 10MM	12.8	65/45	5.1/3.5	C-6	---	
121-9004XW-2	8	AXIAL PREFOCUS	T-3 13/32" 10MM	12.8	100/80	7.8/6.3	C-6	---	
121-9007	9	AXIAL PREFOCUS	T-3 13/32" 10MM	12.8	65/55	5.1/4.3	C-8	---	
121-9008-H13	10	P26.4T	T-3 13/32" 10MM	12.8	65/55	5.1/4.3	C-8	121-LED9008-H13	
121-H11	11	RIGHT ANGLE PGJ9-2	T-4	13.2V	55W	4.6	C-8	121-LEDH11	
121-H11-2	11	RIGHT ANGLE PGJ9-2	T-4	28V	70W	2.9	C-8	121-LEDH11	
121-H1-24100	12	P14.5S	T-2 1/2	24	100	8.3	C-8	---	
121-H4-4	13	P43T	T-3 13/32" 10MM	24	75/70	3.1/2.9	C-8	121-LEDH4	
127-H7-4	14	PX26D	T-3 13/32" 10MM	24	70	2.9	C-8	121-LEDH7	
121-7952	15	P45T	S-13 R2	24V	55/50W	2.3/2.1	C-6	---	HEAD LIGHT



FIG. 1 FIG. 2 FIG. 3 FIG. 4 FIG. 5 FIG. 6 FIG. 7 FIG. 8 FIG. 9 FIG. 10 FIG. 11 FIG. 12 FIG. 13 FIG. 15 FIG. 16

PART NUMBER	FIG. NO.	BASE TYPE	BASE SIZE	VOLTAGE	WATTAGE	AMPS	FILAMENT	LED OPTION	APPLICATION
120-1141	1	S.C. BAYONET	S-8 1″ 25MM	12.8V	18.43W	1.44	C-6	121-LED1003	
121-1129	1	S.C. BAYONET	S-8 1″ 25MM	6.4V	16.83W	2.63	C-6	---	
121-1195	2	S.C. BAYONET	RP11 1 3/8″ 35MM	12.5V	37.5W	3	C-2V	---	
121-14	3	MIN. SCREW	G-3 1/2 7/16″ 11MM	2.47V	0.74W	0.3	C-2R	---	
121-1450	4	MIN. BAYONET	G-3 1/2 7/16″ 11MM	24V	0.84W	0.04	C-2F	---	
121-257	5	MIN. BAYONET	G-4 1/2 9/16″ 14MM	14V	3.78W	0.27	C-2R	---	
121-307	1	S.C. BAYONET	S-8 1″ 25MM	28V	18.76W	0.67	C-2V	---	
121-3899	6	BA75	T-2 1/4″ 6.8MM	24V	3.0W	0.13	C-2V	---	
121-456	5	MIN. BAYONET	G-4 1/2 9/16″ 14MM	28V	4.76W	0.17	C-2F	121-LED1873	INDICATOR
121-623	7	S.C. BAYONET	G-6 3/4″ 19MM	28V	10.36W	0.37	2C-6	---	
121-7440	8	WEDGE	T-6 1/2 13/16″ 20.6MM	13.5	25	1.9	C-6	---	
121-7443	9	WEDGE	T-6 1/2 13/16″ 20.6MM	13.5	25.0/5.7	1.9	C-6	---	
121-7511	1	S.C. BAYONET	S-8 1″ 25MM	24V	21.1W	0.88	C-6	---	
121-795-2	10	S.C. BAYONET	T-3 1/2″	24V	50.0W	2.08	C-6	---	
121-93	1	S.C. BAYONET	S-8 1″ 25MM	12.8V	13.31W	1.04	C-2R	121-LED1003	
121-967	11	BA9S	T-3 1/4 13/32″ 10MM	125V	0.3W	3	C-2V	---	
121-SE1274	6	BA75MM	T-2 1/4″ 6.8MM	14.4V	1.5W	0.12	C-2V	---	
120-158	13	WEDGE	T-3 1/4 13/32″ 10MM	14V	3.4W	0.2	C-2V	121-LED194AXV	
121-1819	12	MIN. BAYONET	T-3 1/4 13/32″ 10MM	28V	1.1W	0.1	C-2F	---	
121-1820	12	MIN. BAYONET	T-3 1/4 13/32″ 10MM	28V	2.8W	0.1	C-2F	---	
121-1829	12	MIN. BAYONET	T-3 1/4 13/32″ 10MM	28V	2.0W	0.1	C-2F	---	
121-1891	12	MIN. BAYONET	T-3 1/4 13/32″ 10MM	14V	3.4W	0.2	C-2F	---	
121-1893	12	MIN. BAYONET	T-3 1/4 13/32″ 10MM	14V	4.6W	0.3	C-2F	---	
121-194	13	WEDGE	T-3 1/4 13/32″ 10MM	14V	3.8W	0.3	C-2F	121-LED194AXV	
121-2841	13	WEDGE	T-3 1/4 13/32″ 10MM	24V	3.1W	0.1	C-7A	---	LICENSE & INDICATOR
121-313	12	MIN. BAYONET	T-3 1/4 13/32″ 10MM	28V	4.8W	0.2	C-2F	121-LED1873WXV	
121-464	13	WEDGE	T-3 1/4 13/32″ 10MM	28V	4.8W	0.2	C-2F	121-LED464WXV	
121-555	13	WEDGE	T-3 1/4 13/32″ 10MM	6.3V	1.6W	0.3	C-2R	---	
121-656	13	WEDGE	T-3 1/4 13/32″ 10MM	28V	1.7W	0.1	C-2F	121-LED656	
121-657	13	WEDGE	T-3 1/4 13/32″ 10MM	28V	2.2W	0.1	C-2F	121-LED400-657W	
121-658	13	WEDGE	T-3 1/4 13/32″ 10MM	14V	1.1W	0.1	C-2F	---	
121-97	7	S.C. BAYONET	G-6 3/4″ 19MM	13.5V	9.32W	0.69	C-2V	---	
121-1076	1	D.C. BAYONET	S-8 1″ 25MM	12.8V	23.04W	1.8	C-6	121-LED1004	
121-1142	1	D.C. BAYONET	S-8 1″ 25MM	12.8V	18.43W	1.44	C-6	121-LED1004	
121-1154	1	D.C. INDEX	S-8 1″ 25MM	6.30V	16.6/5.5W	2.6/0.8	C-6	---	
121-1157A	1	D.C. INDEX	S-8 1″ 25MM	12.8V	17.2/8.3W	2.1	C-6	121-LED1157AXV	
121-1591	1	S.C. BAYONET	S-8 1″ 25MM	28V	25.2/9.6W	0.61	C-2V	---	
121-1638	1	D.C. BAYONET	S-8 1″ 25MM	28V	26.9/6.7W	1.02	2C-6	---	SIGNAL LIGHT
121-1662	1	D.C. INDEX	S-8 1″ 25MM	28V	26.9/6.7W	0.9/0.3	2C-6	121-LED1662WXV	
121-4157LL	14	D.F. PLASTIC WEDGE	S-8 1″ 25MM	12.8V	28.5/8.3W	2.2/0.6	C-6	121-LED3157WXV	
121-4157NALL	14	D.F. PLASTIC WEDGE	S-8 1″ 25MM	12.8V	28.5/8.3W	2.2/0.6	C-6	121-LED3157AXV	
121-624	14	D.C. BAYONET	G-6 3/4″ 19MM	28V	10.36W	0.37	2C-6	121-LED624	
121-7537	1	D.C. INDEX	S-8 1″ 25MM	24V	21.1/5.04W	0.9/0.2	C-6	121-LED1662WXV	
121-RP11-60604	15	D.C. BAYONET	RP11 1 3/8″ 35MM	24V	60W	2.5	C-2V	---	SIGNAL LIGHT


FIG. 1


FIG. 2


FIG.3


FIG. 4


FIG. 5


FIG. 6


FIG. 7


FIG. 8


FIG. 9


FIG. 10


FIG. 11


FIG. 12


FIG. 13


FIG. 14


FIG. 15

PART NUMBER	FIG. NO.	BASE TYPE	BASE SIZE	VOLTAGE	WATTAGE	AMPS	FILAMENT	LED OPTION	APPLICATION
121-1895	1	MIN. BAYONET	G-4 1/2 9/16" 14MM	14V	3.78W	0.27	C-2F	121-LED1895	COURTESY LIGHT
120-6411	2	FESTOON SV8.5/8	T-3 1/4 13/32" 10MM	13.8V	0.7W	10	C-8	---	
120-64111	3	MINI BAYONET	T-2 3/4	12	5	0.4	C-6	121-LED1895	
121-2721	4	SUB-MIN WEDGE	T-1 3/4 7/32" 5.5MM	12V	1.2W	0.1	C-2V	---	
121-2721MF	5	SOCKET & LAMP ASSEMBLY	T-1 3/4 7/32" 5.5MM	12V	1.2W	0.1	C-2V	---	
121-2741	4	SUB-MIN WEDGE	T-1 3/4 7/32" 5.5MM	24V	1.2W	0.1	C-2V	---	
121-327	6	S.C. MIDGET FLANGED	T-1 3/4 7/32" 5.5MM	28V	1.1W	0.1	C-2R	---	
121-37	4	SUB-MIN WEDGE	T-1 3/4 7/32" 5.5MM	14V	1.3W	0.1	C-2F	---	
121-3797	7	BA9S	T-2 11/32" 8.7MM	24V	2.0W	0.1	C-8	---	
121-387	6	S.C. MIDGET FLANGED	T-1 3/4 7/32" 5.5MM	28V	1.1W	0.1	C-2F	---	
121-3930	7	BA9S	T-2 11/32" 8.7MM	24V	4.1W	2.8	C-8	---	DOME & MAP
121-73	4	SUB-MIN WEDGE	T-1 3/4 7/32" 5.5MM	14V	1.1W	0.1	C-2F	---	
121-74	4	SUB-MIN WEDGE	T-1 3/4 7/32" 5.5MM	14V	1.4W	0.1	C-2F	---	
121-755	8	MIN. BAYONET	T-3 1/4 13/32" 10MM	6.3V	1.0W	0.2	C-2R	---	
121-85	4	SUB-MIN WEDGE	T-1 3/4 7/32" 5.5MM	28V	1.1W	0.1	C-2F	---	
121-912R	9	W2.1 WEDGE	T-5 5/8" 16MM	12.8	12.8	1	C-2R	---	
121-921	9	W2.1 WEDGE	T-5 5/8" 16MM	12.8	17.9	1.4	C-2R	121-LED912	
121-927	9	W2.1 WEDGE	T-5 5/8" 16MM	6	7.2	1.2	C-2R	---	
121-C5W (6318)	10	FESTOON CAPS	T-3 1/4 13/32" 10MM	12V	4.8W	0.4	C-8	---	
124-3497	11	S.C. BAYONET	T-6 3/4" 19MM	12.8	26.9	2.1	C-6	121-LED1156WXV	
121-44	8	MIN. BAYONET	T-3 1/4 13/32" 10MM	6.6V	1.6W	0.3	C-2R	---	
121-KPR113	12	S.C. MIN. FLANGE	B-3 1/2 11MM	4.8V	3.6W	0.75	C-2R	---	FLASHLIGHT
121-PR13	12	S.C. MIN. FLANGE	B-3 1/2 11MM	4.75V	2.38W	0.5	C-2R	---	
121-PR6	12	S.C. MIN. FLANGE	B-3 1/2 11MM	2.47V	0.74W	0.3	C-2R	---	
121-1155	13	S.C. BAYONET	G-6 3/4" 19MM	13.5V	7.97W	0.59	2C-R2	---	
121-1251	13	S.C. BAYONET	G-6 3/4" 19MM	28V	6.44W	0.23	2-C6	---	INTERIOR
121-1252	14	D.C. BAYONET	G-6 3/4" 19MM	28V	6.44W	0.23	2-C6	--	
121-303	13	S.C. BAYONET	G-6 3/4" 19MM	28V	8.4W	0.3	C-2F	---	
121-90	14	D.C. BAYONET	G-6 3/4" 19MM	13V	7.54W	0.58	C-2R	121-LED90	MAP LIGHT
121-1500	15	WEDGE	LINEAR 1500	120	500	4.17	C-8	---	WORK LAMP

did you know?

OUR HISTORY

Our Beginnings...High Tech Arcades & Automotive Lighting

Presently...A Leading Manufacturer of Heavy Equipment Lighting

Tech & Trends May Change...*BUT* Our Commitment to Quality Design Remains

MERCHANDISE DISPLAYS

4 FOOT SHELF DISPLAYS

OPTIONAL WORKLIGHT, EMERGENCY, OR COMBINATION DISPLAY

390-CSD



CUSTOMIZABLE

PART NUMBER	INDUSTRY	SEGMENT	LIGHTS INCLUDED
390-WL1	LIGHT INDUSTRIAL	WORK LIGHTS	300-363F, 300-382F, 300-390F, 300-391F, 300-340F, 300-618F
390-WL2	HEAVY INDUSTRIAL	WORK LIGHTS	123-LED63511, 300-1501FP, 123-81000F, 123-81008F, 123-LED95000F, 123-81106F
390-EM1	CONSTRUCTION	STROBES	126-67089A, 126-67085A, 126-67412A, 126-67024A
390-CSD	ANY	ANY	UP TO SIX LIGHTS OF YOUR CHOICE WITH PUSH BUTTON POWER TO SUPPORT SALES!

LED MINIATURE BULB DISPLAY CASE

FEATURING 22 LED BULBS FOR STT & INDICATOR APPLICATIONS

390-LMB

SPECS

HOUSING ALUMINUM & METAL

MOUNTING COUNTER TOP OR SHELF





LED STOP TURN TAIL DISPLAY BOARD

8 TOP SELLING LED STT LAMPS ON A 12" x 24" BOARD

390-ST1

SPECS

MOUNTING SLAT WALL

WORK LIGHTING

CATEGORY	PART NUMBER	GROTE	TRUCK LITE	JW SPEAKER	HELLA	NIGHT RIDER	NORDIC	HAMSAR
INTERIOR / CABINET	127-66703B	61861 61871 61991	80162C 80163C 80164C	MODEL 410 MODEL 411				
INTERIOR / CABINET	127-66780	61171 61341	44438C	MODEL 417				
LED	123-81000F	64G01 64G11 64G71 64G51 64G61 64G41		MODEL 4415	1G0996276-481 1G0995050-001 1G0995050-021	N2820 N1212 N1218	KL2001 KL1501 N2401 N24 N24R N2001	81871 81873 81874 81271 81272 81273 81274 81801 81802
LED	123-81008F			MODEL 526	1GA995506-001		N2201 KL1001 KL1002	81639 81640 81283 81284 82293 82294 81642 81643 81679
LED	123-81008S			MODEL 526	1GA995506-031		N2201 KL1001 KL1002 KL1401	81638 81282 82291 81641 81678
LED	123-81106F			MODEL 526XL MODEL 7150XL MODEL 7250	1GB996194-001		N7201 AG610 AG625 N3301 N3302 N3303	
LED	123-LED63511	63W71 63W61 63W41 63W31 63W21 63W11		MODEL 526	1GA996288-011 1GA996288-001 1GA996188-001		SG410 SG420 N4402	
LED	123-LED95000F			MODEL 832XL	1GA996288-031 1GA996188-011 1GB996194-011		N4601QD N4401QD N4403QD	81669
LED	123-LED95000T			MODEL 832XL	1GA996288-021 1GB996194-031 1GA995606-081		N4601QD N4401QD N4403QD	81670
LED	130-LED4411	64971 61E41 61E51 61H01 61H11 63971	44304C 44308C 44347C	MODEL 6042 MODEL 6045 MODEL 6040				81446 81444 81445
LED	300-1501F		81500 81520 81510		1GA996192-021 1GA996192-011 1GA996192-001	N2290F N2745F		81669 81670
LED	300-3140S	BZ111 BZ101	81295 81395 81390 81391 81290 81291	MODEL 840XD MODEL 680XD	1GM996136-131 1GM996136-192 1GM996136-311	N1042		81447
LED	300-3161F	BZ551 BZ601 BZ201 63W71 63W61 63W41	81500 8170 81520 81510	MODEL 832	1GA357106-022 1GA357106-032	NOS48 N1748		81257
LED	300-390F	BZ111 BZ101	81250 81255 81260	MODEL 840XD MODEL 680XD	1G0357101-012 1G0357108-012 1G1357105-022			81256 81448 81449
LED	300-391F	BZ551 BZ601 BZ201 63W71 63W61 63W41	8170 81520 81510	MODEL 832	1GA011720-041 1GA995193-001 1GA357103-012	NOS27SQ N727		
LED	300-618F	BZ301		MODEL 783XD	1GE360000-002	N1918F N1930F		

FORWARD LIGHTING

CATEGORY	PART NUMBER	GROTE	TRUCK LITE	JW SPEAKER	HELLA	NIGHT RIDER	UNI BOND	VIVID LUMEN	TRUX
AUXILIARY	123-33066		84720 84740 84770	MODEL TS3000V				V20DL	
AUXILIARY	123-88044		84720 84740 84770	MODEL TS3000V			LW5700 LW5300 LW5200E		
HEAD LIGHT	130-LED4651	94411	27465C	MODEL 8800 HIGH BEAM				F46R-H	TLED-H1 TLED-H7 TLED-H75
HEAD LIGHT	130-LED4656	94421	27460C	MODEL 8800 LOW BEAM				F46R-L	TLED-H2 TLED-H6 TLED-H73
LIGHT BAR	302-1572FS	64J21		MODEL TS1500 MODEL 9049-2M MODEL 9049-3M	1FJ958040-001 1FJ958040-051 1FJ958040-072	NXS12 NSX20 NXSCR20	LW91303 LW91305 LW91309	DRS-72 DRS-120 DRC-72	TLED-U51 TLED-U65 TLED-U66
LIGHT BAR	302-32180FSP	64J31		9049-4M	1FJ958040-001 1FJ958040-051 1FJ958040-072	NXS28 NXS30 N2180	LW93163 LW93100 LW93103	DRS-180	TLED-U67
LIGHT BAR	302-954FS	64J11				NXS06 N236	LW90703 LW90705 LW90709	DRS-36	
LIGHT BAR	305-42240FS			MODEL 9049-6M		N3R40 NCR2240	LW94163 LW94100 LW94103	DRC-240 DRS-240	TLED-U43 TLED-U68

LED BULBS

CATEGORY	PART NUMBER	GROTE	SPEED DEMON	UNI BOND	HAMSAR	UNITED PACIFIC	VIVID LUMEN	TRUX
INDICATOR / DASH	121-LED194AXV	94753-4			84184A	37800 36917 37734	194A-5 194A-1	TB-SP2128A
INDICATOR / DASH	121-LED194RXV	94752-4			84184R	37802 36919 37736	194R-5 194R-1	TB-SP2128R
INDICATOR / DASH	121-LED194WXV	94761-5 94751-4		LED194-5W-2	84184	37803 36920	194W-5 194W-1	TB-SP2128W
TAIL LIGHT/ SIGNAL BULBS	121-LED1156AXV	94793-4	10-20123	LED1156-24A	84180A	36465 36928 37690	1156A-SMD 1156A	TB-S1156A
TAIL LIGHT/ SIGNAL BULBS	121-LED1156RXV				84175R	36466 36930		TB-S1156R
TAIL LIGHT/ SIGNAL BULBS	121-LED1156WXV	94801-5 94791-4	10-20122	LED1156-24W	84175 84180	36467 36931	1156W	TB-S1156W
TAIL LIGHT/ SIGNAL BULBS	121-LED1157RXV	94812-4		LED1157-24R	84176R 84180 R	36470 36934	1157R-SMD 1157R	TB-S1157R
TAIL LIGHT/ SIGNAL BULBS	121-LED3156AXV	94860-5		LED3156A	84177A	36543	3156A-SMD 3156A	TB-SP3156A
TAIL LIGHT/ SIGNAL BULBS	121-LED3156WXV	94841-5 94831-4			84177 84182	36546	3156W-SMD 3156A	TB-SP3156W
TAIL LIGHT/ SIGNAL BULBS	121-LED3157AXV	94853-4				36547	3157A-SMD 3157A	TB-SP3157A
TAIL LIGHT/ SIGNAL BULBS	121-LED3157RXV	94852-4				36549	3157R-SMD 3157R	TB-SP3157R
TAIL LIGHT/ SIGNAL BULBS	121-LED3157WXV	94851-4 94861-5	10-20130	LED3157-24W	84178 84183	36550	3157W-SMD 3157W	TB-SP3157W

SAFETY & WARNING

CATEGORY	PART NUMBER	GROTE	TRUCK LITE	JW SPEAKER	UNI BOND	WHELEN	PETERSEN	ECCO
AUDIBLE WARNING	126-67141	73170 73250 73040 73090	92900 92901 92902	1100141	BU-97 BU-107	WBUA107 WBUA97 WBUA112	780 781 782 783	505 520 530 575
STROBES / BEACONS	126-150MA	78103 77103	301A 313A		E-336AM E-336A E-350AM E-330A		772A	6465A-MG
STROBES / BEACONS	126-66172A	77913			E-460AM E-438AM E-420AM		740A	
STROBES / BEACONS	126-67024A		92865Y	MODEL 601 MODEL 601XL	E-890A		799A	
STROBES / BEACONS	126-67033A	78013 78063 77953 77963 78923	92565Y	MODEL 601 MODEL 601XL	E-661A E-450AD	L21HAP L21HAP4 L22HAP	798A 799A	7965A EB7935A 7970A
STROBES / BEACONS	126-67033ACL		92566Y		E-888AC			7965CA
STROBES / BEACONS	126-67033B		92565B 92568B			L22HBP L22HBP4		7965B EB7935B
STROBES / BEACONS	126-67033MA		92569Y 92568Y 92860Y	MODEL 601	E-450ADM	L21HAM L22HAM L10HAM		
STROBES / BEACONS	126-67033MWCL	78011 78061				L21HCM L22HCM		
STROBES / BEACONS	126-67033R		92565R 92568R	MODEL 601		L22HRP L22HRP4		7965R EB7935R 7970R
STROBES / BEACONS	126-67033WCL	78011 78061	92565C 92568C			L21HCP L21HCP4 L10HCP		7965C EB7935C 7970C
STROBES / BEACONS	126-67085A	76983 78023	92866Y		E-2160A E-2161A E-2215A E-2210A E-2163A	R1LPPA R2LPPA4 MC16PA		5550A 5545A 5590A
STROBES / BEACONS	126-67085ABCL	76770 78020			E-2161AB E-7211AB			
STROBES / BEACONS	126-67085MA	76993 78443			E-2161AM E-2215AM E-2210AM	R1LPVA R2LPMA4 MC16MA		752MA 5590A-MG 5597A-MG
STROBES / BEACONS	126-67089A	78033 78053 76253 77873 76263 78853	92564Y 92864Y	MODEL 407 MODEL 406 MODEL 405	E-350A	L21LAP L21LAP4 L22LAP	798A 764A 791A	7960A 7965A 7975A
STROBES / BEACONS	126-67089MA	77823	92863Y	MODEL 407 MODEL 406 MODEL 405	E-550A E-350AM E-336A E-336AM E-350A E-330A	L21LAM L22LAM L10LAM	764MA 791MA	
STROBES / BEACONS	126-67412A	77473	300A		E-553A E-650A E-655A E-551A	L41AP	745A 762A 791A	6465A
STROBES / BEACONS	126-67412MA	77483	301A 313A			L41AM	791MA	6465A-MG
STROBES / BEACONS	126-67081A	78113 78783	92563	MODEL 539	E-250A			6262A
STROBES / BEACONS	127-66766ACL	77773 78773 77463 78143	92695Y 92696Y		E-950A E-950CA		4155SA 4513SA 153SA	ED3704A 3730A 3735A
STROBES / BEACONS	127-66766RCL	77462 78142			E-950R		153SR	ED3704R 3730R 3735R
STROBES / BEACONS	127-66766W	77461 78141			E-950C E-955CW		153SC	ED3704C 3730C 3735C

MARKER LIGHTS

CATEGORY	PART NUMBER	GROTE	TRUCK LITE	UNI BOND	OPTRONICS	UNITED PACIFIC	TRUX	PETERSEN
2 INCH ROUND	127-10018R	47212 G3092	3075 10276R	LED7200-10R	MCL21RB	38169 38386	TLED-2BR	166R
2 INCH ROUND	127-10018A	47213 G3093	3075A 10276A 1075A	LED7200-10A	MCL21AB	38168 38366 38385	TLED-2BA	166A
2 INCH ROUND	127-16002R	G3002 47112 MKR4500R-PG	30050R 30085R 30270R	LED2000-1R LED2010-1R LED2000-4R	MCL155RB MCL-55RB MCL56RB	37036 36525 38171	TLED-2R TLED-2SR	164R 165R
2 INCH ROUND	127-16002ACL		3051A 30376Y	LED2000C-10A	MCL55ACB	39577 36526 38362	TLED-2CA TLED-2TA TLED-2XCA	
2.5 INCH ROUND	127-17002A	G1093 G1033 47233 47123 46143	10275A 10050A 10250RA	LED2500-4A LED2500-12A LED2500-13A	MCL157AB MCL57AB MC-L527AB	37016 38174 38465	TLED-2HA TLED-2HSA	162A 163A 192A 193A 194A 195A
2.5 INCH ROUND	127-17002RCL	G1042	1051	LED2500C-13R	MCL57RCB	37019 38365 38394	TLED-2HCR TLED-2HTR TLED-2HXCR	
2.5 INCH ROUND	127-17004	G1002	1052	LR2500-4R	MCL59RB MCL0039RBB	38456		173R 175R
OTHER	127-66793AB	49333 49323	33075Y 33050Y	LED0700A LED0720A	MCL10A MC-L11AKPG	39769	TLED-B3A	171A 176KA 181A
OTHER	127-66793WB	49341	33010C 33210C 33060C	LED0700C	LPL12CPGB	39772		291C
OVAL MARKER	127-66023R	45582	21075R 21275R	LED1315-4R LED1545-6R	11212337P	36985 38955 38974	36985 38955 38974	
OVAL MARKER	127-66023A	45583 45603	21075Y 21090Y 21093Y	LED1315-4A LED1545-6A	11212335P	36984 38954 38958		
OVAL MARKER	127-66025ACL	47773	2152A		00212336P 11212336P	36986 36990 38956	TLED-G4CA	
OVAL MARKER	127-66025R	45582	21075R 21275R	LED1545-6R	00212337P	36989 39325 39523	TLED-G4R	
RECTANGULAR	127-66810ACLB	G1503 47083 MKR4700Y-PG	15250A 1560A	LED1225-1A LED1225-3A	AL91AB AL90AB AL-191AB	38158 38766	TLED-1X2A	153A 203A 253A
RECTANGULAR	127-19000R	G1902 47092 47492	19250R	LED1040-4R	MCL165RB MCL-65RB MCL75RB	36993 38162 39464	TLED-1X4R	161R
TRUCK ACCESSORIES	124-6364LED	16173 16223	97826 97827 97631	OE7169SS WC6169SS WC7169SS OE7169SSL			TM-2007 TM-2011	
TRUCK ACCESSORIES	124-6408B	12983 12183 12293	97664 97665 97686	CX855SS			TM-2003	
UTILITY / LICENSE	127-66812WB		36140C 36145C 36205C		LPL61C24B LPL65CB LL85CB		TB-C5W	
LICENSE / UTILITY	127-66800B	G6151	36140C 36145C	LLP2101	LPL31CB LPL26SKB		"TB-C7W TB-C3W"	296XC

PRODUCT INDEX

PART NUMBER	PAGE
117 CATEGORY	
117-120122A	26
117-33201	27
117-FL66090	27
117-FL66090-4	27
117-PS22905	26
117-RL50W6	27
117-SPS1201217A	26
117-SPS12024	26
117-TR241220A	26
118 CATEGORY	
118-9119	20, 27
118-9121	20, 27
118-9127	17-18, 27
118-9139	20, 23, 27
118-9157	18, 21, 27
118-9387	20, 27
118-9389BK	20, 27
118-9399	23, 27
118-9399V	23, 27
119 CATEGORY	
119-9122	20-21, 26
119-9122-12	26
119-9122-12B	26
119-9122B	26
119-9122X	26
119-9123	18, 26
119-9124	17-18, 26
119-9128	17-18, 21, 26
119-9476	26
119-9477	17, 26
119-DHF	26
119-DHM	26
119-HR60114	04, 26
119-KTD007	02, 26
120 CATEGORY	
120-1141	30
120-4000	24
120-4502	24
120-4505	24
120-4579	24
120-4589B	24
120-4800	24
120-6411	31
120-64111	31
120-64450S	29
120-9040	29
120-D1SXW	10, 29
120-H4651ST	24
120-H4656ST	24
120-H4880	24
120-H5006	24
120-H6054ST	24
121 CATEGORY	
121-1076	30
121-1129	30
121-1142	30
121-1154	30
121-1155	31
121-1157A	30
121-1195	30
121-1251	31
121-1252	31
121-14	30
121-1450	30
121-1500	31
121-1591	30
121-1638	30
121-1662	30
121-1819	30
121-1820	30
121-1829	30
121-1891	30
121-1893	30
121-1895	31
121-194	30
121-257	30
121-2721	31
121-2721MF	31
121-2741	31
121-2841	30
121-303	31
121-307	30
121-313	30
121-327	31
121-37	31
121-3797	31
121-387	31
121-3899	30
121-3930	31
121-4157LL	30
121-4157NALL	30
121-44	31
121-456	30
121-464	30
121-555	30
121-623	30
121-624	30
121-656	30
121-657	30
121-658	30
121-73	31
121-74	31
121-7440	30
121-7443	30
121-7511	30
121-7537	30
121-755	31
121-795	30
121-7952	29
121-795-2	30
121-85	31
121-880	29
121-885	29
121-886	29
121-893	29
121-894	29
121-90	31
121-9004	29
121-9004XW-2	29
121-9007	29
121-9008-H13	29
121-912R	31
121-921	31
121-927	31
121-93	30
121-967	30
121-97	30
121-73	31
121-74	31
121-7440	30

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
121-7443	30	121-LEDH7	28-29	123-95000F	10
121-7511	30	121-PR13	31	123-95000MCT	10
121-7537	30	121-PR6	31	123-95000S	10
121-755	31	121-RP11-60604	30	123-950012F	10
121-795	30	121-SE1274	30	123-950012MCT	10
121-7952	29			123-D1S-B110	30
121-795-2	30	122 CATEGORY		123-D1S-B12	10, 30
121-85	31	122-66312B	12	123-D1S-B24	10, 30
121-880	29	122-66320B	12	123-D1S-B75	30
121-885	29	122-66340B	12	123-LED63511	08, 28
121-886	29	122-66703B	12	123-LED95000A	9
121-893	29	122-66780	12	123-LED95000F	09, 28
121-894	29	122-99107	12	123-LED95000T	09
121-90	31			123-C95000C	9
121-9004	29	123 CATEGORY		123-C95000A	9
121-9004XW-2	29	123-3001C	11	123-S6612	3
121-9007	29	123-BR3090	27	123-S92006C	11
121-9008-H13	29	123-33044	3	123-S93001	11
121-912R	31	123-33044MC	3	123-S97356	3
121-921	31	123-C33044BK	3		
121-927	31	123-C33044C	3	124 CATEGORY	
121-93	30	123-33066	02	124-6306B	22
121-967	30	123-C33066A	2	124-6308BH	22
121-97	30	123-C33066BK	2	124-6364LED	22
121-LED3156AXV	22	123-33114	24	124-6408A	22
121-LED3156RXV	28	123-33188MCT	10	124-6408B	22
121-LED3156WXV	28	123-33188MCT-4	10		
121-LED3157AXV	28, 30	123-33188T	10	125 CATEGORY	
121-LED3157WXV	28, 30	123-33188T-4	10	125-AGC-25	25
121-LED400-657W	28, 30	123-460038F	10	125-AGC-30	25
121-LED464WXV	28, 30	123-460038T	10	125-AGC-4	25
121-LED624	28, 30	123-6014	24	125-ATQ-075	25
121-LED656	28, 30	123-6014HID	24	125-ATQ-10	25
121-LED67-89	28	123-6014HIDS-110	24	125-ATQ-15	25
121-LED90	28, 31	123-6014HIDS-75	24	125-ATQ-20	25
121-LED9005	28	123-6014HIDT-110	24	125-ATQ-25	25
121-LED9006	28	123-6014HIDT-75	24	125-ATQ-3	25
121-LED9008-H13	29	123-81000F	04, 07, 28	125-ATQ-30	25
121-LED906	28	123-81008F	08, 28	125-ATQ-5	25
121-LED912	28, 31	123-81008S	08	125-MAX-30	25
121-LEDH1	28	123-C81106C	9	125-MAX-50	25
121-LEDH11	28–29	123-81106F	09, 28	125-MIN-075	25
121-LEDH3	28–29	123-88044	02	125-MIN-10	25
121-LEDH4	28–29	123-C88044A	2	125-MIN-15	25
121-LEDH4XW	28	123-C88044BK	2	125-MIN-20	25

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
125-MIN-25	25	126-67089A	13, 28	127-19000R	20
125-MIN-30	25	126-67089B	13	127-19014AB	21
125-MIN-5	25	126-67089G	13	127-19014RB	21
125-SFE-30	25	126-67089MA	13	127-40010A	17
		126-67089MB	13	127-40010KR	17
126 CATEGORY		126-67089MG	13	127-40010RB	17
126-150MA	13	126-67115	16	127-40073A	21
126-150MAP	13	126-67141	14	127-40310KW	17
126-66172A	15	126-67412A	04, 13, 28	127-40310WB	17
126-66172R	15	126-67412MA	13	127-40328RWB	18
126-67000MK	26			127-43044A-4	17
126-67024A	13, 28	127 CATEGORY		127-43044R	17
126-67024ACL	13	127-100185A	23	127-43044R-4	17
126-67024BCL	13	127-100188A	23	127-43044W-4	17
126-67024R	13	127-100188ACL	23	127-44050A	18
126-67024RCL	13	127-10018A	20, 23	127-44050ACL	18
126-67030C	16	127-10018ACLB	20, 23	127-44050R	18
126-LED67030C	16	127-10018R	20	127-44050RCL	18
126-67033A	13	127-15000KR	20	127-44050W	18
126-67033ACL	13	127-15000RB	20	127-45070AB	17
126-67033B	13	127-160025A	23	127-45070KR	17
126-67033G	13	127-160025ACL	23	127-45070RB	17
126-67033MA	13	127-160025ACLX	23	127-5050R-4	19
126-67033MACL	13	127-160025AX 23		127-60010AB	17
126-67033MG	13	127-160026A	23	127-60010RB	17
126-67033MR	13	127-160026ACL	23	127-60310KW	17
126-67033MW	13	127-160026R	23	127-60310WB	17
126-67033R	13	127-160026RCL	23	127-60328RWB	18
126-67033W	13	127-160026RCLX	23	127-65000A	19
126-67034C	16	127-160026RX	23	127-65000R	19
126-67063A	14	127-160028A	23	127-66023A	21
126-BR67063	14, 27	127-160028ACL	23	127-66023R	21
126-67063G	14	127-160028RCLX	23	127-66025A	21
126-67063R	14	127-160028RX	23	127-66025ACL	21
126-67063W	14	127-16002A	20, 23	127-66025R	36
126-67081A	13	127-16002ACL	20, 23	127-66031L	21
126-67085A	14, 28	127-16002R	20, 23	127-66031LCL	21
126-67085ABCL	14	127-16002RCL	20	127-66031R	21
126-67085ACL	14	127-17002A	20	127-66031RCL	21
126-67085B	14	127-17002ACL	20	127-66035A	21
126-67085MA	14	127-17002RCL	20	127-66035L	21
126-67085MACL	14	127-17004A	20	127-66035LCL	21
126-67085MK	14, 26	127-17004R	20	127-66035R	21
126-67085R	14	127-19000A	20	127-66035RCL	21
126-67088-4	16	127-19000ARKT	20	127-66050A	18

PART NUMBER	PAGE
127-66050ACL	18
127-66050R	18
127-66050R-4	18
127-66050RCL	18
127-66050W	18
127-66055A	15
127-66055AMB	15
127-66055R	15
127-66055RMB	15
127-66070	21
127-66077AXV-4	18
127-66077GXV-4	18
127-66077RXV-4	18
127-66077W-4	18
127-66080B	12
127-66080R	12
127-66080W	12
127-66085XV	16, 19
127-66087W	12
127-66088A	12
127-66088B	12
127-66088R	12
127-66088W	12
127-66089A	12
127-66089B	12
127-66089R	12
127-66090ACL	15
127-66090WB	15
127-66093A	22
127-66093ACL	22
127-66102AB	17
127-66102KR	17
127-66102RB	17
127-66708A	21
127-66708AR	21
127-66708AR-4	21
127-66708ARCL	21
127-66766ACL	14
127-66766BCL	14
127-66766RCL	14
127-66766W	14
127-66785A	22
127-66785ACL	22
127-66785ACLK	22
127-66785AK	22
127-66793AB	20
127-66793RB	20
127-66793WB	20
127-66800B	20
127-66800BKB	20
127-66810ACLB	20
127-66810RCLB	20
127-66812WB	20
127-S60010A	14
128 CATEGORY	
128-H3001C	11
128-H3001SS	11
128-350507	11
128-350507-H3	11
128-5040010RMB	19
128-504L55A	15
128-504L55AMB	15
128-504L55R	15
128-504L55RMB	15
128-MBR504	27
128-50H4411	11
128-50LED4411	7
128-57LED4651SS	2
128-77113C	4
128-77113H	4
128-H504	11
128-H504FB	11
128-H504M	11
128-H505B	07, 11
128-H507	11
128-H57SS	11
129 CATEGORY	
129-50050BXW	25
129-50100BXW	25
129-50150BXW	25
129-50200BXW	25
129-60050BXW	25
130 CATEGORY	
130-H7935-3	11, 24
130-H7935-H3	11, 24
130-H9411	24
130-H9411XW	24
130-LED4411	07, 24
130-LED4651	03, 24
130-LED4656	03, 24
151 CATEGORY	
151-77455XV	10
300 CATEGORY	
300-1500F	7
300-1501F	07
300-1501FP	07, 28
300-3140S	04, 06
300-3161F	04, 06
300-3161FP	6
300-322BS	5
300-340F	28
300-363F	06, 28
300-382F	28
300-390F	06, 28
300-390FB	
300-391F	06, 28
300-618F	04, 28
300-618FP	4
302 CATEGORY	
302-1572FS	04
302-32180FSP	4
302-C73A	4
302-C73BK	4
302-954FS	4
303 CATEGORY	
303-03096A	15
303-06220A	15
303-08274A	
303-08276A	15
303-10000	15
303-11000	15
303-12000	15
305 CATEGORY	
305-C103A	4
305-C103BK	4
305-42240FS	04
305-50288FS	4
390 CATEGORY	
390-CSD	32
390-EM1	32
390-LMB	32
390-ST1	32
390-WL1	32
390-WL2	32

MAKING JETCO PURCHASES SIMPLE

3 TIERS OF PRODUCTS

LOOK FOR THE **BLACK DIAMOND**
FOR:
- LIGHT DUTY / RAPID SERVICE CYCLES
- BUDGET FRIENDLY OPTIONS ($)
- COMMON IN TRUCKING

LOOK FOR THE **PLUS**
FOR:
- MEDIUM DUTY / REGULAR SERVICE
- MODERATE PRICED ($$)
- COMMON IN CONSTRUCTION

LOOK FOR THE **STAR**
FOR:
- EXTREME PERFORMANCE
- ZERO DOWNTIME INVESTMENT ($$$)
- COMMON IN MINING & MILITARY







KITTING SKUS

ONE PART NUMBER; EVERYTHING NEEDED FOR THE BUILD COMES TOGETHER IN A SINGLE KIT SKU.

NO MISSING COMPONENTS; THE RIGHT PARTS ARE INCLUDED EVERY TIME, SO THERE'S NO CHASING DOWN EXTRA PIECES.

READY TO INSTALL; COMPLETE SOLUTIONS PACKED IN ONE BOX TO SAVE TIME IN THE SHOP & ON THE JOBSITE




ONLINE ORDERING

PLACE ORDERS ANYTIME THROUGH OUR EASY-TO-USE WEBSITE

VIEW PRODUCT AVAILABILITY, NEW PRODUCTS, PRICING, AND ORDER STATUS INSTANTLY.

QUICKLY FIND, SELECT, AND PURCHASE THE PRODUCTS YOU NEED WITH MINIMAL EFFORT.



DISTRIBUTING JETCO WITH EASE


HEAVY EQUIPMENT LIGHT PLACEMENT

FRONT PAGE SHOWS LAYOUT
BACK PAGE SHOWS PRODUCTS

LARGE LIBRARY OF EVERY PIECE OF EQUIPMENT

COMPLETE LIGHTING SOLUTIONS TO SUPPORT YOUR BUDGET

CAN BE CUSTOMIZED OR COBRANDED





MERCH KITS

EASY TO TRANSPORT ROLLING CASE FOR HANDS-ON CUSTOMER DEMONSTRATIONS.

TAILOR PRODUCT ASSORTMENT TO YOUR MARKET AND UPDATE IT WITH EASE



QUICK ACCESS

1-PAGE TO SIMPLIFY THE SELECTION OF PRODUCTS FOR YOUR MARKET

AVAILABLE FOR:

- TRUCK AND TRAILER MANUFACTURING
- ON ROAD TRUCKING
- MINING
- CONSTRUCTION, FORESTY, & UTILITIES



HANDS ON JETCO SUPPORT

PRODUCT KNOWLEDGE

EXPERT SUPPORT
LEARN DIRECTLY FROM OUR SPECIALISTS
BUILD PRODUCT KNOWLEDGE & CONFIDENCE

FLEXIBLE TRAINING
VIRTUAL OR IN-PERSON SESSIONS
TO FIT YOUR TEAM'S NEEDS

HANDS-ON LEARNING
INTERACTIVE PRODUCT DEMOS
REAL-WORLD APPLICATION TRAINING





SINGLE POINT OF CONTACT



ONE EMAIL OR PHONE CALL CONNECTS YOU
TO A LIGHTING SOLUTION

STRONG PARTNERSHIPS ARE BUILT FROM
CONSISTENT SUPPORT OF YOUR BUSINESS

UNDERSTANDING JETCO DESIGNS

ENGINEERING LIGHTS DIFFERENTLY

SILICONE SEALS & HARNESSES
- WILL NOT CRACK OR LEAK
- FLEXIBLE IN -40 OR +40 C

STABILIZED MULTI VOLTAGE
- SAME OUTPUT AT 12V OR 24V
- RADIANT COOLING



UV COATED POLYCARBONATE
- IMPACT PROTECTION
- SLOW TO DISCOLOR

FORWARD HEAT RELEASE
- MELT ICE & SNOW BUILD-UP
- INCREASES DIODE LIFE

REINFORCED BRACKETRY
- CORROSION RESISTANCE
- PROTECTS AGAINST VIBRATION

COMPLIANCE

ENGINEERED TO MEET SPECIFICATIONS THAT MAKE YOUR JOB EASIER

SAVE TIME AT WEIGH STATIONS OR BORDER CROSSINGS

EXPERTS IN LIGHTING THAT CAN CLARIFY WHAT YOU NEED FOR INDUSTRY AND SAFETY NEEDS



TERMS TO KNOW

LUMEN RATING:
MEASURES BRIGHTNESS
RAW LUMEN: THEORETICAL MAXIMUM OUTPUT
EFFECTIVE LUMEN: ACCOUNTS FOR REAL-WORLD LOSSES

KELVIN TEMPERATURE:
MEASURES WHITENESS OF LIGHT
LOWER NUMBERS = **WARMER/AMBER** (1800 = FOG CUTTER LIGHT)
HIGHER NUMBERS = **WHITER TONES** (4500 = MIDSUMMER DAY)

IP RATING:
MEASURES PROTECTION FROM DUST AND WATER
FIRST NUMBER = **SOLIDS** (6 = DUST PROOF)
SECOND NUMBER = **LIQUIDS** (8 = WORKS UNDERWATER)








OEM
QUICK REFERENCE GUIDE

Stop / Turn / Tail



- 7 Diode
  127-45070 / 127-66102
- 24 Diode
  127-44050 / 127-66050
- Integrated
  127-40328 / 127-60328

Work Lights



- Cost Effective
  300-390F
  300-391F
- All-Rounder
  300-3161F
- Heated Lens
  300-1501F

Strobes



- 5 Inch
  126-67412A
- 5 Inch Class I
  126-67089A
- 7 Inch Class I
  126-67033A

Marker Lights




- Bullet Lights
  127-66793 Series
- Low Profile
  127-66810 Series
- Reflectorized
  1127-17004 Series

Interior Lights



- Cabinet
  122-66703B
- Reversible Bar
  122-66312 | 20 | 40
- High Output
  122-99107

Accessory Selection



302 & 305 Series LED Light Bars
Available in 9" | 15" | 32" | 42" | 50"




126-67141
Back Up Alarm



Fully Lit Buggy Whip Lights
Available in 3' | 6' | 8'



Mounting
Flanges | Grommets | Bezels




Wiring
Standard or Weatherproof




Service Bodies & Decks





Truck & Trailer





HEAVY DUTY TRUCKING
QUICK REFERENCE GUIDE



126-67085 Series
Low Profile Design



Cab Markers
Amber or Clear Lens



124-6364LED
Lit & Heated Mirror



Air Cleaner Light Bars
Options to Fit Most Air Cans



Pedestal & Fender Lights
Rock proof lens design



123-33066 & 123-88044
DOT/SAE Compliant LED



300-390F& 300-391F
Hitch Area Lights



126-67089 Series
SAE Class 1



128-504L55 Series
Battery Load & Log Light



127-66793 & 127-66810
Small Form Factor Markers



127-66766ACL
High Visibility & Compact




127-44050 Series
Reliable & Stylish



126-67141
Back Up Alarm



127-60328RWB
All In One Design







Purpose Engineered Lighting

Tested for Canada's Demanding Climate




DOT & SAE Compliant LED Options



Winterized & Rock Proof

Industry Standard Connections

Easily Service In Field



3 Tier Offering


PREMIUM
LIGHT DUTY - $
RAPID SERVICE CYCLES
2 YEAR WARRANTY

PLUS
MEDIUM DUTY - $$
REGULAR SERVICE CYCLES
2-5 YEAR WARRANTY

MILITARY
HEAVY DUTY - $$$
ZERO DOWNTIME
5 YEAR WARRANTY

End to End Lighting Solutions

Most Extensive Range of Lighting Resources



From Forward Lighting to STT


CONSTRUCTION, FORESTRY, UTILITIES, & FORKLIFT QUICK REFERENCE GUIDE

Purpose Engineered Lighting Solutions

Tested for Canada's Demanding Climate



Impact Resistant Materials



Winterized & Silicone Sealed

End to End Lighting Solutions

Most Extensive Range of Lighting Resources



Ask about our Equipment HELP Guides



300-1501FP
Heated Lens

123-81008 Series
Impact Resistant

300-3161FP
Single SKU Option

300-390F & 300-391F
Cost Competitive

126-67033 Series
High Profile Strobe

302-32180FSP
Flood-Spot Combo

128-504L55 Series
Battery Load & Log

127-66766 Series
High Visibility & Compact

126-67141
Back Up Alarm

300-382F
Fork Lift Area

126-67081A
9-100V Strobe

300-322BS
Blue Lane Spot



Industry Standard Connections

Easily Retrofit Caterpillar & Komatsu



3 Tier Offering

PREMIUM
LIGHT DUTY - $
RAPID SERVICE CYCLES
2 YEAR WARRANTY

PLUS
MEDIUM DUTY - $$
REGULAR SERVICE CYCLES
2-5 YEAR WARRANTY

MILITARY
HEAVY DUTY - $$$
ZERO DOWNTIME
5 YEAR WARRANTY

MINING INDUSTRY
QUICK REFERENCE GUIDE





128-77113C
Standardize Fleets

LIGHT VEHICLE FLEET SOLUTIONS



Fully Lit Buggy Whip Lights
Available in 3, 6, or 8 Ft

Purpose Engineered Lighting Solutions
Tested for Canada's Demanding Climate



Rock Proof Polycarbonate



Winterized & Silicone Sealed

End to End Lighting Solutions
Most Extensive Range of Lighting Resources



Ask about our Equipment HELP Guides

Industry Standard Connections
Easily Retrofit Caterpillar & Komatsu



3 Tier Offering
Affordable & Available



Black Diamond



Enviro Vision



JL

LIGHTING TO MEET YOUR BUILD

THREE CATEGORIES FOR EVERY APPLICATION & BUDGET

PREMIUM

LIGHT DUTY
SERVICE FLEETS
GENERAL PURPOSE AREA LIGHTS

PLUS

MEDIUM DUTY
CONSTRUCTION INDUSTRY
UNIQUE TECHNOLOGIES INTRODUCED

MILITARY

HEAVY DUTY
MINING INDUSTRY
SPECIFIC OEM RETROFITS



ALL BACKED BY OUR HASSLE FREE WARRANTY

Jetco®
HEAVY DUTY LIGHTING

we light things that ***MOVE***™

MINING

CONSTRUCTION

TRUCKING

MANUFACTURING

FORESTRY

OIL & GAS

AUTOMOTIVE

OFF-ROAD





17307 109 AVENUE, NW - EDMONTON - ALBERTA - CANADA - T5S 1H7

PHONE: (780) 444-2886 | FAX: (780) 444-3448 | TOLL FREE: 1-800-230-8501

INFO@JETCOLIGHTING.COM | WWW.JETCOLIGHTING.COM

PROUDLY CANADIAN